

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)
1.8.2020 6:00	2.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	3.311	0.063	92.622
2.8.2020 6:00	3.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.023	0.161	94.051
3.8.2020 6:00	4.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.013	0.174	94.211
4.8.2020 6:00	5.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.997	0.174	94.033
5.8.2020 6:00	6.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.007	0.165	94.268
6.8.2020 6:00	7.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.031	0.165	94.241
7.8.2020 6:00	8.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.949	0.183	94.384
8.8.2020 6:00	9.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.984	0.196	94.306
9.8.2020 6:00	10.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.954	0.205	94.317
10.8.2020 6:00	11.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.967	0.225	94.238
11.8.2020 6:00	12.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.995	0.231	94.283
12.8.2020 6:00	13.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2	0.23	94.236
13.8.2020 6:00	14.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.995	0.229	94.372
14.8.2020 6:00	15.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.993	0.223	94.242
15.8.2020 6:00	16.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.958	0.231	94.237
16.8.2020 6:00	17.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.959	0.217	94.236
17.8.2020 6:00	18.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.992	0.204	94.237
18.8.2020 6:00	19.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.032	0.193	94.043
19.8.2020 6:00	20.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.103	0.187	93.809
20.8.2020 6:00	21.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.121	0.18	93.77
21.8.2020 6:00	22.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.065	0.179	93.814
22.8.2020 6:00	23.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.026	0.184	93.868
23.8.2020 6:00	24.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.965	0.191	93.971
24.8.2020 6:00	25.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.018	0.184	93.89
25.8.2020 6:00	26.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.1	0.178	93.819
26.8.2020 6:00	27.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.038	0.179	93.891
27.8.2020 6:00	28.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.103	0.176	93.808
28.8.2020 6:00	29.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.039	0.182	93.89
29.8.2020 6:00	30.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	1.931	0.194	93.779
30.8.2020 6:00	31.8.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.113	0.191	93.649
31.8.2020 6:00	1.9.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.9.2020 13:06	2.122	0.188	93.722

C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)
3.729	0.226	0.275	0.018	0.021	0.003	0.004	0		0.004			
3.324	0.328	0.442	0.039	0.049	0.006	0.008	0		0.011			
3.299	0.222	0.303	0.023	0.037	0.004	0.006	0		0.011			
3.378	0.274	0.417	0.042	0.05	0.011	0.014	0		0.026			
3.264	0.215	0.296	0.022	0.035	0.004	0.005	0		0.014			
3.269	0.216	0.295	0.023	0.035	0.004	0.006	0		0.011			
3.194	0.211	0.29	0.022	0.037	0.004	0.006	0		0.012			
3.258	0.183	0.255	0.018	0.034	0.003	0.005	0		0.012			
3.281	0.175	0.244	0.016	0.033	0.003	0.004	0		0.012			
3.333	0.171	0.237	0.015	0.032	0.003	0.004	0		0.012			
3.257	0.17	0.235	0.015	0.032	0.003	0.004	0		0.012			
3.276	0.19	0.259	0.017	0.033	0.003	0.004	0		0.012			
3.158	0.177	0.246	0.017	0.033	0.003	0.004	0		0.011			
3.269	0.201	0.273	0.018	0.034	0.003	0.004	0		0.011			
3.309	0.193	0.265	0.018	0.034	0.003	0.005	0		0.012			
3.323	0.193	0.265	0.018	0.034	0.003	0.005	0		0.012			
3.299	0.195	0.268	0.018	0.034	0.003	0.005	0		0.013			
3.443	0.213	0.289	0.02	0.035	0.003	0.005	0		0.013			
3.612	0.221	0.29	0.017	0.032	0.003	0.005	0		0.012			
3.634	0.225	0.295	0.018	0.032	0.003	0.005	0		0.012			
3.607	0.256	0.335	0.022	0.036	0.004	0.005	0		0.012			
3.599	0.245	0.323	0.021	0.036	0.004	0.005	0		0.012			
3.584	0.217	0.289	0.018	0.033	0.003	0.005	0		0.013			
3.608	0.228	0.3	0.019	0.033	0.003	0.005	0		0.012			
3.62	0.216	0.283	0.017	0.031	0.003	0.004	0		0.012			
3.562	0.249	0.329	0.022	0.036	0.004	0.005	0		0.012			
3.625	0.22	0.288	0.017	0.031	0.003	0.004	0		0.012			
3.587	0.231	0.303	0.019	0.033	0.003	0.005	0		0.012			
3.596	0.32	0.5	0.052	0.06	0.015	0.019	0.001		0.034			
3.576	0.336	0.472	0.036	0.049	0.009	0.011	0		0.03			
3.654	0.248	0.314	0.016	0.031	0.003	0.004	0		0.012			

NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0
9.450637	34.022	9.972794	35.902	10.484291	37.743	11.053377	39.792	12.301	44.285	12.979
9.564661	34.433	10.093155	36.335	10.61092	38.199	11.186919	40.273	12.495	44.981	13.183
9.539547	34.342	10.066625	36.24	10.583987	38.102	11.158484	40.171	12.479	44.923	13.166
9.572142	34.46	10.101064	36.364	10.618986	38.228	11.195441	40.304	12.5	44.999	13.189
9.537894	34.336	10.064878	36.234	10.582274	38.096	11.156674	40.164	12.48	44.928	13.168
9.535017	34.326	10.06184	36.223	10.579101	38.085	11.153326	40.152	12.475	44.912	13.163
9.535033	34.326	10.061853	36.223	10.579356	38.086	11.15359	40.153	12.481	44.933	13.169
9.529524	34.306	10.055951	36.201	10.573177	38.063	11.147073	40.129	12.472	44.899	13.159
9.53122	34.312	10.057829	36.208	10.575166	38.071	11.14917	40.137	12.475	44.91	13.162
9.530754	34.311	10.057341	36.206	10.574542	38.068	11.148517	40.135	12.47	44.891	13.157
9.521623	34.278	10.047698	36.172	10.564636	38.033	11.138064	40.097	12.46	44.857	13.147
9.526235	34.294	10.05257	36.189	10.569563	38.05	11.143266	40.116	12.463	44.865	13.149
9.516084	34.258	10.041848	36.151	10.558709	38.011	11.131808	40.075	12.457	44.846	13.144
9.529241	34.305	10.055744	36.201	10.572834	38.062	11.146718	40.128	12.466	44.879	13.153
9.533822	34.322	10.060582	36.218	10.577842	38.08	11.152002	40.147	12.472	44.898	13.159
9.536065	34.33	10.062949	36.227	10.580292	38.089	11.154585	40.157	12.475	44.91	13.163
9.533078	34.319	10.059794	36.215	10.577022	38.077	11.151134	40.144	12.472	44.899	13.159
9.544257	34.359	10.071604	36.258	10.588887	38.12	11.163663	40.189	12.476	44.914	13.164
9.550287	34.381	10.077978	36.281	10.595105	38.142	11.170234	40.213	12.473	44.903	13.161
9.551464	34.385	10.079221	36.285	10.59632	38.147	11.171518	40.217	12.473	44.902	13.16
9.561445	34.421	10.08976	36.323	10.607233	38.186	11.183032	40.259	12.485	44.947	13.173
9.562444	34.425	10.090813	36.327	10.608432	38.19	11.184293	40.263	12.489	44.962	13.178
9.561086	34.42	10.089374	36.322	10.607172	38.186	11.182957	40.259	12.494	44.979	13.183
9.560017	34.416	10.088248	36.318	10.605855	38.181	11.181571	40.254	12.489	44.959	13.177
9.550631	34.382	10.078338	36.282	10.595514	38.144	11.170663	40.214	12.475	44.91	13.163
9.560073	34.416	10.088309	36.318	10.605863	38.181	11.181583	40.254	12.487	44.955	13.176
9.551794	34.386	10.079567	36.286	10.596757	38.148	11.171976	40.219	12.476	44.913	13.163
9.557048	34.405	10.085114	36.306	10.602606	38.169	11.178143	40.241	12.485	44.946	13.173
9.609625	34.595	10.14066	36.506	10.659319	38.374	11.238023	40.457	12.526	45.094	13.216
9.582079	34.495	10.111571	36.402	10.629136	38.265	11.206174	40.342	12.49	44.964	13.178
9.554782	34.397	10.082726	36.298	10.599846	38.159	11.175241	40.231	12.473	44.905	13.161

Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
46.726	13.647	49.129	14.386	51.789	0.723	0.7633	0.5902	0.5904	17.066	487.198	86.676
47.46	13.862	49.902	14.612	52.604	0.718	0.7578	0.586	0.5861	16.942	490.755	86.751
47.399	13.845	49.841	14.594	52.54	0.716	0.7558	0.5844	0.5846	16.898	492.056	87.56
47.479	13.867	49.921	14.618	52.623	0.719	0.7584	0.5864	0.5866	16.955	490.432	86.65
47.404	13.846	49.847	14.596	52.546	0.716	0.7554	0.5841	0.5842	16.888	492.326	87.648
47.387	13.842	49.829	14.591	52.527	0.716	0.7555	0.5842	0.5843	16.89	492.274	87.663
47.41	13.848	49.855	14.598	52.554	0.715	0.7547	0.5836	0.5838	16.874	492.746	87.875
47.374	13.838	49.817	14.587	52.514	0.715	0.755	0.5838	0.584	16.88	492.571	87.938
47.385	13.841	49.829	14.591	52.526	0.715	0.7549	0.5837	0.5839	16.878	492.624	87.978
47.365	13.835	49.808	14.585	52.504	0.716	0.7555	0.5842	0.5843	16.89	492.265	87.922
47.329	13.825	49.771	14.574	52.465	0.716	0.7552	0.5839	0.5841	16.884	492.455	88.114
47.338	13.828	49.779	14.576	52.474	0.716	0.7556	0.5843	0.5844	16.894	492.166	87.931
47.317	13.822	49.759	14.57	52.453	0.715	0.7547	0.5836	0.5837	16.873	492.781	88.278
47.352	13.832	49.793	14.58	52.489	0.716	0.7557	0.5843	0.5845	16.894	492.146	87.86
47.372	13.837	49.814	14.586	52.511	0.716	0.7558	0.5844	0.5845	16.896	492.092	87.807
47.386	13.841	49.828	14.591	52.526	0.716	0.7557	0.5843	0.5845	16.895	492.14	87.761
47.374	13.838	49.816	14.587	52.513	0.716	0.7556	0.5842	0.5844	16.892	492.203	87.777
47.389	13.842	49.83	14.591	52.528	0.717	0.7569	0.5852	0.5854	16.921	491.378	87.32
47.378	13.838	49.816	14.587	52.513	0.718	0.7582	0.5863	0.5864	16.95	490.52	86.946
47.377	13.837	49.814	14.586	52.511	0.719	0.7584	0.5864	0.5866	16.955	490.381	86.868
47.424	13.851	49.863	14.601	52.563	0.719	0.7585	0.5865	0.5866	16.957	490.335	86.712
47.44	13.856	49.88	14.606	52.581	0.718	0.7581	0.5862	0.5864	16.948	490.599	86.792
47.458	13.861	49.9	14.612	52.602	0.718	0.7574	0.5856	0.5858	16.932	491.063	87.015
47.437	13.855	49.878	14.605	52.578	0.718	0.7578	0.586	0.5861	16.942	490.753	86.901
47.385	13.84	49.824	14.589	52.521	0.718	0.758	0.5861	0.5863	16.946	490.639	86.968
47.432	13.853	49.872	14.603	52.572	0.718	0.758	0.5861	0.5863	16.946	490.64	86.831
47.388	13.841	49.826	14.59	52.524	0.718	0.7581	0.5862	0.5863	16.949	490.574	86.924
47.423	13.851	49.863	14.601	52.563	0.718	0.7578	0.586	0.5861	16.942	490.765	86.931
47.579	13.894	50.019	14.647	52.728	0.721	0.7612	0.5886	0.5887	17.015	488.756	85.723
47.443	13.855	49.878	14.605	52.578	0.721	0.7612	0.5886	0.5887	17.016	488.646	85.932
47.379	13.838	49.816	14.587	52.513	0.719	0.7589	0.5868	0.5869	16.965	490.093	86.751