

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
1.10.2020 6:00	2.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,763	0,001	91,305	4,568	0,343	0,364
2.10.2020 6:00	3.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,717	0,001	91,23	4,693	0,344	0,359
3.10.2020 6:00	4.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,8	0,001	91,398	4,459	0,327	0,341
4.10.2020 6:00	5.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,791	0,001	91,329	4,539	0,327	0,34
5.10.2020 6:00	6.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,784	0,001	91,354	4,505	0,342	0,356
6.10.2020 6:00	7.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,695	0,004	91,031	4,483	0,536	0,788
7.10.2020 6:00	8.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,767	0,002	91,397	4,523	0,276	0,311
8.10.2020 6:00	9.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,805	0	91,297	4,641	0,248	0,257
9.10.2020 6:00	10.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,939	0	91,309	4,515	0,229	0,237
10.10.2020 6:00	11.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,935	0	91,256	4,58	0,222	0,229
11.10.2020 6:00	12.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,954	0	91,239	4,584	0,217	0,223
12.10.2020 6:00	13.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,929	0	91,226	4,623	0,215	0,222
13.10.2020 6:00	14.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,855	0	91,26	4,664	0,214	0,221
14.10.2020 6:00	15.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,892	0	91,227	4,665	0,209	0,216
15.10.2020 6:00	16.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,908	0	91,19	4,689	0,206	0,212
16.10.2020 6:00	17.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,902	0	91,15	4,735	0,207	0,213
17.10.2020 6:00	18.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	4,194	0	90,903	4,691	0,206	0,211
18.10.2020 6:00	19.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,987	0	91,081	4,728	0,198	0,204
19.10.2020 6:00	20.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,951	0	91,132	4,705	0,206	0,211
20.10.2020 6:00	21.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,944	0	91,165	4,682	0,204	0,21
21.10.2020 6:00	22.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,939	0	91,14	4,713	0,203	0,208
22.10.2020 6:00	23.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,943	0	91,172	4,677	0,202	0,208
23.10.2020 6:00	24.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,911	0	91,172	4,706	0,205	0,211
24.10.2020 6:00	25.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,684	0,02	91,51	4,526	0,238	0,261
25.10.2020 6:00	26.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,811	0,009	91,327	4,635	0,204	0,217
26.10.2020 6:00	27.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,708	0,019	91,411	4,612	0,229	0,25
27.10.2020 6:00	28.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,936	0	91,191	4,668	0,199	0,205
28.10.2020 6:00	29.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,66	0,025	91,521	4,527	0,241	0,267
29.10.2020 6:00	30.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,058	0,062	92,382	4,09	0,336	0,408
30.10.2020 6:00	31.10.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,946	0	91,183	4,673	0,192	0,198
31.10.2020 6:00	1.11.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2020 11:26	3,95	0	91,243	4,612	0,188	0,194

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15
0,004	0,009	0	0,001	0		0,007				9,487185	34,154	10,011422	36,041	10,521984
0,004	0,009	0	0,001	0		0,002				9,498845	34,196	10,023732	36,085	10,534642
0,004	0,008	0	0,001	0		0,001				9,4706	34,094	9,993904	35,978	10,504073
0,004	0,008	0	0,001	0		0,001				9,477074	34,117	10,000742	36,003	10,511042
0,004	0,009	0	0	0		0				9,47749	34,119	10,001181	36,004	10,511515
0,08	0,066	0,027	0,033	0		0,046				9,578	34,481	10,107386	36,387	10,619593
0,009	0,01	0,003	0,003	0		0,01				9,477585	34,119	10,001284	36,005	10,511678
0,002	0,005	0	0	0		0,001				9,470506	34,094	9,993805	35,978	10,503946
0,002	0,004	0	0	0		0,001				9,445765	34,005	9,967682	35,884	10,476942
0,002	0,004	0	0	0		0				9,449627	34,019	9,971761	35,898	10,481093
0,002	0,004	0	0	0		0				9,447279	34,01	9,969282	35,889	10,478508
0,002	0,004	0	0	0		0				9,452222	34,028	9,974501	35,908	10,483894
0,002	0,004	0	0	0		0				9,462181	34,064	9,985015	35,946	10,49484
0,002	0,004	0	0	0		0				9,457978	34,049	9,980579	35,93	10,490199
0,002	0,003	0	0	0		0				9,457729	34,048	9,980316	35,929	10,48987
0,002	0,003	0	0	0		0				9,461828	34,063	9,984645	35,945	10,494286
0,002	0,003	0	0	0		0				9,430662	33,95	9,951748	35,826	10,459807
0,002	0,003	0	0	0		0				9,451872	34,027	9,974136	35,907	10,4833
0,002	0,003	0	0	0		0				9,45471	34,037	9,97713	35,918	10,486476
0,002	0,003	0	0	0		0				9,453431	34,032	9,975779	35,913	10,485134
0,002	0,003	0	0	0		0				9,455982	34,042	9,978473	35,923	10,487885
0,002	0,003	0	0	0		0				9,452924	34,031	9,975243	35,911	10,484594
0,002	0,003	0	0	0		0				9,458509	34,051	9,98114	35,932	10,490695
0,009	0,011	0,001	0,002	0		0,001				9,473061	34,103	9,996498	35,987	10,507038
0,005	0,006	0,001	0,001	0		0				9,463472	34,068	9,986377	35,951	10,496354
0,008	0,009	0,001	0,002	0		0,001				9,476151	34,114	9,999764	35,999	10,510291
0,002	0,003	0	0	0		0				9,452389	34,029	9,974678	35,909	10,484045
0,01	0,012	0,001	0,002	0		0,002				9,476949	34,117	10,000604	36,002	10,511305
0,029	0,031	0,004	0,005	0		0,004				9,522901	34,282	10,049105	36,177	10,562664
0,002	0,003	0	0	0		0				9,450899	34,023	9,973105	35,903	10,482413
0,002	0,003	0	0	0		0				9,44547	34,004	9,967371	35,883	10,476581

GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15
37,879	11,093209	39,936	12,285	44,227	12,962	46,665	13,625	49,051	14,363	51,707	0,731	0,7712	0,5963
37,925	11,106565	39,984	12,297	44,271	12,975	46,711	13,638	49,098	14,377	51,757	0,731	0,7716	0,5966
37,815	11,074304	39,867	12,271	44,176	12,947	46,611	13,61	48,997	14,347	51,65	0,73	0,7703	0,5956
37,84	11,08166	39,894	12,276	44,194	12,953	46,63	13,616	49,016	14,353	51,67	0,73	0,7708	0,596
37,841	11,082159	39,896	12,277	44,198	12,954	46,634	13,617	49,02	14,354	51,674	0,73	0,7707	0,5959
38,231	11,196291	40,307	12,346	44,446	13,027	46,896	13,689	49,28	14,43	51,949	0,737	0,7782	0,6017
37,842	11,082333	39,896	12,279	44,204	12,956	46,64	13,619	49,027	14,356	51,682	0,73	0,7705	0,5958
37,814	11,07417	39,867	12,271	44,175	12,947	46,609	13,61	48,995	14,347	51,648	0,73	0,7704	0,5957
37,717	11,04568	39,764	12,241	44,068	12,916	46,497	13,578	48,879	14,313	51,526	0,73	0,77	0,5954
37,732	11,050061	39,78	12,244	44,079	12,919	46,508	13,581	48,89	14,316	51,537	0,73	0,7703	0,5956
37,723	11,047335	39,77	12,241	44,066	12,915	46,495	13,577	48,876	14,312	51,523	0,73	0,7704	0,5957
37,742	11,053018	39,791	12,246	44,087	12,921	46,517	13,583	48,899	14,318	51,546	0,73	0,7705	0,5957
37,781	11,064562	39,832	12,26	44,137	12,936	46,57	13,598	48,954	14,335	51,605	0,73	0,7703	0,5956
37,765	11,059669	39,815	12,254	44,114	12,929	46,545	13,591	48,928	14,327	51,578	0,73	0,7704	0,5957
37,764	11,059323	39,814	12,252	44,107	12,927	46,538	13,589	48,921	14,325	51,569	0,73	0,7706	0,5959
37,779	11,063984	39,83	12,255	44,119	12,931	46,55	13,592	48,933	14,328	51,582	0,73	0,7709	0,5961
37,655	11,027623	39,699	12,205	43,937	12,878	46,359	13,537	48,732	14,27	51,371	0,732	0,7722	0,5971
37,74	11,052398	39,789	12,24	44,064	12,915	46,492	13,576	48,872	14,311	51,519	0,731	0,7712	0,5963
37,751	11,055745	39,801	12,246	44,084	12,92	46,514	13,582	48,895	14,317	51,542	0,731	0,771	0,5961
37,746	11,054328	39,796	12,246	44,084	12,92	46,514	13,582	48,895	14,317	51,543	0,73	0,7707	0,596
37,756	11,057231	39,806	12,248	44,092	12,923	46,522	13,584	48,903	14,32	51,551	0,73	0,7709	0,5961
37,745	11,053758	39,794	12,245	44,083	12,92	46,513	13,582	48,894	14,317	51,542	0,73	0,7707	0,5959
37,767	11,060195	39,817	12,252	44,108	12,927	46,539	13,589	48,921	14,325	51,57	0,73	0,7707	0,596
37,825	11,077425	39,879	12,281	44,213	12,958	46,65	13,622	49,039	14,359	51,694	0,729	0,7695	0,595
37,787	11,066158	39,838	12,264	44,152	12,94	46,585	13,603	48,971	14,34	51,622	0,73	0,77	0,5954
37,837	11,080861	39,891	12,282	44,214	12,959	46,651	13,622	49,039	14,36	51,694	0,73	0,7699	0,5953
37,743	11,053178	39,791	12,246	44,085	12,921	46,514	13,582	48,896	14,318	51,544	0,73	0,7706	0,5958
37,841	11,081928	39,895	12,286	44,231	12,963	46,669	13,627	49,058	14,365	51,715	0,729	0,7695	0,595
38,026	11,136082	40,09	12,374	44,545	13,056	47	13,725	49,409	14,468	52,084	0,726	0,7661	0,5924
37,737	11,051456	39,785	12,244	44,078	12,919	46,507	13,58	48,888	14,315	51,535	0,73	0,7706	0,5958
37,716	11,0453	39,763	12,24	44,064	12,915	46,492	13,576	48,874	14,311	51,52	0,73	0,7702	0,5955

d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0,5965	17,242	482,217	84,455
0,5968	17,251	481,986	84,285
0,5958	17,222	482,786	84,851
0,5961	17,231	482,52	84,699
0,5961	17,23	482,556	84,702
0,6019	17,397	478,147	82,394
0,5959	17,226	482,692	84,759
0,5958	17,223	482,746	84,901
0,5956	17,216	482,959	85,264
0,5958	17,222	482,787	85,174
0,5958	17,223	482,758	85,197
0,5959	17,225	482,703	85,127
0,5958	17,222	482,794	85,058
0,5959	17,225	482,705	85,035
0,596	17,229	482,585	85,01
0,5962	17,235	482,424	84,926
0,5972	17,263	481,63	84,983
0,5965	17,242	482,237	84,923
0,5963	17,236	482,388	84,941
0,5961	17,231	482,519	85,057
0,5962	17,235	482,424	84,906
0,5961	17,23	482,553	85,062
0,5961	17,231	482,521	84,971
0,5951	17,201	483,367	85,077
0,5956	17,215	482,977	84,942
0,5955	17,213	483,045	84,895
0,596	17,227	482,635	85,061
0,5951	17,203	483,329	85,042
0,5925	17,127	485,483	85,349
0,596	17,227	482,634	85,005
0,5957	17,218	482,887	85,153