

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja
1.1.2020 6:00	2.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
2.1.2020 6:00	3.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
3.1.2020 6:00	4.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
4.1.2020 6:00	5.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
5.1.2020 6:00	6.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
6.1.2020 6:00	7.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
7.1.2020 6:00	8.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
8.1.2020 6:00	9.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
9.1.2020 6:00	10.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
10.1.2020 6:00	11.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
11.1.2020 6:00	12.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
12.1.2020 6:00	13.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
13.1.2020 6:00	14.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
14.1.2020 6:00	15.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
15.1.2020 6:00	16.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
16.1.2020 6:00	17.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
17.1.2020 6:00	18.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
18.1.2020 6:00	19.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
19.1.2020 6:00	20.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
20.1.2020 6:00	21.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
21.1.2020 6:00	22.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
22.1.2020 6:00	23.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
23.1.2020 6:00	24.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
24.1.2020 6:00	25.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
25.1.2020 6:00	26.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
26.1.2020 6:00	27.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
27.1.2020 6:00	28.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
28.1.2020 6:00	29.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
29.1.2020 6:00	30.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
30.1.2020 6:00	31.1.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
31.1.2020 6:00	1.2.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak

Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)
2.1.2020 7:55	2.845	0.068	92.72	3.886	0.39	0.477	0.039	0.037	0.005	0.007	0
3.1.2020 7:55	2.282	0.106	93.385	3.59	0.5	0.631	0.058	0.055	0.007	0.01	0
4.1.2020 7:55	2.622	0.083	92.952	3.799	0.434	0.539	0.046	0.044	0.006	0.008	0
5.1.2020 7:55	3.189	0.049	92.309	4.061	0.327	0.39	0.028	0.027	0.004	0.005	0
6.1.2020 7:55	2.973	0.064	92.522	3.991	0.368	0.448	0.035	0.034	0.005	0.006	0
7.1.2020 7:55	2.35	0.104	93.245	3.669	0.498	0.628	0.058	0.054	0.007	0.01	0
8.1.2020 7:55	1.49	0.159	94.299	3.194	0.654	0.849	0.088	0.081	0.011	0.015	0
9.1.2020 7:55	1.383	0.166	94.432	3.133	0.673	0.876	0.092	0.085	0.011	0.015	0
10.1.2020 7:55	1.272	0.174	94.562	3.068	0.7	0.914	0.096	0.089	0.012	0.016	0
11.1.2020 7:55	1.383	0.167	94.414	3.146	0.677	0.881	0.092	0.085	0.011	0.015	0
12.1.2020 7:55	2.23	0.112	93.39	3.61	0.513	0.651	0.062	0.058	0.008	0.011	0
13.1.2020 7:55	2.327	0.109	93.276	3.66	0.491	0.623	0.059	0.055	0.007	0.01	0
14.1.2020 7:55	1.043	0.193	94.819	2.95	0.749	0.985	0.106	0.097	0.013	0.018	0
15.1.2020 7:55	0.932	0.199	94.951	2.9	0.768	1.008	0.109	0.1	0.013	0.018	0
16.1.2020 7:55	0.88	0.203	95.015	2.864	0.78	1.025	0.111	0.102	0.014	0.019	0
17.1.2020 7:55	0.878	0.205	95.02	2.859	0.781	1.027	0.111	0.102	0.014	0.019	0
18.1.2020 7:55	0.942	0.201	94.949	2.888	0.768	1.01	0.109	0.1	0.013	0.018	0
19.1.2020 7:55	0.875	0.207	95.026	2.851	0.782	1.029	0.112	0.102	0.014	0.019	0
20.1.2020 7:55	1.578	0.161	94.201	3.222	0.637	0.828	0.086	0.08	0.011	0.015	0
21.1.2020 7:55	1.054	0.198	94.819	2.943	0.743	0.976	0.105	0.097	0.013	0.018	0
22.1.2020 7:55	0.882	0.252	95.005	2.818	0.78	1.031	0.113	0.104	0.014	0.02	0
23.1.2020 7:55	1.339	0.269	94.444	3.028	0.686	0.907	0.099	0.092	0.013	0.018	0
24.1.2020 7:55	1.923	0.243	93.807	3.307	0.54	0.71	0.074	0.071	0.01	0.014	0
25.1.2020 7:55	1.881	0.263	93.783	3.329	0.557	0.733	0.077	0.073	0.011	0.015	0
26.1.2020 7:55	1.489	0.282	94.239	3.127	0.642	0.85	0.092	0.086	0.013	0.017	0
27.1.2020 7:55	2.518	0.197	93.031	3.676	0.441	0.57	0.057	0.054	0.008	0.011	0
28.1.2020 7:55	1.094	0.299	94.735	2.885	0.732	0.973	0.107	0.099	0.014	0.019	0
29.1.2020 7:55	1.261	0.211	94.607	3.013	0.683	0.896	0.096	0.089	0.012	0.017	0
30.1.2020 7:55	0.922	0.327	94.939	2.779	0.764	1.019	0.114	0.105	0.015	0.021	0
31.1.2020 7:55	1.065	0.305	94.789	2.847	0.737	0.98	0.108	0.1	0.015	0.02	0
1.2.2020 7:55	1.938	0.226	93.705	3.339	0.586	0.776	0.083	0.076	0.013	0.017	0

C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
	0.004				9.539664	34.343	10.066798	36.24	10.581409	38.093	11.155847
	0.006				9.594294	34.539	10.124469	36.448	10.641906	38.311	11.219654
	0.005				9.563574	34.429	10.09204	36.331	10.607798	38.188	11.183682
	0.003				9.506045	34.222	10.031309	36.113	10.544147	37.959	11.116548
	0.003				9.530807	34.311	10.05745	36.207	10.571454	38.057	11.145352
	0.006				9.592991	34.535	10.123098	36.443	10.640256	38.305	11.21792
	0.009				9.673676	34.825	10.208273	36.75	10.729745	38.627	11.3123
	0.009				9.683113	34.859	10.218233	36.786	10.74022	38.665	11.323348
	0.01				9.695275	34.903	10.231074	36.832	10.753662	38.713	11.337526
	0.009				9.684766	34.865	10.219979	36.792	10.741988	38.671	11.325215
	0.006				9.604248	34.575	10.13498	36.486	10.652755	38.35	11.231101
	0.006				9.594818	34.541	10.125026	36.45	10.642326	38.312	11.220101
	0.011				9.719474	34.99	10.256623	36.924	10.780388	38.809	11.365717
	0.011				9.729125	35.025	10.266809	36.961	10.791115	38.848	11.377029
	0.011				9.733926	35.042	10.271878	36.979	10.79643	38.867	11.382635
	0.011				9.733995	35.042	10.27195	36.979	10.796509	38.867	11.382719
	0.011				9.727241	35.018	10.264821	36.953	10.789044	38.841	11.374846
	0.011				9.733844	35.042	10.271791	36.978	10.796347	38.867	11.38255
	0.009				9.664232	34.791	10.198303	36.714	10.719302	38.589	11.301286
	0.011				9.715646	34.976	10.252579	36.909	10.776224	38.794	11.361323
	0.013				9.727699	35.02	10.265308	36.955	10.789576	38.842	11.375411
	0.012				9.677303	34.838	10.212111	36.764	10.733786	38.642	11.316574
	0.011				9.610839	34.599	10.141944	36.511	10.660467	38.378	11.239237
	0.011				9.618443	34.626	10.149976	36.54	10.668687	38.407	11.247915
	0.013				9.661711	34.782	10.195654	36.704	10.716531	38.58	11.298377
	0.008				9.561723	34.422	10.090097	36.324	10.605788	38.181	11.181574
	0.014				9.700064	34.92	10.236141	36.85	10.759022	38.732	11.343191
	0.011				9.686308	34.871	10.221608	36.798	10.74394	38.678	11.32727
	0.015				9.713764	34.97	10.250605	36.902	10.774228	38.787	11.359231
	0.014				9.700042	34.92	10.236118	36.85	10.759063	38.733	11.343234
	0.016				9.627026	34.657	10.159045	36.573	10.677815	38.44	11.257554

GCV (MJ/m ³) @25/0	Wd(kWh/m ³) @15/15	Wd(Mj/m ³) @15/15	Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0
40.161	12.406	44.661	13.09	47.122	13.76	49.538	14.506	52.22	0.725	0.7648
40.391	12.493	44.976	13.182	47.455	13.857	49.887	14.608	52.588	0.723	0.7628
40.261	12.441	44.789	13.127	47.258	13.8	49.679	14.547	52.369	0.724	0.7642
40.02	12.35	44.461	13.031	46.912	13.699	49.316	14.441	51.987	0.726	0.7662
40.123	12.387	44.593	13.07	47.051	13.739	49.462	14.483	52.14	0.725	0.7657
40.385	12.485	44.947	13.173	47.424	13.848	49.854	14.598	52.553	0.723	0.7635
40.724	12.619	45.429	13.315	47.933	13.997	50.389	14.755	53.117	0.72	0.76
40.764	12.635	45.487	13.332	47.994	14.015	50.453	14.773	53.185	0.72	0.7596
40.815	12.654	45.554	13.351	48.065	14.035	50.527	14.795	53.263	0.719	0.7592
40.771	12.636	45.49	13.333	47.997	14.015	50.456	14.774	53.188	0.72	0.7597
40.432	12.504	45.015	13.193	47.496	13.869	49.929	14.62	52.633	0.723	0.763
40.392	12.489	44.961	13.178	47.439	13.853	49.87	14.603	52.57	0.723	0.7633
40.917	12.691	45.687	13.39	48.205	14.076	50.674	14.838	53.418	0.719	0.7586
40.957	12.708	45.748	13.408	48.269	14.095	50.741	14.858	53.489	0.718	0.7581
40.977	12.715	45.775	13.416	48.298	14.103	50.772	14.867	53.521	0.718	0.7579
40.978	12.715	45.776	13.416	48.299	14.103	50.772	14.867	53.522	0.718	0.7579
40.949	12.705	45.738	13.405	48.259	14.092	50.73	14.855	53.477	0.718	0.7581
40.977	12.715	45.775	13.416	48.298	14.103	50.771	14.867	53.521	0.718	0.7579
40.685	12.604	45.374	13.299	47.875	13.98	50.327	14.737	53.053	0.72	0.7604
40.901	12.686	45.671	13.386	48.189	14.071	50.657	14.833	53.4	0.719	0.7585
40.951	12.703	45.731	13.403	48.252	14.09	50.723	14.853	53.47	0.719	0.7584
40.74	12.619	45.429	13.315	47.933	13.997	50.389	14.755	53.117	0.721	0.7606
40.461	12.519	45.069	13.209	47.553	13.887	49.991	14.638	52.698	0.722	0.7622
40.492	12.525	45.089	13.215	47.574	13.892	50.013	14.645	52.721	0.723	0.7628
40.674	12.593	45.334	13.287	47.833	13.968	50.284	14.724	53.007	0.721	0.7613
40.254	12.433	44.757	13.118	47.224	13.79	49.644	14.537	52.333	0.725	0.765
40.835	12.656	45.561	13.353	48.072	14.037	50.534	14.797	53.271	0.72	0.7598
40.778	12.643	45.515	13.34	48.024	14.024	50.485	14.783	53.219	0.719	0.7591
40.893	12.678	45.64	13.377	48.155	14.062	50.622	14.823	53.364	0.719	0.7593
40.836	12.657	45.566	13.355	48.077	14.039	50.541	14.799	53.277	0.72	0.7596
40.527	12.53	45.109	13.221	47.595	13.898	50.033	14.65	52.742	0.723	0.7635

d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.5914	0.5915	17.098	486.294	85.406
0.5898	0.5899	17.052	487.655	85.281
0.5909	0.5911	17.085	486.677	85.252
0.5925	0.5926	17.129	485.397	85.362
0.592	0.5922	17.118	485.735	85.226
0.5904	0.5905	17.069	487.119	85.109
0.5877	0.5878	16.99	489.374	85.135
0.5873	0.5875	16.98	489.669	85.152
0.587	0.5872	16.972	489.885	85.125
0.5874	0.5876	16.984	489.565	85.104
0.59	0.5901	17.057	487.448	85.106
0.5902	0.5904	17.066	487.215	85.152
0.5866	0.5867	16.958	490.325	85.067
0.5862	0.5863	16.947	490.632	85.088
0.586	0.5862	16.943	490.74	85.086
0.586	0.5862	16.943	490.743	85.089
0.5862	0.5864	16.947	490.607	85.105
0.586	0.5862	16.943	490.739	85.097
0.5879	0.5881	16.999	489.127	85.165
0.5865	0.5867	16.956	490.342	85.133
0.5864	0.5866	16.954	490.428	85.167
0.5881	0.5883	17.003	489.004	85.294
0.5894	0.5895	17.04	487.955	85.633
0.5898	0.59	17.052	487.626	85.446
0.5887	0.5888	17.02	488.503	85.328
0.5915	0.5917	17.102	486.23	85.382
0.5875	0.5876	16.985	489.525	85.272
0.587	0.5871	16.97	489.955	85.358
0.5871	0.5872	16.973	489.865	85.308
0.5873	0.5875	16.98	489.661	85.328
0.5904	0.5905	17.068	487.195	85.127