

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja
1.4.2020 6:00	2.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
2.4.2020 6:00	3.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
3.4.2020 6:00	4.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
4.4.2020 6:00	5.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
5.4.2020 6:00	6.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
6.4.2020 6:00	7.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
7.4.2020 6:00	8.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
8.4.2020 6:00	9.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
9.4.2020 6:00	10.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
10.4.2020 6:00	11.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
11.4.2020 6:00	12.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
12.4.2020 6:00	13.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
13.4.2020 6:00	14.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
14.4.2020 6:00	15.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
15.4.2020 6:00	16.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
16.4.2020 6:00	17.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
17.4.2020 6:00	18.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
18.4.2020 6:00	19.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
19.4.2020 6:00	20.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
20.4.2020 6:00	21.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
21.4.2020 6:00	22.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
22.4.2020 6:00	23.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
23.4.2020 6:00	24.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
24.4.2020 6:00	25.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak

25.4.2020 6:00	26.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
26.4.2020 6:00	27.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
27.4.2020 6:00	28.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
28.4.2020 6:00	29.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
29.4.2020 6:00	30.4.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak
30.4.2020 6:00	1.5.2020 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak

Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)
2.4.2020 7:55	4.033	0	91.22	4.597	0.146	0.15	0.001	0.002	0	0	0
3.4.2020 7:55	3.736	0	91.393	4.695	0.171	0.176	0.002	0.003	0	0	0
4.4.2020 7:55	4.065	0	91.145	4.636	0.149	0.154	0.001	0.002	0	0	0
5.4.2020 7:55	3.983	0	91.336	4.53	0.146	0.151	0.001	0.002	0	0	0
6.4.2020 7:55	3.916	0	91.343	4.595	0.142	0.146	0.001	0.002	0	0	0
7.4.2020 7:55	3.747	0	91.411	4.677	0.159	0.164	0.001	0.003	0	0	0
8.4.2020 7:55	3.955	0	91.302	4.589	0.149	0.153	0.001	0.003	0	0	0
9.4.2020 7:55	3.956	0	91.331	4.566	0.142	0.147	0.001	0.002	0	0	0
10.4.2020 7:55	3.962	0	91.342	4.548	0.143	0.147	0.001	0.002	0	0	0
11.4.2020 7:55	3.968	0	91.326	4.554	0.147	0.151	0.001	0.002	0	0	0
12.4.2020 7:55	3.976	0	91.359	4.516	0.145	0.149	0.001	0.002	0	0	0
13.4.2020 7:55	3.983	0	91.333	4.542	0.138	0.142	0.001	0.002	0	0	0
14.4.2020 7:55	3.979	0	91.323	4.554	0.14	0.144	0.001	0.002	0	0	0
15.4.2020 7:55	3.961	0	91.314	4.576	0.144	0.148	0.001	0.002	0	0	0
16.4.2020 7:55	3.924	0	91.277	4.646	0.148	0.152	0.001	0.002	0	0	0
17.4.2020 7:55	3.935	0	91.39	4.529	0.141	0.145	0.001	0.002	0	0	0
18.4.2020 7:55	3.936	0	91.359	4.553	0.147	0.152	0.001	0.002	0	0	0
19.4.2020 7:55	3.959	0	91.377	4.508	0.151	0.156	0.001	0.003	0	0	0
20.4.2020 7:55	3.958	0	91.347	4.546	0.145	0.149	0.001	0.002	0	0	0
21.4.2020 7:55	3.957	0	91.305	4.582	0.152	0.156	0.001	0.002	0	0	0
22.4.2020 7:55	3.943	0	91.38	4.518	0.154	0.159	0.001	0.003	0	0	0
24.4.2020 15:05	3.942	0	91.363	4.539	0.151	0.156	0.001	0.002	0	0	0
25.4.2020 15:03	3.948	0	91.409	4.493	0.145	0.15	0.001	0.002	0	0	0
25.4.2020 7:55	3.938	0	91.39	4.519	0.149	0.153	0.001	0.002	0	0	0

26.4.2020 7:55	3.942	0	91.441	4.469	0.144	0.148	0.001	0.002	0	0	0
27.4.2020 7:55	3.963	0	91.378	4.514	0.14	0.144	0.001	0.002	0	0	0
28.4.2020 7:55	3.964	0	91.357	4.523	0.151	0.155	0.001	0.002	0	0	0
29.4.2020 7:55	3.988	0	91.435	4.424	0.149	0.153	0.001	0.002	0	0	0
30.4.2020 7:55	3.986	0	91.346	4.517	0.146	0.15	0.001	0.002	0	0	0
1.5.2020 7:55	3.976	0	91.43	4.443	0.146	0.151	0.001	0.002	0	0	0

C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
	0				9.429815	33.947	9.950841	35.823	10.459494	37.654	11.027272
	0				9.469293	34.089	9.992518	35.973	10.502907	37.81	11.073064
	0				9.430311	33.949	9.951368	35.825	10.45991	37.656	11.027715
	0				9.429724	33.947	9.950741	35.823	10.459588	37.655	11.027365
	0				9.440232	33.985	9.961834	35.863	10.471095	37.696	11.039504
	0				9.465028	34.074	9.988014	35.957	10.498289	37.794	11.06819
	0				9.437293	33.974	9.958734	35.851	10.467801	37.684	11.036032
	0				9.434448	33.964	9.955729	35.841	10.464748	37.673	11.03281
	0				9.432548	33.957	9.953723	35.833	10.462688	37.666	11.030635
	0				9.433057	33.959	9.954261	35.835	10.463213	37.668	11.031189
	0				9.4292	33.945	9.950187	35.821	10.459052	37.653	11.026797
	0				9.429328	33.946	9.950323	35.821	10.459162	37.653	11.026916
	0				9.430936	33.951	9.952021	35.827	10.460901	37.659	11.02875
	0				9.434816	33.965	9.956118	35.842	10.465122	37.674	11.033205
	0				9.444087	33.999	9.965908	35.877	10.475192	37.711	11.04383
	0				9.433464	33.96	9.954687	35.837	10.463771	37.67	11.031775
	0				9.436052	33.97	9.957421	35.847	10.466539	37.68	11.034697
	0				9.431283	33.953	9.952386	35.829	10.461348	37.661	11.02922
	0				9.433075	33.959	9.954279	35.835	10.46327	37.668	11.03125
	0				9.436876	33.973	9.958294	35.85	10.467346	37.682	11.035553
	0				8.984562	32.344	9.480984	34.132	9.965802	35.877	9.981804
	0				9.434999	33.966	9.95631	35.843	10.465391	37.675	11.033487
	0				9.430212	33.949	9.951254	35.825	10.460241	37.657	11.02805
	0				9.433497	33.961	9.954722	35.837	10.463798	37.67	11.031803

	0				9.428679	33.943	9.949634	35.819	10.45862	37.651	11.026338
	0				9.429295	33.945	9.950287	35.821	10.459199	37.653	11.026952
	0				9.431544	33.954	9.952662	35.83	10.461607	37.662	11.029494
	0				9.421626	33.918	9.942189	35.792	10.450892	37.623	11.018186
	0				9.428494	33.943	9.949442	35.818	10.45826	37.65	11.025963
	0				9.423883	33.926	9.944571	35.8	10.453355	37.632	11.020785

GCV (MJ/m ³) @25/0	Wd(kWh/m ³) @15/15	Wd(Mj/m ³) @15/15	Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0
39.698	12.221	43.997	12.895	46.422	13.556	48.801	14.29	51.444	0.73	0.7699
39.863	12.278	44.2	12.954	46.636	13.618	49.024	14.355	51.679	0.729	0.7693
39.7	12.218	43.986	12.892	46.41	13.552	48.789	14.286	51.43	0.73	0.7704
39.699	12.227	44.016	12.901	46.442	13.562	48.823	14.296	51.467	0.729	0.7692
39.742	12.24	44.066	12.915	46.494	13.577	48.878	14.312	51.524	0.729	0.7692
39.845	12.274	44.185	12.95	46.621	13.614	49.009	14.351	51.662	0.729	0.7691
39.73	12.234	44.044	12.909	46.471	13.57	48.853	14.305	51.498	0.729	0.7695
39.718	12.233	44.037	12.907	46.464	13.568	48.846	14.303	51.491	0.729	0.7693
39.71	12.231	44.03	12.905	46.457	13.566	48.839	14.301	51.483	0.729	0.7692
39.712	12.23	44.029	12.904	46.456	13.566	48.838	14.301	51.482	0.729	0.7693
39.696	12.227	44.018	12.901	46.444	13.563	48.825	14.297	51.469	0.729	0.7691
39.697	12.227	44.015	12.9	46.441	13.562	48.823	14.296	51.466	0.729	0.7692
39.703	12.228	44.021	12.902	46.447	13.563	48.828	14.298	51.472	0.729	0.7693
39.72	12.232	44.036	12.906	46.463	13.568	48.845	14.303	51.489	0.729	0.7694
39.758	12.242	44.071	12.917	46.5	13.578	48.882	14.314	51.529	0.729	0.7697
39.714	12.234	44.043	12.908	46.47	13.57	48.853	14.305	51.498	0.729	0.7689
39.725	12.236	44.048	12.91	46.476	13.572	48.859	14.307	51.504	0.729	0.7692
39.705	12.23	44.029	12.904	46.455	13.566	48.838	14.301	51.482	0.729	0.7691
39.712	12.231	44.033	12.906	46.46	13.567	48.842	14.302	51.487	0.729	0.7692
39.728	12.234	44.042	12.908	46.47	13.57	48.851	14.305	51.496	0.729	0.7695
35.934	11.069	39.847	11.064	39.832	12.278	44.199	12.942	46.592	0.659	0.6592
39.721	12.234	44.044	12.909	46.471	13.57	48.854	14.305	51.499	0.729	0.7692
39.701	12.231	44.031	12.905	46.457	13.567	48.84	14.301	51.484	0.728	0.7688
39.714	12.234	44.042	12.908	46.469	13.57	48.852	14.305	51.497	0.729	0.769

39.695	12.23	44.03	12.904	46.456	13.566	48.839	14.301	51.483	0.728	0.7686
39.697	12.229	44.023	12.902	46.449	13.564	48.831	14.299	51.475	0.729	0.769
39.706	12.23	44.027	12.904	46.454	13.566	48.836	14.3	51.48	0.729	0.7692
39.665	12.221	43.996	12.895	46.421	13.556	48.802	14.29	51.445	0.728	0.7686
39.693	12.226	44.012	12.899	46.438	13.561	48.819	14.295	51.463	0.729	0.7692
39.675	12.224	44.006	12.898	46.431	13.559	48.813	14.293	51.456	0.728	0.7687

d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.5953	0.5955	17.213	483.025	85.325
0.5948	0.595	17.199	483.426	85.059
0.5957	0.5959	17.224	482.731	85.256
0.5948	0.595	17.198	483.451	85.505
0.5948	0.595	17.198	483.461	85.382
0.5947	0.5949	17.195	483.555	85.167
0.595	0.5952	17.204	483.283	85.375
0.5948	0.595	17.199	483.428	85.432
0.5948	0.5949	17.198	483.47	85.477
0.5949	0.595	17.2	483.396	85.426
0.5947	0.5949	17.195	483.537	85.542
0.5948	0.5949	17.197	483.474	85.508
0.5948	0.595	17.199	483.421	85.466
0.5949	0.5951	17.201	483.363	85.409
0.5951	0.5953	17.208	483.18	85.227
0.5946	0.5947	17.191	483.658	85.526
0.5947	0.5949	17.196	483.505	85.431
0.5947	0.5948	17.194	483.57	85.538
0.5948	0.5949	17.197	483.485	85.476
0.595	0.5952	17.202	483.36	85.332
0.538	0.5099	17.194	483.569	85.517
0.5947	0.5949	17.196	483.515	85.447
0.5945	0.5946	17.189	483.72	85.591
0.5946	0.5947	17.19	483.7	85.488

0.5943	0.5945	17.184	483.853	85.646
0.5946	0.5947	17.192	483.635	85.557
0.5947	0.5949	17.196	483.577	85.48
0.5943	0.5945	17.185	483.836	85.728
0.5948	0.5949	17.197	483.496	85.507
0.5944	0.5945	17.185	483.819	85.695