

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)
1.1.2021 6:00	2.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.917	0.118	94.131	3.17	0.509	0.663	0.063	0.066	0.008
2.1.2021 6:00	3.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	2.099	0.123	93.877	3.281	0.476	0.62	0.059	0.061	0.008
3.1.2021 6:00	4.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	3.022	0.072	92.683	3.831	0.315	0.393	0.031	0.032	0.004
4.1.2021 6:00	5.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	3.371	0.02	92.062	4.216	0.275	0.33	0.023	0.027	0.002
5.1.2021 6:00	6.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.985	0.012	92.658	4.815	0.417	0.53	0.049	0.058	0.002
6.1.2021 6:00	7.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	3.219	0.047	92.173	4.27	0.246	0.292	0.018	0.019	0.003
7.1.2021 6:00	8.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	2.253	0.087	93.174	4.051	0.345	0.436	0.036	0.038	0.005
8.1.2021 6:00	9.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.073	0.139	94.155	4.037	0.458	0.597	0.057	0.057	0.007
9.1.2021 6:00	10.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.477	0.106	93.965	3.904	0.426	0.548	0.05	0.051	0.006
10.1.2021 6:00	11.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.641	0.133	94.427	3.098	0.533	0.701	0.068	0.071	0.009
11.1.2021 6:00	12.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.142	0.153	94.735	3.224	0.564	0.745	0.074	0.076	0.009
12.1.2021 6:00	13.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.878	0.226	95.177	2.785	0.691	0.934	0.1	0.099	0.013
13.1.2021 6:00	14.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.68	0.21	95.658	2.488	0.714	0.965	0.103	0.104	0.013
14.1.2021 6:00	15.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.653	0.185	95.849	2.364	0.705	0.949	0.1	0.103	0.013
15.1.2021 6:00	16.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.686	0.217	95.602	2.531	0.712	0.963	0.103	0.104	0.013
16.1.2021 6:00	17.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.135	0.242	94.758	2.961	0.669	0.905	0.097	0.094	0.013
17.1.2021 6:00	18.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.963	0.245	95.042	2.806	0.698	0.945	0.102	0.099	0.014
18.1.2021 6:00	19.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.682	0.209	95.675	2.469	0.716	0.965	0.102	0.104	0.013
19.1.2021 6:00	20.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.705	0.231	95.524	2.559	0.726	0.981	0.105	0.105	0.014
20.1.2021 6:00	21.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.129	0.227	94.845	2.904	0.664	0.895	0.095	0.093	0.013
21.1.2021 6:00	22.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	2.472	0.087	93.389	3.523	0.413	0.529	0.047	0.05	0.006
22.1.2021 6:00	23.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	4.081	0.001	91.211	4.552	0.149	0.155	0.002	0.003	0
23.1.2021 6:00	24.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	4.118	0	91.243	4.488	0.146	0.151	0.001	0.002	0
24.1.2021 6:00	25.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	4.098	0	91.213	4.549	0.136	0.14	0.001	0.002	0
25.1.2021 6:00	26.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	3.873	0.012	91.469	4.448	0.179	0.198	0.007	0.009	0.001
26.1.2021 6:00	27.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.624	0.137	94.493	3.032	0.541	0.714	0.071	0.073	0.009
27.1.2021 6:00	28.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.747	0.229	95.284	2.798	0.697	0.942	0.101	0.099	0.013
28.1.2021 6:00	29.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.819	0.299	95.035	2.823	0.75	1.024	0.113	0.108	0.016
29.1.2021 6:00	30.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	0.969	0.288	94.857	2.895	0.728	0.991	0.108	0.103	0.015
30.1.2021 6:00	31.1.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	2.033	0.193	93.631	3.429	0.536	0.713	0.072	0.07	0.01
31.1.2021 6:00	1.2.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.2.2021 9:51	1.743	0.22	93.956	3.293	0.587	0.788	0.082	0.079	0.012

i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0
0.011	0	-	0.007	-	-	-	9.602309	34.568	10.13291	36.478	10.65183	38.347	11.23008	40.428	12.537	45.132	13.228	47.62
0.011	0	-	0.007	-	-	-	9.585686	34.508	10.11537	36.415	10.63332	38.28	11.21057	40.358	12.506	45.021	13.195	47.502
0.006	0	-	0.004	-	-	-	9.504513	34.216	10.02968	36.107	10.54307	37.955	11.11539	40.015	12.364	44.512	13.046	46.965
0.003	0	-	0.001	-	-	-	9.493221	34.176	10.01777	36.064	10.52985	37.907	11.10147	39.965	12.328	44.382	13.008	46.828
0.003	0	-	0.001	-	-	-	9.703182	34.931	10.23945	36.862	10.76	38.736	11.34427	40.839	12.607	45.384	13.302	47.886
0.004	0	-	0.002	-	-	-	9.502867	34.21	10.02795	36.101	10.54064	37.946	11.11285	40.006	12.346	44.446	13.027	46.896
0.006	0	-	0.005	-	-	-	9.59966	34.559	10.13013	36.468	10.64782	38.332	11.22588	40.413	12.504	45.014	13.193	47.495
0.01	0	-	0.008	-	-	-	9.733882	35.042	10.27182	36.979	10.79584	38.865	11.38201	40.975	12.706	45.74	13.406	48.261
0.009	0	-	0.006	-	-	-	9.679907	34.848	10.21484	36.773	10.73663	38.652	11.31954	40.75	12.634	45.482	13.33	47.989
0.012	0	-	0.007	-	-	-	9.628494	34.663	10.16055	36.578	10.68086	38.451	11.2607	40.539	12.58	45.288	13.273	47.784
0.013	0	-	0.008	-	-	-	9.690947	34.887	10.22648	36.815	10.74956	38.698	11.33317	40.799	12.67	45.611	13.368	48.125
0.018	0	-	0.013	-	-	-	9.710311	34.957	10.24694	36.889	10.77105	38.776	11.35585	40.881	12.698	45.713	13.398	48.232
0.018	0	-	0.012	-	-	-	9.713557	34.969	10.25035	36.901	10.77533	38.791	11.36034	40.897	12.725	45.81	13.426	48.335
0.018	0	-	0.011	-	-	-	9.706071	34.942	10.24243	36.873	10.7675	38.763	11.35206	40.867	12.728	45.82	13.429	48.345
0.018	0	-	0.012	-	-	-	9.715213	34.975	10.2521	36.908	10.77705	38.797	11.36216	40.904	12.724	45.806	13.425	48.33
0.018	0	-	0.014	-	-	-	9.692718	34.894	10.22837	36.822	10.75118	38.704	11.3349	40.806	12.656	45.561	13.353	48.072
0.019	0	-	0.014	-	-	-	9.704273	34.935	10.24057	36.866	10.7642	38.751	11.34863	40.855	12.682	45.654	13.381	48.17
0.018	0	-	0.012	-	-	-	9.711777	34.962	10.24847	36.894	10.77342	38.784	11.35832	40.89	12.724	45.805	13.425	48.33
0.019	0	-	0.013	-	-	-	9.717349	34.982	10.25436	36.916	10.77922	38.805	11.36445	40.912	12.721	45.794	13.422	48.318
0.018	0	-	0.013	-	-	-	9.688635	34.879	10.22406	36.807	10.74688	38.689	11.33036	40.789	12.657	45.564	13.354	48.076
0.009	0	-	0.005	-	-	-	9.555633	34.4	10.08364	36.301	10.59985	38.159	11.17527	40.231	12.453	44.83	13.139	47.301
0.001	0	-	0	-	-	-	9.422835	33.922	9.943472	35.796	10.45184	37.627	11.0192	39.669	12.212	43.963	12.885	46.386
0	0	-	0	-	-	-	9.413902	33.89	9.934039	35.763	10.44213	37.592	11.00896	39.632	12.203	43.929	12.875	46.35
0	0	-	0	-	-	-	9.418595	33.907	9.938996	35.78	10.44723	37.61	11.01434	39.652	12.208	43.947	12.88	46.369
0.002	0	-	0.001	-	-	-	9.441302	33.989	9.962966	35.867	10.47237	37.701	11.04084	39.747	12.244	44.077	12.919	46.507
0.013	0	-	0.008	-	-	-	9.627233	34.658	10.15922	36.573	10.67956	38.446	11.25933	40.534	12.581	45.293	13.275	47.79
0.018	0	-	0.013	-	-	-	9.724679	35.009	10.2621	36.944	10.78692	38.833	11.37258	40.941	12.721	45.794	13.422	48.318
0.021	0	-	0.017	-	-	-	9.72866	35.023	10.26633	36.959	10.79067	38.846	11.37657	40.956	12.703	45.73	13.403	48.25
0.021	0	-	0.016	-	-	-	9.714776	34.973	10.25167	36.906	10.77526	38.791	11.36032	40.897	12.679	45.646	13.378	48.162
0.014	0	-	0.011	-	-	-	9.613117	34.607	10.14435	36.52	10.66268	38.386	11.24158	40.47	12.517	45.06	13.207	47.544
0.016	0	-	0.012	-	-	-	9.642642	34.714	10.17552	36.632	10.69536	38.503	11.27604	40.594	12.564	45.229	13.256	47.722

Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
13.907	50.065	14.66	52.776	0.719	0.7588	0.5867	0.5869	16.963	490.171	86.089
13.873	49.941	14.624	52.645	0.72	0.7599	0.5876	0.5877	16.988	489.445	86.02
13.716	49.376	14.458	52.049	0.724	0.7643	0.591	0.5911	17.086	486.639	85.929
13.675	49.229	14.415	51.894	0.727	0.7669	0.593	0.5931	17.145	484.969	85.365
13.98	50.327	14.737	53.053	0.726	0.7661	0.5923	0.5925	17.125	485.646	83.835
13.694	49.3	14.436	51.97	0.726	0.7662	0.5925	0.5926	17.13	485.379	85.429
13.869	49.929	14.62	52.632	0.722	0.7624	0.5895	0.5896	17.043	487.863	85.275
14.092	50.73	14.855	53.477	0.719	0.7591	0.5869	0.5871	16.969	489.984	84.61
14.013	50.447	14.772	53.179	0.719	0.7592	0.587	0.5872	16.972	489.887	85.093
13.955	50.238	14.711	52.958	0.718	0.7576	0.5858	0.586	16.937	490.907	86.051
14.054	50.593	14.815	53.333	0.717	0.7567	0.5851	0.5852	16.915	491.537	85.628
14.085	50.706	14.848	53.452	0.717	0.7563	0.5848	0.585	16.907	491.778	85.718
14.116	50.817	14.88	53.569	0.714	0.7536	0.5827	0.5829	16.847	493.535	86.252
14.12	50.831	14.884	53.583	0.713	0.7521	0.5815	0.5817	16.814	494.513	86.611
14.114	50.812	14.879	53.564	0.714	0.754	0.583	0.5832	16.856	493.285	86.166
14.038	50.537	14.798	53.273	0.719	0.7586	0.5866	0.5867	16.958	490.296	85.435
14.067	50.64	14.828	53.382	0.718	0.7573	0.5856	0.5857	16.93	491.118	85.605
14.115	50.813	14.879	53.564	0.714	0.7535	0.5826	0.5828	16.844	493.625	86.302
14.111	50.798	14.875	53.549	0.715	0.7547	0.5836	0.5837	16.871	492.82	86.021
14.039	50.541	14.799	53.278	0.718	0.7578	0.586	0.5861	16.942	490.776	85.618
13.814	49.729	14.562	52.422	0.722	0.7616	0.5889	0.589	17.026	488.362	85.919
13.546	48.764	14.279	51.404	0.73	0.77	0.5954	0.5955	17.215	482.989	85.432
13.535	48.727	14.268	51.366	0.729	0.7697	0.5952	0.5953	17.209	483.161	85.599
13.541	48.747	14.274	51.386	0.729	0.7698	0.5953	0.5954	17.212	483.078	85.5
13.581	48.891	14.316	51.538	0.729	0.769	0.5946	0.5948	17.193	483.607	85.447
13.957	50.244	14.712	52.965	0.718	0.7574	0.5856	0.5858	16.932	491.109	86.196
14.11	50.796	14.874	53.547	0.716	0.7558	0.5844	0.5846	16.897	492.079	85.675
14.089	50.722	14.852	53.468	0.719	0.7586	0.5866	0.5867	16.958	490.297	85.207
14.064	50.629	14.825	53.37	0.719	0.7592	0.587	0.5872	16.972	489.9	85.189
13.883	49.98	14.635	52.686	0.723	0.7629	0.5899	0.59	17.054	487.545	85.226
13.935	50.166	14.69	52.883	0.722	0.7619	0.5891	0.5893	17.033	488.151	85.208