

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)
1.5.2021 6:00	2.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.038	0	91.518	4.242	0.181	0.202	0.008	0.011	0	0.001	0
2.5.2021 6:00	3.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.177	0	91.344	4.305	0.168	0.174	0.002	0.003	0	0.001	0
3.5.2021 6:00	4.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.179	0	91.338	4.307	0.169	0.176	0.002	0.003	0	0.001	0
4.5.2021 6:00	5.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	2.55	0.006	91.999	4.575	0.695	0.869	0.091	0.073	0.004	0.006	0
5.5.2021 6:00	6.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	2.475	0.002	92.491	4.268	0.569	0.763	0.093	0.09	0.004	0.006	0.001
6.5.2021 6:00	7.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.47	0	94.676	3.761	0.683	1.092	0.185	0.212	0.003	0.007	0.002
7.5.2021 6:00	8.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.138	0.001	94.992	3.712	0.71	1.157	0.202	0.232	0.003	0.007	0.003
8.5.2021 6:00	9.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.115	0	95.104	3.659	0.672	1.122	0.202	0.237	0.003	0.007	0.003
9.5.2021 6:00	10.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.275	0.013	94.754	3.796	0.728	1.162	0.198	0.222	0.003	0.007	0.002
10.5.2021 6:00	11.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.141	0.005	94.64	3.944	0.827	1.27	0.209	0.218	0.004	0.009	0.002
11.5.2021 6:00	12.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.162	0.004	94.388	4.087	0.921	1.359	0.208	0.212	0.005	0.01	0.002
12.5.2021 6:00	13.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.096	0.001	94.962	3.773	0.714	1.168	0.205	0.234	0.003	0.007	0.003
13.5.2021 6:00	14.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.072	0	95.013	3.763	0.689	1.152	0.208	0.243	0.003	0.007	0.003
14.5.2021 6:00	15.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.056	0	94.965	3.819	0.693	1.16	0.21	0.244	0.003	0.007	0.003
15.5.2021 6:00	16.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.06	0	94.962	3.815	0.695	1.163	0.211	0.245	0.003	0.007	0.003
16.5.2021 6:00	17.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	2.331	0	92.951	4.107	0.398	0.611	0.096	0.111	0.001	0.003	0.001
17.5.2021 6:00	18.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	1.451	0	93.721	3.999	0.516	0.829	0.14	0.164	0.002	0.005	0.002
18.5.2021 6:00	19.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.411	0	96.484	2.575	0.28	0.53	0.16	0.084	0.001	0.004	0.001
19.5.2021 6:00	20.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.514	0	96.876	2.247	0.172	0.363	0.146	0.041	0.001	0.004	0
20.5.2021 6:00	21.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.489	0	96.895	2.253	0.172	0.362	0.146	0.041	0.001	0.003	0
21.5.2021 6:00	22.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.467	0	96.922	2.253	0.17	0.358	0.145	0.04	0.001	0.004	0
22.5.2021 6:00	23.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.444	0	96.934	2.262	0.171	0.36	0.145	0.04	0.001	0.004	0
23.5.2021 6:00	24.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.42	0	96.946	2.272	0.172	0.362	0.146	0.04	0.001	0.003	0
24.5.2021 6:00	25.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.364	0	96.983	2.287	0.173	0.365	0.147	0.041	0.001	0.004	0
25.5.2021 6:00	26.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.35	0	96.983	2.3	0.174	0.368	0.148	0.041	0.001	0.004	0
26.5.2021 6:00	27.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	0.337	0	96.988	2.306	0.175	0.369	0.149	0.041	0.001	0.004	0
27.5.2021 6:00	28.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	2.398	0	94.015	3.321	0.172	0.266	0.071	0.021	0	0.002	0
28.5.2021 6:00	29.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	2.801	0	93.395	3.563	0.167	0.241	0.055	0.017	0	0.002	0
29.5.2021 6:00	30.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.204	0	91.355	4.266	0.169	0.174	0.002	0.003	0	0	0
30.5.2021 6:00	31.5.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.227	0	91.362	4.243	0.163	0.169	0.002	0.003	0	0.001	0
31.5.2021 6:00	1.6.2021 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.6.2021 8:27	4.238	0	91.342	4.255	0.159	0.165	0.002	0.003	0	0.001	0

C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0
-	0	-	-	-	9.41159	33.882	9.931593	35.754	10.439952	37.584	11.006646	39.624
-	0.001	-	-	-	9.398357	33.834	9.917625	35.703	10.425263	37.531	10.991154	39.568
-	0.001	-	-	-	9.398687	33.835	9.917974	35.705	10.425611	37.532	10.991523	39.569
-	0.001	-	-	-	9.689329	34.882	10.224873	36.81	10.743161	38.675	11.326572	40.776
-	0.001	-	-	-	9.659553	34.774	10.19341	36.696	10.711555	38.562	11.293193	40.655
-	0	-	-	-	9.873668	35.545	10.41944	37.51	10.948427	39.414	11.543021	41.555
-	0	-	-	-	9.913981	35.69	10.461998	37.663	10.992871	39.574	11.589901	41.724
-	0	-	-	-	9.907435	35.667	10.455081	37.638	10.985948	39.549	11.582589	41.697
-	0	-	-	-	9.905692	35.66	10.453255	37.632	10.983426	39.54	11.57995	41.688
-	0.001	-	-	-	9.946618	35.808	10.496476	37.787	11.027817	39.7	11.626797	41.856
-	0.001	-	-	-	9.96899	35.888	10.52011	37.872	11.051709	39.786	11.652024	41.947
-	0	-	-	-	9.924359	35.728	10.472959	37.703	11.004152	39.615	11.601806	41.766
-	0	-	-	-	9.924622	35.729	10.473235	37.704	11.004525	39.616	11.602197	41.768
-	0	-	-	-	9.931625	35.754	10.480631	37.73	11.012085	39.644	11.610178	41.797
-	0	-	-	-	9.931562	35.754	10.480565	37.73	11.012005	39.643	11.610093	41.796
-	0	-	-	-	9.635501	34.688	10.167994	36.605	10.686201	38.47	11.266412	40.559
-	0	-	-	-	9.75574	35.121	10.29494	37.062	10.81849	38.947	11.405961	41.061
-	0	-	-	-	9.695041	34.902	10.23073	36.831	10.757224	38.726	11.341139	40.828
-	0	-	-	-	9.634147	34.683	10.166408	36.599	10.691598	38.49	11.271863	40.579
-	0	-	-	-	9.636766	34.692	10.169174	36.609	10.694496	38.5	11.274919	40.59
-	0	-	-	-	9.638061	34.697	10.170539	36.614	10.695963	38.505	11.276465	40.595
-	0	-	-	-	9.641383	34.709	10.174046	36.627	10.699611	38.519	11.280313	40.609
-	0	-	-	-	9.644772	34.721	10.177623	36.639	10.703331	38.532	11.284237	40.623
-	0	-	-	-	9.651642	34.746	10.184877	36.666	10.710897	38.559	11.292216	40.652
-	0	-	-	-	9.654405	34.756	10.187794	36.676	10.713913	38.57	11.295399	40.663
-	0	-	-	-	9.656362	34.763	10.189859	36.683	10.716056	38.578	11.29766	40.672
-	0	-	-	-	9.512691	34.246	10.038261	36.138	10.554353	37.996	11.127214	40.058
-	0	-	-	-	9.489296	34.161	10.013578	36.049	10.527891	37.9	11.099323	39.958
-	0	-	-	-	9.392734	33.814	9.911688	35.682	10.419137	37.509	10.984691	39.545
-	0.001	-	-	-	9.388219	33.798	9.906922	35.665	10.414217	37.491	10.979501	39.526
-	0.001	-	-	-	9.387398	33.795	9.906055	35.662	10.413294	37.488	10.978528	39.523

Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	$\rho$ (kg/m3) @15	$\rho$ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
12.209	43.954	12.882	46.376	13.543	48.756	14.277	51.396	0.728	0.7685	0.5942	0.5944	17.181	483.931	85.79
12.187	43.872	12.858	46.289	13.518	48.665	14.25	51.3	0.729	0.7692	0.5948	0.5949	17.197	483.485	85.777
12.187	43.872	12.858	46.29	13.518	48.665	14.25	51.3	0.729	0.7692	0.5948	0.595	17.198	483.456	85.767
12.538	45.139	13.23	47.627	13.902	50.048	14.655	52.758	0.732	0.7722	0.5971	0.5973	17.262	481.708	82.686
12.531	45.11	13.221	47.596	13.895	50.023	14.648	52.732	0.728	0.7686	0.5943	0.5944	17.181	483.956	83.526
12.879	46.364	13.589	48.92	14.281	51.411	15.054	54.195	0.72	0.7602	0.5878	0.588	16.993	489.329	82.963
12.94	46.583	13.653	49.151	14.348	51.653	15.125	54.45	0.719	0.7592	0.587	0.5872	16.97	489.971	82.739
12.939	46.58	13.652	49.148	14.347	51.651	15.124	54.448	0.718	0.7583	0.5863	0.5865	16.95	490.539	82.961
12.917	46.502	13.629	49.065	14.323	51.561	15.098	54.354	0.721	0.7606	0.5881	0.5883	17.001	489.081	82.581
12.958	46.648	13.672	49.219	14.366	51.718	15.144	54.519	0.722	0.7621	0.5892	0.5894	17.035	488.107	81.926
12.968	46.685	13.683	49.259	14.377	51.756	15.155	54.559	0.724	0.7643	0.5909	0.5911	17.082	486.773	81.337
12.951	46.623	13.665	49.193	14.36	51.695	15.138	54.495	0.72	0.7595	0.5872	0.5874	16.977	489.759	82.577
12.954	46.633	13.668	49.204	14.363	51.708	15.141	54.508	0.719	0.7592	0.587	0.5872	16.97	489.967	82.63
12.96	46.654	13.674	49.226	14.369	51.73	15.148	54.532	0.72	0.7596	0.5873	0.5875	16.978	489.719	82.491
12.959	46.653	13.673	49.225	14.369	51.728	15.147	54.53	0.72	0.7596	0.5873	0.5875	16.979	489.691	82.484
12.53	45.107	13.22	47.593	13.896	50.026	14.649	52.735	0.725	0.765	0.5915	0.5917	17.1	486.243	84.33
12.703	45.731	13.403	48.252	14.087	50.713	14.85	53.46	0.723	0.7629	0.5899	0.5901	17.055	487.519	83.573
12.781	46.012	13.486	48.548	14.182	51.054	14.949	53.818	0.705	0.7441	0.5754	0.5755	16.638	499.784	88.193
12.734	45.844	13.436	48.37	14.132	50.876	14.897	53.63	0.701	0.7402	0.5724	0.5725	16.549	502.42	89.71
12.739	45.86	13.441	48.387	14.137	50.893	14.902	53.648	0.701	0.7401	0.5723	0.5724	16.547	502.493	89.702
12.742	45.871	13.444	48.4	14.141	50.906	14.906	53.662	0.701	0.7399	0.5721	0.5723	16.542	502.616	89.727
12.747	45.888	13.449	48.417	14.146	50.925	14.912	53.682	0.701	0.7399	0.5721	0.5723	16.542	502.641	89.694
12.752	45.906	13.454	48.435	14.151	50.944	14.917	53.702	0.701	0.7399	0.5721	0.5722	16.541	502.664	89.66
12.762	45.943	13.465	48.475	14.163	50.985	14.929	53.745	0.701	0.7397	0.572	0.5721	16.537	502.768	89.609
12.765	45.955	13.469	48.488	14.166	50.998	14.933	53.759	0.701	0.7397	0.572	0.5721	16.538	502.744	89.565
12.768	45.964	13.472	48.497	14.169	51.008	14.936	53.77	0.701	0.7397	0.572	0.5721	16.538	502.744	89.54
12.45	44.822	13.137	47.292	13.814	49.73	14.562	52.422	0.716	0.7553	0.584	0.5842	16.884	492.609	87.653
12.395	44.622	13.078	47.081	13.752	49.506	14.496	52.186	0.719	0.7583	0.5864	0.5865	16.956	490.504	87.174
12.18	43.849	12.851	46.265	13.511	48.64	14.243	51.274	0.729	0.7691	0.5947	0.5948	17.192	483.631	85.859
12.175	43.83	12.846	46.246	13.506	48.62	14.237	51.252	0.729	0.769	0.5946	0.5948	17.193	483.607	85.915
12.173	43.824	12.844	46.239	13.504	48.613	14.235	51.245	0.729	0.7691	0.5947	0.5948	17.195	483.555	85.932