

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)
1.6.2022 6:00	2.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.325	0	91.415	4.024	0.228	0.236	0.002	0.004	0.001
2.6.2022 6:00	3.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.299	0	91.371	4.109	0.214	0.221	0.002	0.004	0
3.6.2022 6:00	4.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.29	0	91.373	4.101	0.228	0.236	0.002	0.004	0
4.6.2022 6:00	5.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.268	0	91.297	4.203	0.225	0.232	0.002	0.003	0.001
5.6.2022 6:00	6.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.275	0	91.408	4.095	0.215	0.222	0.002	0.003	0.001
6.6.2022 6:00	7.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.277	0	91.176	4.293	0.247	0.254	0.002	0.004	0
7.6.2022 6:00	8.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.274	0	91.236	4.246	0.236	0.244	0.002	0.004	0
8.6.2022 6:00	9.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.231	0	91.149	4.38	0.233	0.24	0.002	0.004	0
9.6.2022 6:00	10.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.24	0	91.292	4.25	0.212	0.217	0.002	0.003	0
10.6.2022 6:00	11.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.173	0.011	91.318	4.254	0.229	0.244	0.005	0.006	0.001
11.6.2022 6:00	12.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	3.899	0.05	91.703	4.088	0.234	0.26	0.009	0.011	0.002
12.6.2022 6:00	13.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	3.658	0.082	91.801	4.147	0.271	0.313	0.014	0.017	0.003
13.6.2022 6:00	14.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	3.809	0.073	91.595	4.206	0.278	0.317	0.013	0.016	0.003
14.6.2022 6:00	15.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	3.668	0.099	91.755	4.143	0.288	0.336	0.016	0.019	0.003
15.6.2022 6:00	16.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.233	0.001	91.232	4.311	0.217	0.223	0.002	0.003	0
16.6.2022 6:00	17.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.149	0.019	91.289	4.298	0.232	0.246	0.004	0.006	0.001
17.6.2022 6:00	18.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.102	0.024	91.429	4.197	0.232	0.248	0.005	0.007	0.001
18.6.2022 6:00	19.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.063	0.033	91.484	4.173	0.228	0.247	0.006	0.008	0.001
19.6.2022 6:00	20.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.229	0	91.316	4.238	0.212	0.217	0.002	0.003	0
20.6.2022 6:00	21.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.22	0	91.286	4.258	0.23	0.237	0.002	0.004	0
21.6.2022 6:00	22.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.227	0	91.452	4.109	0.206	0.213	0.002	0.003	0
22.6.2022 6:00	23.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.234	0	91.36	4.186	0.214	0.22	0.002	0.003	0
23.6.2022 6:00	24.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.231	0	91.387	4.168	0.208	0.214	0.002	0.003	0
24.6.2022 6:00	25.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.231	0	91.343	4.203	0.216	0.222	0.002	0.003	0
25.6.2022 6:00	26.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.23	0	91.427	4.133	0.204	0.21	0.002	0.003	0
26.6.2022 6:00	27.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.238	0	91.358	4.193	0.205	0.211	0.002	0.003	0
27.6.2022 6:00	28.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.227	0	91.311	4.24	0.216	0.222	0.002	0.003	0
28.6.2022 6:00	29.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.198	0	91.389	4.184	0.223	0.229	0.002	0.003	0
29.6.2022 6:00	30.6.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.231	0	91.422	4.123	0.216	0.223	0.002	0.003	0
30.6.2022 6:00	1.7.2022 6:00	004-1	MRČ Bjelovar	Kromatografski u	1.7.2022 8:58	4.258	0	91.329	4.187	0.219	0.225	0.002	0.003	0

i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m3) @15/15
0.001	0	-	0.001	-	-	-	9.372786	33.742	9.890628	35.606	10.397324	37.43	10.961681	39.462	12.155	43.758
0.001	0	-	0	-	-	-	9.37916	33.765	9.897358	35.63	10.404248	37.455	10.968986	39.488	12.162	43.782
0.001	0	-	0	-	-	-	9.381554	33.774	9.899886	35.64	10.406847	37.465	10.971728	39.498	12.164	43.791
0.001	0	-	0.001	-	-	-	9.390844	33.807	9.909697	35.675	10.416883	37.501	10.98232	39.536	12.172	43.82
0.001	0	-	0.001	-	-	-	9.380764	33.771	9.899051	35.637	10.406057	37.462	10.970893	39.495	12.165	43.795
0.001	0	-	0	-	-	-	9.399998	33.84	9.919367	35.71	10.426658	37.536	10.992641	39.574	12.177	43.837
0.001	0	-	0	-	-	-	9.395195	33.823	9.914294	35.691	10.421521	37.517	10.992641	39.574	12.177	43.837
0.001	0	-	0	-	-	-	9.408503	33.871	9.928347	35.742	10.435937	37.569	11.00243	39.609	12.187	43.874
0.001	0	-	0	-	-	-	9.394451	33.82	9.913505	35.689	10.435937	37.569	10.986499	39.551	12.177	43.839
0.002	0	-	0.002	-	-	-	9.405415	33.859	9.925084	35.73	10.432811	37.558	10.999125	39.597	12.19	43.883
0.002	0	-	0.002	-	-	-	9.418533	33.907	9.938925	35.78	10.44774	37.612	10.999125	39.597	12.22	43.993
0.004	0	-	0.004	-	-	-	9.452156	34.028	9.974427	35.908	10.484549	37.744	11.053696	39.793	12.262	44.142
0.003	0	-	0.004	-	-	-	9.442921	33.995	9.964683	35.873	10.474115	37.707	11.042699	39.754	12.241	44.068
0.004	0	-	0.005	-	-	-	9.453461	34.032	9.97581	35.913	10.485855	37.749	11.05508	39.798	12.259	44.131
0.001	0	-	0	-	-	-	9.400605	33.842	9.920004	35.712	10.485855	37.749	10.993483	39.577	12.259	44.131
0.001	0	-	0.001	-	-	-	9.410179	33.877	9.930114	35.748	10.437974	37.577	11.004576	39.616	12.194	43.898
0.002	0	-	0.002	-	-	-	9.406968	33.865	9.926719	35.736	10.434684	37.565	11.001098	39.604	12.196	43.905
0.002	0	-	0.002	-	-	-	9.408207	33.87	9.928028	35.741	10.436121	37.57	11.002612	39.609	12.199	43.917
0.001	0	-	0	-	-	-	9.408207	33.87	9.928028	35.741	10.421173	37.516	11.002612	39.609	12.199	43.917
0.001	0	-	0	-	-	-	9.400109	33.84	9.919479	35.71	10.426987	37.537	10.99298	39.575	12.183	43.859
0.001	0	-	0	-	-	-	9.384825	33.785	9.903337	35.652	10.410588	37.478	10.97567	39.512	12.173	43.822
0.001	0	-	0	-	-	-	9.390957	33.807	9.903337	35.652	10.417128	37.502	10.982575	39.537	12.176	43.833
0.001	0	-	0	-	-	-	9.388863	33.8	9.907602	35.667	10.414894	37.494	10.980216	39.529	12.175	43.83
0.001	0	-	0	-	-	-	9.392587	33.813	9.911536	35.682	10.418883	37.508	10.984427	39.544	12.177	43.838
0.001	0	-	0	-	-	-	9.385665	33.788	9.911536	35.682	10.418883	37.508	10.984427	39.544	12.173	43.823
0	0	-	0	-	-	-	9.389632	33.803	9.908414	35.67	10.415691	37.496	10.981058	39.532	12.175	43.829
0	0	-	0	-	-	-	9.395797	33.825	9.914925	35.694	10.415691	37.496	10.981058	39.532	12.18	43.847
0.001	0	-	0	-	-	-	9.395797	33.825	9.914379	35.692	10.422339	37.52	10.987603	39.555	12.182	43.857
0.001	0	-	0	-	-	-	9.386969	33.793	9.905602	35.66	10.412867	37.486	10.978076	39.521	12.174	43.825
0.001	0	-	0.001	-	-	-	9.389626	33.803	9.90841	35.67	10.415612	37.496	10.980976	39.532	12.172	43.821

Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
12.825	46.169	13.484	48.541	14.214	51.169	0.729	0.769	0.5946	0.5948	17.193	483.602	86.273
12.832	46.195	13.491	48.567	14.221	51.197	0.729	0.7692	0.5948	0.5949	17.195	483.557	86.146
12.834	46.204	13.493	48.577	14.224	51.207	0.729	0.7693	0.5948	0.595	17.199	483.429	86.135
12.843	46.235	13.502	48.608	14.233	51.24	0.729	0.7698	0.5952	0.5954	17.21	483.122	85.912
12.836	46.208	13.495	48.581	14.225	51.212	0.729	0.769	0.5946	0.5948	17.193	483.599	86.204
12.848	46.253	13.507	48.625	14.238	51.258	0.73	0.7707	0.5959	0.5961	17.23	482.566	85.612
12.848	46.253	13.507	48.625	14.238	51.258	0.73	0.7702	0.5956	0.5961	17.22	482.844	85.761
12.859	46.292	13.518	48.665	14.25	51.3	0.73	0.7708	0.596	0.5961	17.232	482.495	85.503
12.849	46.255	13.518	48.665	14.239	51.261	0.73	0.7708	0.596	0.5961	17.209	483.158	85.907
12.861	46.301	13.521	48.676	14.253	51.312	0.73	0.77	0.5954	0.5955	17.214	483.01	85.708
12.894	46.418	13.556	48.801	14.29	51.443	0.728	0.7682	0.594	0.5942	17.175	484.1	85.997
12.937	46.575	13.601	48.963	14.337	51.614	0.728	0.7685	0.5942	0.5944	17.182	483.925	85.582
12.937	46.575	13.578	48.88	14.337	51.614	0.728	0.7696	0.5942	0.5944	17.206	483.241	85.447
12.934	46.564	13.597	48.951	14.334	51.601	0.729	0.7691	0.5947	0.5948	17.195	483.554	85.457
12.934	46.564	13.512	48.645	14.334	51.601	0.729	0.7691	0.5947	0.5948	17.195	482.885	85.741
12.866	46.317	13.526	48.693	14.258	51.329	0.73	0.7702	0.5955	0.5957	17.219	482.857	85.629
12.868	46.325	13.528	48.702	14.261	51.339	0.729	0.7694	0.5949	0.5951	17.202	483.339	85.827
12.872	46.337	13.532	48.715	14.265	51.353	0.729	0.7692	0.5948	0.5949	17.197	483.479	85.879
12.872	46.337	13.532	48.715	14.241	51.267	0.729	0.7692	0.5951	0.5952	17.206	483.242	85.934
12.855	46.276	13.514	48.65	14.246	51.285	0.73	0.7699	0.5953	0.5955	17.213	483.035	85.784
12.844	46.238	13.503	48.612	14.234	51.244	0.728	0.7687	0.5944	0.5945	17.186	483.791	86.238
12.847	46.249	13.506	48.623	14.238	51.256	0.729	0.7687	0.5944	0.595	17.2	483.404	86.028
12.846	46.245	13.505	48.619	14.237	51.252	0.729	0.7691	0.5947	0.5949	17.195	483.535	86.105
12.848	46.254	13.508	48.628	14.239	51.261	0.729	0.7694	0.5949	0.5951	17.203	483.332	85.983
12.844	46.238	13.503	48.612	14.235	51.244	0.729	0.7688	0.5945	0.5951	17.189	483.711	86.207
12.846	46.244	13.505	48.618	14.236	51.25	0.729	0.7693	0.5948	0.595	17.199	483.44	86.06
12.846	46.244	13.505	48.618	14.236	51.25	0.729	0.7696	0.5948	0.595	17.207	483.205	85.903
12.851	46.263	13.51	48.637	14.242	51.271	0.729	0.7692	0.5948	0.5953	17.198	483.467	85.989
12.845	46.241	13.504	48.615	14.235	51.247	0.729	0.7689	0.5946	0.5947	17.192	483.637	86.15
12.843	46.236	13.503	48.609	14.234	51.241	0.729	0.7695	0.595	0.5952	17.205	483.271	85.99