

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)
1.10.2022 6:00	2.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.572	0.175	91.589	4.14	0.427	0.523	0.037
2.10.2022 6:00	3.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.621	0.16	91.573	4.159	0.399	0.486	0.034
3.10.2022 6:00	4.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.781	0.121	91.316	4.247	0.425	0.535	0.038
4.10.2022 6:00	5.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.773	0.127	91.426	4.193	0.396	0.481	0.03
5.10.2022 6:00	6.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	4.129	0.027	91.294	4.235	0.293	0.315	0.008
6.10.2022 6:00	7.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.982	0.051	91.404	4.222	0.307	0.34	0.012
7.10.2022 6:00	8.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.442	0.119	91.854	4.156	0.361	0.429	0.026
8.10.2022 6:00	9.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.585	0.168	91.337	4.404	0.414	0.507	0.037
9.10.2022 6:00	10.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.558	0.161	91.18	4.582	0.419	0.519	0.041
10.10.2022 6:00	11.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.471	0.204	91.299	4.445	0.466	0.58	0.046
11.10.2022 6:00	12.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.556	0.158	91.495	4.277	0.425	0.514	0.035
12.10.2022 6:00	13.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.696	0.104	91.33	4.433	0.368	0.437	0.028
13.10.2022 6:00	14.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	4.191	0.021	91.194	4.297	0.28	0.297	0.006
14.10.2022 6:00	15.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	4.027	0.058	91.159	4.413	0.311	0.343	0.013
15.10.2022 6:00	16.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.82	0.115	91.147	4.483	0.373	0.435	0.025
16.10.2022 6:00	17.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.704	0.146	91.249	4.441	0.382	0.459	0.031
17.10.2022 6:00	18.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.727	0.118	91.221	4.49	0.378	0.445	0.027
18.10.2022 6:00	19.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.574	0.117	91.353	4.503	0.379	0.454	0.03
19.10.2022 6:00	20.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.721	0.155	91.132	4.508	0.401	0.483	0.034
20.10.2022 6:00	21.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.758	0.153	91.079	4.529	0.406	0.482	0.03
21.10.2022 6:00	22.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.718	0.17	90.891	4.692	0.439	0.529	0.037
22.10.2022 6:00	23.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.62	0.194	90.881	4.675	0.493	0.63	0.052
23.10.2022 6:00	24.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.598	0.191	90.931	4.725	0.456	0.555	0.041
24.10.2022 6:00	25.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.705	0.179	90.913	4.676	0.438	0.527	0.036
25.10.2022 6:00	26.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.692	0.164	90.979	4.66	0.422	0.505	0.034
26.10.2022 6:00	27.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.554	0.217	90.834	4.844	0.454	0.552	0.041
27.10.2022 6:00	28.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.539	0.226	90.764	4.878	0.486	0.593	0.045
28.10.2022 6:00	29.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.486	0.168	91.026	4.833	0.409	0.487	0.033
29.10.2022 6:00	30.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.608	0.207	90.827	4.779	0.473	0.578	0.044
30.10.2022 6:00	31.10.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.609	0.217	90.933	4.666	0.462	0.575	0.048
31.10.2022 6:00	1.11.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	2.11.2022 12:24	3.716	0.214	90.769	4.73	0.472	0.57	0.041

i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.035	0.007	0.008	0	-	0.009	-	-	-	9.487432	34.155	10.011701	36.042	10.522341	37.88	11.093607
0.032	0.006	0.008	0	-	0.008	-	-	-	9.47897	34.124	10.002994	36.011	10.513376	37.848	11.084145
0.035	0.009	0.011	0	-	0.017	-	-	-	9.485198	34.147	10.009355	36.034	10.520036	37.872	11.09049
0.029	0.006	0.008	0	-	0.012	-	-	-	9.470501	34.094	9.993462	35.976	10.503627	37.813	11.073468
0.01	0.001	0.002	0	-	0.002	-	-	-	9.417362	33.903	9.937702	35.776	10.445715	37.605	11.012747
0.013	0.002	0.003	0	-	0.003	-	-	-	9.433171	33.959	9.954394	35.836	10.462768	37.666	11.030737
0.025	0.005	0.006	0	-	0.006	-	-	-	9.48938	34.162	10.01317	36.047	10.52511	37.89	11.095872
0.033	0.007	0.009	0	-	0.007	-	-	-	9.503568	34.213	10.028745	36.103	10.539604	37.943	11.11183
0.033	0.008	0.01	0	-	0.007	-	-	-	9.522204	34.28	10.048427	36.174	10.55969	38.015	11.13303
0.04	0.008	0.011	0	-	0.009	-	-	-	9.526828	34.297	10.053313	36.192	10.56482	38.033	11.138445
0.033	0.006	0.008	0	-	0.008	-	-	-	9.499849	34.199	10.023468	36.084	10.534401	37.924	11.106331
0.024	0.006	0.007	0	-	0.005	-	-	-	9.488131	34.157	10.012435	36.045	10.52287	37.882	11.094747
0.007	0.001	0.001	0	-	0.001	-	-	-	9.413871	33.89	9.933663	35.761	10.441406	37.589	11.008204
0.012	0.002	0.003	0	-	0.002	-	-	-	9.442519	33.993	9.963526	35.869	10.472174	37.7	11.040673
0.022	0.005	0.006	0	-	0.004	-	-	-	9.478384	34.122	10.002151	36.008	10.511931	37.843	11.082632
0.027	0.006	0.007	0	-	0.006	-	-	-	9.488519	34.159	10.012853	36.046	10.523109	37.883	11.094426
0.024	0.005	0.006	0	-	0.005	-	-	-	9.489469	34.162	10.01346	36.048	10.524144	37.887	11.095112
0.026	0.006	0.007	0	-	0.005	-	-	-	9.506911	34.225	10.032272	36.116	10.543412	37.956	11.115828
0.028	0.007	0.008	0	-	0.006	-	-	-	9.494777	34.181	10.019466	36.07	10.529716	37.907	11.101405
0.026	0.006	0.007	0	-	0.006	-	-	-	9.492216	34.172	10.016165	36.058	10.526228	37.894	11.098376
0.03	0.007	0.009	0	-	0.006	-	-	-	9.515161	34.255	10.040643	36.146	10.55115	37.984	11.124421
0.042	0.012	0.015	0	-	0.016	-	-	-	9.541739	34.35	10.068989	36.248	10.580193	38.089	11.154792
0.034	0.008	0.01	0	-	0.007	-	-	-	9.531633	34.314	10.058394	36.21	10.569534	38.05	11.143434
0.03	0.007	0.008	0	-	0.007	-	-	-	9.513137	34.247	10.039492	36.142	10.55	37.98	11.122822
0.028	0.007	0.008	0	-	0.006	-	-	-	9.511444	34.241	10.037071	36.133	10.547652	37.972	11.120337
0.032	0.008	0.01	0	-	0.007	-	-	-	9.541161	34.348	10.068458	36.246	10.580069	38.088	11.154284
0.035	0.009	0.011	0	-	0.007	-	-	-	9.551311	34.385	10.079182	36.285	10.590705	38.127	11.165784
0.026	0.007	0.008	0	-	0.005	-	-	-	9.540174	34.345	10.067401	36.243	10.579176	38.085	11.15359
0.034	0.009	0.011	0	-	0.007	-	-	-	9.537729	34.336	10.064838	36.233	10.575979	38.074	11.150242
0.036	0.01	0.012	0	-	0.008	-	-	-	9.527949	34.301	10.054509	36.196	10.565451	38.036	11.139133
0.032	0.008	0.01	0	-	0.007	-	-	-	9.520057	34.272	10.046181	36.166	10.557321	38.006	11.12978

GCV (MJ/m ³) @25/0	Wd(kWh/m ³) @15/15	Wd(Mj/m ³) @15/15	Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
39.937	12.277	44.198	12.954	46.634	13.616	49.019	14.354	51.673	0.732	0.7723	0.5972	0.5973	17.266	481.552	84.518
39.903	12.269	44.17	12.945	46.603	13.608	48.989	14.345	51.641	0.731	0.772	0.5969	0.597	17.258	481.773	84.645
39.926	12.262	44.144	12.938	46.577	13.6	48.959	14.335	51.608	0.733	0.7738	0.5983	0.5985	17.3	480.636	84.137
39.864	12.253	44.112	12.929	46.543	13.589	48.922	14.326	51.573	0.732	0.7726	0.5974	0.5975	17.272	481.394	84.538
39.646	12.199	43.916	12.871	46.336	13.531	48.712	14.264	51.349	0.73	0.7707	0.596	0.5961	17.231	482.519	85.404
39.711	12.22	43.993	12.894	46.418	13.555	48.797	14.289	51.439	0.73	0.7706	0.5959	0.596	17.226	482.686	85.31
39.945	12.302	44.286	12.979	46.723	13.644	49.119	14.383	51.779	0.729	0.7696	0.5951	0.5952	17.205	483.275	85.015
40.003	12.287	44.233	12.964	46.671	13.626	49.055	14.364	51.712	0.733	0.7737	0.5982	0.5984	17.297	480.691	84.049
40.079	12.302	44.288	12.98	46.729	13.643	49.114	14.381	51.773	0.734	0.7748	0.5991	0.5993	17.321	480.013	83.615
40.098	12.307	44.307	12.986	46.749	13.648	49.134	14.387	51.795	0.734	0.7749	0.5992	0.5994	17.324	479.94	83.638
39.983	12.29	44.243	12.967	46.681	13.63	49.067	14.368	51.724	0.732	0.7728	0.5975	0.5976	17.275	481.318	84.312
39.941	12.277	44.195	12.953	46.629	13.615	49.015	14.352	51.667	0.732	0.7726	0.5974	0.5976	17.272	481.38	84.313
39.63	12.191	43.888	12.863	46.307	13.522	48.68	14.255	51.316	0.731	0.7711	0.5962	0.5964	17.24	482.289	85.367
39.746	12.22	43.993	12.893	46.416	13.554	48.794	14.288	51.436	0.732	0.7721	0.597	0.5972	17.263	481.65	84.897
39.897	12.255	44.119	12.931	46.55	13.592	48.929	14.327	51.579	0.733	0.7736	0.5982	0.5983	17.295	480.745	84.254
39.94	12.269	44.167	12.945	46.601	13.606	48.983	14.343	51.635	0.733	0.7736	0.5981	0.5983	17.294	480.773	84.202
39.942	12.271	44.177	12.948	46.612	13.609	48.994	14.346	51.647	0.733	0.7734	0.598	0.5981	17.29	480.897	84.183
40.017	12.299	44.275	12.976	46.715	13.639	49.102	14.378	51.761	0.732	0.7728	0.5975	0.5977	17.277	481.256	84.104
39.965	12.269	44.169	12.945	46.603	13.606	48.983	14.343	51.636	0.734	0.7745	0.5989	0.599	17.315	480.183	83.962
39.954	12.263	44.148	12.94	46.584	13.601	48.963	14.337	51.614	0.734	0.7748	0.5991	0.5992	17.32	480.039	83.943
40.048	12.279	44.206	12.956	46.642	13.617	49.02	14.354	51.676	0.736	0.7765	0.6004	0.6006	17.359	478.967	83.396
40.157	12.302	44.288	12.98	46.729	13.641	49.108	14.38	51.768	0.737	0.778	0.6016	0.6017	17.39	478.152	82.878
40.116	12.299	44.277	12.977	46.717	13.638	49.098	14.377	51.757	0.736	0.7768	0.6006	0.6008	17.365	478.813	83.207
40.042	12.279	44.203	12.955	46.638	13.616	49.017	14.353	51.672	0.736	0.7764	0.6003	0.6005	17.355	479.09	83.441
40.033	12.281	44.212	12.958	46.649	13.619	49.029	14.357	51.684	0.735	0.7757	0.5998	0.6	17.342	479.45	83.578
40.155	12.306	44.3	12.984	46.742	13.645	49.123	14.384	51.783	0.737	0.7775	0.6012	0.6014	17.382	478.35	83.047
40.197	12.312	44.322	12.99	46.765	13.651	49.145	14.391	51.806	0.738	0.7784	0.6019	0.602	17.401	477.823	82.788
40.153	12.32	44.352	12.999	46.796	13.662	49.182	14.401	51.845	0.735	0.7755	0.5996	0.5998	17.337	479.582	83.346
40.141	12.299	44.277	12.977	46.718	13.638	49.097	14.377	51.756	0.737	0.7777	0.6014	0.6015	17.386	478.244	83.002
40.101	12.291	44.249	12.969	46.688	13.63	49.067	14.368	51.724	0.736	0.7771	0.6009	0.6011	17.373	478.578	83.209
40.067	12.275	44.189	12.951	46.625	13.611	49	14.348	51.654	0.737	0.7779	0.6015	0.6016	17.39	478.123	83.17