

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
1.2.2022 6:00	2.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.4	0.226	94.99	3.575	0.568	0.81
2.2.2022 6:00	3.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.665	0.212	94.737	3.613	0.545	0.772
3.2.2022 6:00	4.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	1.404	0.156	94.173	3.652	0.441	0.615
4.2.2022 6:00	5.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.847	0.204	94.589	3.618	0.525	0.742
5.2.2022 6:00	6.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.407	0.214	95.082	3.477	0.576	0.82
6.2.2022 6:00	7.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.36	0.161	94.897	3.708	0.635	0.874
7.2.2022 6:00	8.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.42	0.212	94.613	3.764	0.728	0.991
8.2.2022 6:00	9.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.449	0.245	95.012	3.458	0.587	0.836
9.2.2022 6:00	10.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.451	0.244	95.048	3.427	0.58	0.829
10.2.2022 6:00	11.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.445	0.235	95.027	3.449	0.594	0.844
11.2.2022 6:00	12.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.466	0.233	94.877	3.507	0.656	0.917
12.2.2022 6:00	13.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.473	0.243	94.879	3.487	0.657	0.919
13.2.2022 6:00	14.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.472	0.234	94.741	3.572	0.713	0.982
14.2.2022 6:00	15.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.472	0.239	94.891	3.479	0.66	0.92
15.2.2022 6:00	16.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.494	0.265	95.004	3.362	0.618	0.875
16.2.2022 6:00	17.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.484	0.241	94.698	3.573	0.734	1.004
17.2.2022 6:00	18.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.476	0.222	94.443	3.742	0.835	1.116
18.2.2022 6:00	19.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.509	0.216	94.33	3.792	0.867	1.153
19.2.2022 6:00	20.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.51	0.265	94.952	3.357	0.651	0.916
20.2.2022 6:00	21.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.519	0.278	95.11	3.236	0.596	0.857
21.2.2022 6:00	22.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.516	0.268	94.959	3.336	0.653	0.92
22.2.2022 6:00	23.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.506	0.255	94.867	3.412	0.692	0.959
23.2.2022 6:00	24.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.458	0.205	94.518	3.712	0.829	1.106
24.2.2022 6:00	25.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.46	0.178	93.92	4.095	1.041	1.347
25.2.2022 6:00	26.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.447	0.214	94.891	3.479	0.715	0.969
26.2.2022 6:00	27.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.435	0.188	94.543	3.721	0.845	1.114
27.2.2022 6:00	28.2.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.39	0.195	95.577	3.11	0.518	0.728
28.2.2022 6:00	1.3.2022 6:00	004-1	MRČ Bjelovar	Kromatografski uzorak	1.3.2022 9:54	0.364	0.186	95.761	3.032	0.463	0.657

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15
0.118	0.095	0.008	0.011	0	-	0.01	-	-	-	9.794482	35.26	10.335804	37.209	10.862989	39.107
0.11	0.089	0.007	0.011	0	-	0.01	-	-	-	9.766671	35.16	10.306445	37.103	10.83225	38.996
0.087	0.066	0.006	0.008	0	-	0.007	-	-	-	9.67616	34.834	10.210884	36.759	10.732684	38.638
0.105	0.085	0.007	0.01	0	-	0.01	-	-	-	9.744859	35.081	10.283418	37.02	10.808215	38.91
0.123	0.092	0.008	0.011	0	-	0.011	-	-	-	9.744859	35.081	10.283418	37.02	10.808215	38.91
0.118	0.093	0.007	0.011	0	-	0.009	-	-	-	9.823607	35.365	10.366556	37.32	10.894583	39.22
0.131	0.1	0.009	0.013	0	-	0.01	-	-	-	9.836406	35.411	10.380093	37.368	10.907889	39.268
0.118	0.097	0.009	0.013	0	-	0.012	-	-	-	9.784314	35.224	10.325072	37.17	10.851846	39.067
0.118	0.097	0.009	0.013	0	-	0.013	-	-	-	9.780971	35.211	10.321541	37.158	10.848257	39.054
0.118	0.097	0.009	0.013	0	-	0.013	-	-	-	9.786365	35.231	10.327237	37.178	10.854094	39.075
0.126	0.099	0.01	0.013	0	-	0.013	-	-	-	9.80053	35.282	10.342202	37.232	10.869207	39.129
0.125	0.099	0.01	0.014	0	-	0.013	-	-	-	9.797122	35.27	10.338606	37.219	10.86549	39.116
0.13	0.1	0.011	0.014	0	-	0.014	-	-	-	9.814849	35.333	10.35733	37.286	10.884525	39.184
0.123	0.097	0.011	0.014	0	-	0.014	-	-	-	9.797237	35.27	10.338725	37.219	10.865633	39.116
0.12	0.098	0.011	0.014	0	-	0.015	-	-	-	9.778094	35.201	10.318511	37.147	10.844942	39.042
0.129	0.1	0.011	0.015	0	-	0.015	-	-	-	9.817224	35.342	10.359842	37.295	10.887	39.193
0.138	0.103	0.012	0.015	0	-	0.014	-	-	-	9.848368	35.454	10.392739	37.414	10.920471	39.314
0.142	0.104	0.012	0.015	0	-	0.014	-	-	-	9.855681	35.48	10.400465	37.442	10.928206	39.342
0.124	0.099	0.011	0.015	0	-	0.016	-	-	-	9.783245	35.22	10.323954	37.166	10.928206	39.342
0.119	0.098	0.012	0.015	0	-	0.017	-	-	-	9.763293	35.148	10.302881	37.09	10.828948	38.984
0.124	0.1	0.012	0.015	0	-	0.017	-	-	-	9.781853	35.215	10.322485	37.161	10.848884	39.056
0.125	0.099	0.012	0.015	0	-	0.016	-	-	-	9.79487	35.262	10.336232	37.21	10.862916	39.106
0.138	0.099	0.011	0.015	0	-	0.015	-	-	-	9.849351	35.458	10.393773	37.418	10.921657	39.318
0.16	0.107	0.012	0.016	0	-	0.012	-	-	-	9.914711	35.693	10.462815	37.666	10.99178	39.57
0.121	0.093	0.011	0.015	0	-	0.014	-	-	-	9.809952	35.316	10.352152	37.268	10.879445	39.166
0.133	0.096	0.011	0.015	0	-	0.013	-	-	-	9.853815	35.474	10.398483	37.435	10.926589	39.336
0.095	0.077	0.01	0.013	0	-	0.015	-	-	-	9.749752	35.099	10.288548	37.039	10.815214	38.935
0.085	0.072	0.009	0.013	0	-	0.015	-	-	-	9.736674	35.052	10.274729	36.989	10.801327	38.885

GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/ m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/ m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/ m3) @25/0	Wg(Mj/m3) @25/0	$\rho$ (kg/m3) @15	$\rho$ (kg/m3) @0	d@15	d@0	M kg/kmol
11.452842	41.23	12.802	46.086	13.507	48.627	14.198	51.114	14.967	53.882	0.717	0.757	0.5854	0.5855	16.923
11.420421	41.114	12.758	45.929	13.461	48.46	14.15	50.94	14.916	53.698	0.718	0.758	0.5861	0.5862	16.944
11.315388	40.735	12.631	45.47	13.327	47.976	14.01	50.435	14.768	53.166	0.719	0.7591	0.5869	0.5871	16.969
11.395067	41.022	12.726	45.812	13.427	48.338	14.114	50.811	14.879	53.563	0.719	0.7584	0.5864	0.5866	16.954
11.395067	41.022	12.726	45.812	13.427	48.338	14.197	51.108	14.879	53.563	0.719	0.7584	0.5849	0.5866	16.91
11.486177	41.35	12.835	46.204	13.542	48.751	14.234	51.242	15.005	54.016	0.718	0.7577	0.5858	0.586	16.937
11.500247	41.401	12.826	46.174	13.533	48.719	14.223	51.203	14.993	53.976	0.721	0.7606	0.5881	0.5883	17.003
11.441089	41.188	12.787	46.033	13.492	48.57	14.182	51.055	14.95	53.82	0.717	0.7572	0.5855	0.5857	16.927
11.4373	41.174	12.785	46.025	13.489	48.562	14.18	51.047	14.948	53.811	0.717	0.757	0.5853	0.5855	16.922
11.443461	41.196	12.79	46.044	13.495	48.583	14.186	51.068	14.954	53.834	0.717	0.7572	0.5855	0.5856	16.926
11.459419	41.254	12.796	46.067	13.502	48.606	14.192	51.09	14.96	53.857	0.719	0.7586	0.5866	0.5867	16.958
11.455498	41.24	12.792	46.05	13.497	48.589	14.187	51.072	14.955	53.838	0.719	0.7586	0.5866	0.5868	16.958
11.475592	41.312	12.804	46.094	13.51	48.635	14.199	51.117	14.968	53.886	0.72	0.7599	0.5876	0.5878	16.988
11.455649	41.24	12.793	46.054	13.498	48.592	14.188	51.076	14.956	53.842	0.719	0.7585	0.5865	0.5867	16.956
11.433813	41.162	12.774	45.988	13.479	48.523	14.168	51.005	14.935	53.767	0.718	0.7577	0.5859	0.5861	16.939
11.478211	41.322	12.803	46.089	13.508	48.63	14.198	51.112	14.967	53.88	0.721	0.7605	0.588	0.5882	16.999
11.513543	41.449	12.825	46.169	13.532	48.714	14.221	51.195	14.991	53.968	0.723	0.7626	0.5897	0.5899	17.047
11.521713	41.478	12.826	46.175	13.533	48.72	14.222	51.2	14.992	53.973	0.724	0.7636	0.5904	0.5906	17.068
11.439588	41.183	12.776	45.993	13.48	48.528	14.169	51.009	14.937	53.772	0.719	0.7636	0.5864	0.5866	17.068
11.416934	41.101	12.761	45.938	13.464	48.471	14.154	50.953	14.92	53.712	0.717	0.7571	0.5854	0.5856	16.924
11.437979	41.177	12.774	45.985	13.478	48.52	14.167	51.001	14.934	53.763	0.719	0.7584	0.5864	0.5866	16.954
11.452789	41.23	12.785	46.024	13.489	48.561	14.179	51.043	14.946	53.807	0.719	0.7591	0.587	0.5871	16.97
11.514789	41.453	12.83	46.189	13.538	48.735	14.227	51.218	14.998	53.992	0.722	0.7621	0.5893	0.5894	17.036
11.58882	41.72	12.872	46.341	13.582	48.895	14.271	51.375	15.044	54.158	0.727	0.7672	0.5932	0.5934	17.149
11.470222	41.293	12.807	46.106	13.513	48.648	14.204	51.133	14.973	53.902	0.719	0.7588	0.5867	0.5869	16.961
11.519988	41.472	12.839	46.219	13.546	48.767	14.236	51.251	15.007	54.027	0.722	0.7618	0.5891	0.5892	17.029
11.402396	41.049	12.782	46.015	13.487	48.551	14.179	51.044	14.947	53.808	0.713	0.7525	0.5818	0.582	16.821
11.387728	40.996	12.779	46.004	13.483	48.54	14.176	51.034	14.944	53.798	0.711	0.7508	0.5805	0.5807	16.784

R J/kgK	MN (metanski broj)
491.315	84.659
490.724	84.739
490.004	85.302
490.436	84.832
491.693	84.828
490.96	84.149
489.039	83.579
491.187	84.765
491.396	84.855
491.24	84.745
490.318	84.327
490.265	84.355
489.441	83.903
490.329	84.37
490.861	84.775
489.155	83.86
487.725	83.098
487.154	82.863
490.456	84.607
491.286	85.085
490.438	84.625
489.962	84.326
488.173	83.255
484.832	81.608
490.381	84.213
488.308	83.16
494.258	85.988
495.374	86.443