

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)
01.08.2023 06:00	02.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.645	0.075	91.365	3.389	0.429
02.08.2023 06:00	03.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.786	0.104	91.135	3.395	0.448
03.08.2023 06:00	04.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.751	0.092	91.058	3.545	0.438
04.08.2023 06:00	05.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.742	0.096	91.070	3.536	0.427
05.08.2023 06:00	06.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.819	0.101	91.013	3.507	0.423
06.08.2023 06:00	07.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.407	0.030	91.044	4.011	0.450
07.08.2023 06:00	08.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.777	0.088	91.048	3.587	0.383
08.08.2023 06:00	09.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.896	0.104	90.949	3.496	0.418
09.08.2023 06:00	10.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.718	0.075	91.004	3.688	0.413
10.08.2023 06:00	11.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.688	0.080	91.113	3.612	0.398
11.08.2023 06:00	12.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.709	0.080	91.056	3.646	0.400
12.08.2023 06:00	13.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.754	0.101	90.906	3.539	0.463
13.08.2023 06:00	14.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.728	0.097	91.260	3.463	0.330
14.08.2023 06:00	15.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.668	0.092	91.290	3.508	0.325
15.08.2023 06:00	16.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.906	0.114	90.910	3.515	0.406
16.08.2023 06:00	17.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.709	0.088	91.080	3.601	0.403
17.08.2023 06:00	18.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.288	0	91.159	4.136	0.400
18.08.2023 06:00	19.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.251	0	91.140	4.171	0.420
19.08.2023 06:00	20.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.268	0	91.118	4.151	0.441
20.08.2023 06:00	21.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.575	0.082	91.370	3.503	0.372
21.08.2023 06:00	22.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.652	0.091	91.215	3.529	0.407
22.08.2023 06:00	23.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.566	0.069	91.203	3.629	0.439
23.08.2023 06:00	24.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.634	0.089	91.357	3.435	0.380
24.08.2023 06:00	25.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.702	0.107	91.361	3.308	0.394
25.08.2023 06:00	26.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.594	0.085	91.357	3.462	0.397
26.08.2023 06:00	27.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.644	0.094	91.361	3.392	0.395
27.08.2023 06:00	28.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.539	0.055	91.121	3.752	0.452
28.08.2023 06:00	29.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.526	0.065	91.204	3.673	0.443
29.08.2023 06:00	30.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.629	0.068	90.613	3.858	0.615
30.08.2023 06:00	31.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.599	0.060	90.363	4.027	0.679
31.08.2023 06:00	01.09.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.09.2023 10:27	4.569	0.053	90.426	4.029	0.661

C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0
0.526	0.025	0.047	0.003	0.011	0	-	0.010	-	-	-	9.339982	33.624	9.856027	35.482
0.580	0.034	0.059	0.005	0.016	0.001	-	0.017	-	-	-	9.337149	33.614	9.852631	35.469
0.554	0.031	0.052	0.005	0.014	0	-	0.014	-	-	-	9.346392	33.647	9.863225	35.508
0.557	0.047	0.050	0.004	0.014	0.001	-	0.014	-	-	-	9.347513	33.651	9.863994	35.510
0.561	0.052	0.053	0.004	0.014	0.001	-	0.014	-	-	-	9.339227	33.621	9.855372	35.479
0.508	0.021	0.026	0.002	0.005	0	-	0.005	-	-	-	9.405974	33.862	9.925700	35.733
0.499	0.045	0.043	0.004	0.012	0.001	-	0.012	-	-	-	9.339652	33.623	9.854968	35.478
0.555	0.051	0.052	0.004	0.014	0	-	0.014	-	-	-	9.329915	33.588	9.845420	35.444
0.515	0.037	0.040	0.003	0.011	0	-	0.011	-	-	-	9.354298	33.675	9.871153	35.536
0.507	0.041	0.042	0.003	0.011	0.001	-	0.011	-	-	-	9.350936	33.663	9.867079	35.521
0.509	0.040	0.041	0.004	0.011	0.001	-	0.011	-	-	-	9.351241	33.664	9.867925	35.525
0.699	0.085	0.074	0.015	0.027	0	-	0.033	-	-	-	9.381659	33.774	9.898759	35.636
0.452	0.047	0.043	0.004	0.013	0.001	-	0.015	-	-	-	9.329123	33.585	9.843343	35.436
0.443	0.047	0.042	0.004	0.012	0	-	0.013	-	-	-	9.335216	33.607	9.850998	35.464
0.555	0.056	0.055	0.005	0.016	0	-	0.017	-	-	-	9.330939	33.591	9.846506	35.447
0.523	0.045	0.045	0.004	0.012	0.001	-	0.013	-	-	-	9.350733	33.663	9.867391	35.523
0.417	0.005	0.011	0	0.001	0	-	0	-	-	-	9.411727	33.882	9.931757	35.754
0.438	0.005	0.012	0	0.001	0	-	0	-	-	-	9.419819	33.911	9.941573	35.790
0.462	0.006	0.014	0	0.001	0	-	0	-	-	-	9.421550	33.918	9.942132	35.792
0.469	0.024	0.044	0.004	0.012	0	-	0.012	-	-	-	9.346788	33.648	9.863156	35.507
0.515	0.025	0.049	0.004	0.013	0	-	0.014	-	-	-	9.348565	33.655	9.865096	35.514
0.533	0.023	0.045	0.004	0.011	0	-	0.011	-	-	-	9.367110	33.722	9.884673	35.585
0.485	0.024	0.048	0.004	0.014	0	-	0.014	-	-	-	9.338892	33.620	9.854877	35.478
0.521	0.029	0.058	0.005	0.016	0	-	0.018	-	-	-	9.329128	33.585	9.844293	35.439
0.502	0.024	0.048	0.004	0.013	0	-	0.014	-	-	-	9.347454	33.651	9.863918	35.510
0.509	0.026	0.052	0.005	0.014	0.001	-	0.016	-	-	-	9.338818	33.620	9.854802	35.477
0.532	0.019	0.039	0.003	0.009	0	-	0.010	-	-	-	9.378368	33.762	9.896558	35.628
0.532	0.021	0.043	0.003	0.010	0.001	-	0.011	-	-	-	9.373707	33.745	9.891637	35.610
0.832	0.083	0.108	0.004	0.013	0	-	0.010	-	-	-	9.431052	33.952	9.952229	35.828
0.951	0.112	0.135	0.003	0.013	0	-	0.009	-	-	-	9.468102	34.085	9.991366	35.969
0.923	0.108	0.130	0.003	0.012	0	-	0.008	-	-	-	9.466708	34.080	9.989889	35.964

GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0
10.360753	37.299	10.923142	39.323	43.517	45.916	12.088	12.754	13.409	48.274	14.135	50.887	0.732	0.7721
10.356664	37.284	10.919296	39.309	43.440	45.834	12.067	12.732	13.385	48.184	14.109	50.793	0.734	0.7744
10.367586	37.323	10.930375	39.349	43.483	45.877	12.079	12.744	13.398	48.232	14.123	50.843	0.734	0.7745
10.368380	37.326	10.931213	39.352	43.485	45.882	12.079	12.745	13.398	48.234	14.124	50.846	0.734	0.7745
10.359207	37.293	10.921540	39.318	43.435	45.830	12.065	12.730	13.383	48.180	14.108	50.788	0.734	0.7749
10.432377	37.557	10.998706	39.595	43.782	46.196	12.162	12.832	13.489	48.561	14.220	51.191	0.733	0.7736
10.359120	37.293	10.921439	39.317	43.457	45.857	12.072	12.738	13.391	48.209	14.116	50.819	0.733	0.7740
10.348930	37.256	10.910702	39.279	43.383	45.774	12.051	12.715	13.367	48.121	14.091	50.727	0.735	0.7752
10.375813	37.353	10.939048	39.381	43.522	45.921	12.090	12.756	13.410	48.275	14.136	50.889	0.734	0.7743
10.372323	37.340	10.934786	39.365	43.525	45.921	12.090	12.756	13.410	48.276	14.136	50.890	0.733	0.7736
10.372554	37.341	10.935608	39.368	43.516	45.914	12.088	12.754	13.408	48.269	14.134	50.882	0.733	0.7740
10.403590	37.453	10.969817	39.491	43.552	45.952	12.098	12.764	13.417	48.302	14.143	50.915	0.737	0.7776
10.348756	37.256	10.909150	39.273	43.446	45.847	12.068	12.735	13.387	48.195	14.114	50.811	0.732	0.7726
10.355492	37.280	10.917596	39.303	43.488	45.885	12.080	12.746	13.400	48.241	14.126	50.853	0.732	0.7723
10.349955	37.260	10.911789	39.282	43.376	45.766	12.049	12.713	13.365	48.113	14.088	50.718	0.735	0.7756
10.371986	37.339	10.935012	39.366	43.511	45.909	12.086	12.752	13.406	48.263	14.132	50.876	0.734	0.7741
10.439195	37.581	11.005877	39.621	43.859	46.276	12.183	12.854	13.513	48.647	14.245	51.281	0.731	0.7718
10.449292	37.617	11.016532	39.660	43.891	46.310	12.192	12.864	13.523	48.681	14.256	51.320	0.732	0.7720
10.449793	37.619	11.017063	39.661	43.888	46.307	12.191	12.863	13.522	48.677	14.254	51.313	0.732	0.7724
10.368273	37.326	10.931073	39.352	43.556	45.956	12.099	12.766	13.421	48.316	14.148	50.932	0.731	0.7719
10.369865	37.332	10.932766	39.358	43.525	45.924	12.090	12.757	13.411	48.280	14.137	50.894	0.733	0.7732
10.390132	37.404	10.954144	39.435	43.612	46.016	12.114	12.782	13.438	48.375	14.165	50.994	0.733	0.7732
10.359573	37.294	10.921899	39.319	43.511	45.909	12.086	12.752	13.407	48.266	14.133	50.880	0.732	0.7721
10.348507	37.255	10.910539	39.278	43.452	45.847	12.070	12.735	13.389	48.200	14.114	50.810	0.732	0.7726
10.368910	37.328	10.931750	39.354	43.548	45.948	12.097	12.763	13.418	48.306	14.145	50.922	0.732	0.7722
10.359297	37.293	10.921767	39.318	43.503	45.901	12.084	12.750	13.405	48.258	14.131	50.872	0.732	0.7724
10.402235	37.448	10.966913	39.481	43.655	46.061	12.126	12.795	13.450	48.421	14.179	51.043	0.733	0.7735
10.397356	37.430	10.961733	39.462	43.644	46.049	12.123	12.791	13.447	48.410	14.175	51.031	0.733	0.7732
10.458436	37.650	11.026270	39.695	43.731	46.141	12.148	12.817	13.471	48.495	14.200	51.121	0.739	0.7795
10.498283	37.794	11.068335	39.846	43.830	46.246	12.175	12.846	13.500	48.599	14.231	51.231	0.741	0.7822
10.496923	37.789	11.066893	39.841	43.842	46.258	12.178	12.850	13.504	48.613	14.235	51.246	0.740	0.7815

d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.5970	0.5972	17.262	481.665	85.986
0.5987	0.5989	17.312	480.286	85.554
0.5988	0.5990	17.315	480.204	85.353
0.5989	0.5990	17.315	480.184	85.366
0.5992	0.5993	17.325	479.924	85.384
0.5981	0.5983	17.295	480.753	84.875
0.5985	0.5987	17.306	480.446	85.536
0.5994	0.5996	17.332	479.734	85.415
0.5987	0.5989	17.311	480.306	85.313
0.5982	0.5984	17.297	480.692	85.480
0.5985	0.5986	17.305	480.476	85.391
0.6013	0.6014	17.384	478.336	84.432
0.5974	0.5976	17.274	481.326	85.990
0.5972	0.5974	17.268	481.512	85.968
0.5997	0.5999	17.341	479.466	85.327
0.5986	0.5987	17.307	480.405	85.454
0.5968	0.5970	17.256	481.832	85.133
0.5970	0.5971	17.263	481.649	84.965
0.5973	0.5974	17.269	481.469	84.891
0.5968	0.5970	17.254	481.885	85.904
0.5979	0.5980	17.288	480.955	85.591
0.5979	0.5980	17.287	480.969	85.366
0.5970	0.5972	17.260	481.731	85.939
0.5974	0.5976	17.274	481.341	85.989
0.5971	0.5973	17.266	481.568	85.814
0.5972	0.5974	17.268	481.490	85.909
0.5981	0.5983	17.294	480.769	85.207
0.5978	0.5980	17.286	480.997	85.301
0.6028	0.6029	17.428	477.094	83.439
0.6048	0.6049	17.486	475.531	82.578
0.6043	0.6044	17.471	475.926	82.696