

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.01.2023 06:00	02.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	2.187	0	94.052	3.496	0.217	0.264
02.01.2023 06:00	03.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.253	0.001	96.638	2.830	0.197	0.279
03.01.2023 06:00	04.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.335	0.001	96.528	2.859	0.198	0.277
04.01.2023 06:00	05.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.368	0.001	96.471	2.882	0.199	0.278
05.01.2023 06:00	06.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.635	0.001	96.145	2.945	0.201	0.274
06.01.2023 06:00	07.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.647	0.002	96.145	2.935	0.199	0.272
07.01.2023 06:00	08.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.724	0.001	95.992	3.006	0.206	0.277
08.01.2023 06:00	09.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.399	0.001	96.418	2.904	0.201	0.278
09.01.2023 06:00	10.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.090	0.003	96.502	2.991	0.307	0.415
10.01.2023 06:00	11.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.110	0.004	96.024	3.281	0.447	0.581
11.01.2023 06:00	12.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.124	0.005	95.891	3.340	0.496	0.641
12.01.2023 06:00	13.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.188	0.008	94.597	4.200	0.804	1.008
13.01.2023 06:00	14.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.290	0.013	93.293	4.887	1.229	1.517
14.01.2023 06:00	15.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.250	0.012	93.849	4.625	1.025	1.264
15.01.2023 06:00	16.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.127	0.004	95.446	3.841	0.460	0.582
16.01.2023 06:00	17.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.284	0.023	93.609	4.701	1.125	1.383
17.01.2023 06:00	18.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.316	0.016	93.181	4.935	1.267	1.552
18.01.2023 06:00	19.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.259	0.024	94.018	4.507	0.965	1.192
19.01.2023 06:00	20.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.224	0.012	94.077	4.537	0.933	1.150
20.01.2023 06:00	21.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.257	0.019	93.776	4.655	1.050	1.293
21.01.2023 06:00	22.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.212	0.048	95.199	3.811	0.574	0.731
22.01.2023 06:00	23.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.913	0.047	94.713	3.767	0.443	0.559
23.01.2023 06:00	24.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.120	0.020	95.999	3.491	0.278	0.370
24.01.2023 06:00	25.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.078	0.002	95.892	3.699	0.250	0.329
25.01.2023 06:00	26.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.128	0.032	95.470	3.643	0.543	0.727
26.01.2023 06:00	27.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.268	0.060	94.199	4.268	0.948	1.206
27.01.2023 06:00	28.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.255	0.060	94.476	4.139	0.835	1.070
28.01.2023 06:00	29.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.216	0.065	95.146	3.746	0.623	0.826
29.01.2023 06:00	30.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.272	0.054	94.066	4.296	1.026	1.312
30.01.2023 06:00	31.01.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.277	0.073	94.634	4.135	0.690	0.881
31.01.2023 06:00	01.02.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.02.2023 09:38	0.318	0.077	94.289	4.353	0.768	0.963

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15
0.014	0.019	0.003	0.006	0	-	0.006	-	-	-	9.544807	34.361	10.072164	36.260	10.589609
0.025	0.031	0.005	0.010	0	-	0.010	-	-	-	9.684525	34.864	10.219595	36.791	10.746522
0.024	0.030	0.005	0.009	0	-	0.010	-	-	-	9.678199	34.842	10.212919	36.767	10.739435
0.024	0.030	0.005	0.009	0	-	0.010	-	-	-	9.676899	34.837	10.211549	36.762	10.737896
0.022	0.028	0.004	0.009	0	-	0.009	-	-	-	9.654988	34.758	10.188425	36.678	10.713444
0.022	0.028	0.004	0.009	0	-	0.009	-	-	-	9.652720	34.750	10.186030	36.670	10.710987
0.022	0.027	0.004	0.008	0	-	0.009	-	-	-	9.651381	34.745	10.184651	36.665	10.709279
0.024	0.030	0.005	0.009	0	-	0.010	-	-	-	9.675465	34.832	10.210035	36.756	10.736265
0.041	0.039	0.006	0.011	0	-	0.010	-	-	-	9.733533	35.041	10.271353	36.977	10.799636
0.058	0.048	0.006	0.011	0	-	0.010	-	-	-	9.779598	35.207	10.320017	37.152	10.848922
0.066	0.051	0.007	0.012	0	-	0.009	-	-	-	9.792066	35.251	10.333548	37.201	10.862227
0.109	0.074	0.006	0.010	0	-	0.004	-	-	-	9.911805	35.682	10.454108	37.635	10.984625
0.164	0.099	0.009	0.013	0	-	0.002	-	-	-	10.028279	36.102	10.582741	38.098	11.114703
0.133	0.087	0.007	0.011	0	-	0.001	-	-	-	9.971500	35.897	10.522753	37.882	11.054005
0.061	0.053	0.003	0.004	0	-	0.001	-	-	-	9.816144	35.338	10.358619	37.291	10.887999
0.143	0.091	0.009	0.013	0	-	0.003	-	-	-	9.992083	35.971	10.544503	37.960	11.075898
0.161	0.100	0.009	0.013	0	-	0.002	-	-	-	10.033888	36.122	10.588669	38.119	11.120605
0.123	0.083	0.007	0.011	0	-	0.002	-	-	-	9.949367	35.818	10.499372	37.798	11.030210
0.119	0.081	0.007	0.009	0	-	0.001	-	-	-	9.948896	35.816	10.498868	37.796	11.029876
0.135	0.088	0.008	0.011	0	-	0.002	-	-	-	9.978986	35.924	10.530662	37.910	11.061972
0.076	0.059	0.006	0.010	0	-	0.005	-	-	-	9.827010	35.377	10.370113	37.332	10.899177
0.053	0.045	0.005	0.008	0	-	0.005	-	-	-	9.729474	35.026	10.267137	36.962	10.791187
0.037	0.042	0.003	0.005	0	-	0.004	-	-	-	9.756540	35.124	10.295655	37.064	10.824095
0.034	0.043	0	0.002	0	-	0	-	-	-	9.769619	35.171	10.309462	37.114	10.838323
0.088	0.088	0.002	0.004	0	-	0.002	-	-	-	9.824628	35.369	10.367589	37.323	10.897002
0.135	0.102	0.007	0.010	0	-	0.004	-	-	-	9.931859	35.755	10.480887	37.731	11.011294
0.121	0.094	0.006	0.009	0	-	0.004	-	-	-	9.901831	35.647	10.449163	37.617	10.979159
0.098	0.090	0.004	0.006	0	-	0.004	-	-	-	9.837461	35.415	10.381159	37.372	10.910307
0.150	0.115	0.007	0.011	0	-	0.003	-	-	-	9.951849	35.827	10.502005	37.807	11.032730
0.095	0.076	0.006	0.010	0	-	0.004	-	-	-	9.867307	35.522	10.412692	37.486	10.942022
0.099	0.071	0.008	0.012	0	-	0.005	-	-	-	9.892028	35.611	10.437778	37.576	10.967298

GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15
38.123	11.164400	40.192	44.978	47.457	12.494	13.182	13.862	49.902	14.612	52.603	0.715	0.7550	0.5838
38.687	11.329804	40.787	46.060	48.598	12.794	13.500	14.197	51.111	14.966	53.878	0.702	0.7410	0.5730
38.662	11.322333	40.760	46.014	48.550	12.782	13.486	14.183	51.060	14.951	53.824	0.703	0.7416	0.5734
38.656	11.320713	40.755	45.996	48.531	12.777	13.481	14.178	51.040	14.945	53.803	0.703	0.7419	0.5737
38.568	11.294933	40.662	45.843	48.370	12.734	13.436	14.130	50.869	14.895	53.623	0.705	0.7436	0.5750
38.560	11.292341	40.652	45.833	48.359	12.731	13.433	14.127	50.858	14.892	53.611	0.705	0.7436	0.5750
38.553	11.290516	40.646	45.799	48.323	12.722	13.423	14.116	50.818	14.881	53.570	0.705	0.7445	0.5757
38.651	11.318995	40.748	45.981	48.515	12.773	13.477	14.173	51.023	14.940	53.785	0.703	0.7422	0.5739
38.879	11.385860	40.989	46.228	48.776	12.841	13.549	14.248	51.292	15.019	54.069	0.704	0.7431	0.5746
39.056	11.437898	41.176	46.315	48.868	12.865	13.574	14.272	51.380	15.045	54.162	0.708	0.7473	0.5778
39.104	11.451948	41.227	46.335	48.889	12.871	13.580	14.278	51.399	15.051	54.182	0.709	0.7486	0.5788
39.545	11.581183	41.692	46.545	49.120	12.929	13.644	14.336	51.610	15.115	54.415	0.720	0.7593	0.5875
40.013	11.718536	42.187	46.752	49.329	12.987	13.703	14.394	51.817	15.173	54.623	0.731	0.7712	0.5963
39.794	11.654442	41.956	46.651	49.223	12.959	13.673	14.366	51.716	15.144	54.517	0.726	0.7658	0.5921
39.197	11.479151	41.325	46.385	48.941	12.885	13.595	14.292	51.450	15.066	54.236	0.711	0.7506	0.5804
39.873	11.677565	42.039	46.672	49.245	12.965	13.679	14.371	51.735	15.149	54.537	0.728	0.7682	0.5940
40.034	11.724771	42.209	46.751	49.328	12.986	13.702	14.393	51.814	15.172	54.621	0.732	0.7721	0.5970
39.709	11.629320	41.866	46.594	49.163	12.943	13.656	14.349	51.656	15.126	54.454	0.724	0.7642	0.5909
39.708	11.625002	41.850	46.610	49.179	12.947	13.661	14.354	51.675	15.132	54.473	0.723	0.7635	0.5903
39.823	11.662855	41.986	46.659	49.228	12.961	13.674	14.368	51.723	15.145	54.521	0.726	0.7667	0.5926
39.237	11.490974	41.368	46.345	48.899	12.874	13.583	14.278	51.400	15.051	54.184	0.714	0.7537	0.5827
38.848	11.377055	40.957	45.856	48.382	12.738	13.439	14.129	50.864	14.894	53.617	0.715	0.7546	0.5835
38.967	11.411683	41.082	46.253	48.803	12.848	13.556	14.254	51.315	15.026	54.093	0.707	0.7458	0.5766
39.018	11.426692	41.136	46.310	48.863	12.864	13.573	14.271	51.376	15.044	54.158	0.707	0.7459	0.5768
39.229	11.488693	41.359	46.384	48.941	12.884	13.595	14.291	51.447	15.065	54.233	0.713	0.7520	0.5814
39.641	11.609362	41.794	46.531	49.082	12.925	13.634	14.330	51.588	15.106	54.382	0.724	0.7630	0.5904
39.525	11.575431	41.672	46.474	49.036	12.909	13.621	14.314	51.530	15.089	54.321	0.721	0.7609	0.5883
39.277	11.502732	41.410	46.353	48.908	12.876	13.586	14.280	51.408	15.053	54.192	0.715	0.7549	0.5837
39.718	11.631995	41.875	46.575	49.143	12.937	13.651	14.343	51.634	15.120	54.430	0.725	0.7653	0.5917
39.391	11.536224	41.530	46.385	48.942	12.885	13.595	14.288	51.437	15.062	54.223	0.719	0.7585	0.5865
39.482	11.562916	41.626	46.416	48.974	12.893	13.604	14.296	51.466	15.071	54.256	0.721	0.7612	0.5885

d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.5839	16.879	492.669	87.297
0.5731	16.566	501.909	88.741
0.5736	16.579	501.549	88.698
0.5738	16.586	501.307	88.633
0.5751	16.625	500.205	88.523
0.5751	16.624	500.218	88.560
0.5758	16.645	499.607	88.366
0.5740	16.593	501.122	88.589
0.5747	16.612	500.617	87.886
0.5780	16.706	497.858	86.548
0.5790	16.732	497.105	86.209
0.5873	16.972	490.153	83.102
0.5965	17.237	482.489	79.708
0.5923	17.116	485.937	81.207
0.5806	16.780	495.643	85.516
0.5942	17.171	484.374	80.602
0.5972	17.257	481.926	79.509
0.5911	17.083	486.816	81.561
0.5902	17.065	487.320	81.707
0.5930	17.132	485.428	80.939
0.5829	16.847	493.565	84.656
0.5836	16.871	492.892	85.420
0.5768	16.672	498.718	86.934
0.5769	16.675	498.608	86.758
0.5816	16.810	494.654	85.043
0.5901	17.069	487.198	81.909
0.5885	17.008	488.932	82.647
0.5839	16.875	492.704	84.308
0.5919	17.105	486.125	81.340
0.5866	16.954	490.429	83.347
0.5887	17.015	488.707	82.657