

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)
01.07.2023 06:00	02.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.323	0	91.151	4.129	0.381
02.07.2023 06:00	03.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.325	0	91.197	4.128	0.338
03.07.2023 06:00	04.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.281	0	91.152	4.212	0.343
04.07.2023 06:00	05.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.234	0	91.146	4.226	0.380
05.07.2023 06:00	06.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.181	0	91.249	4.195	0.361
06.07.2023 06:00	07.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	3.904	0.002	91.205	4.280	0.498
07.07.2023 06:00	08.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.828	0.133	89.348	4.139	0.983
08.07.2023 06:00	09.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.956	0.147	89.179	4.092	1.024
09.07.2023 06:00	10.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.992	0.151	89.091	4.114	1.040
10.07.2023 06:00	11.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	5.227	0.178	88.865	4.003	1.065
11.07.2023 06:00	12.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	5.252	0.155	89.826	3.459	0.833
12.07.2023 06:00	13.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.961	0.138	91.269	2.802	0.556
13.07.2023 06:00	14.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.895	0.128	91.462	2.836	0.481
14.07.2023 06:00	15.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.696	0.115	91.703	2.885	0.441
15.07.2023 06:00	16.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.597	0.116	91.860	2.832	0.438
16.07.2023 06:00	17.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.213	0.009	90.875	4.197	0.570
17.07.2023 06:00	18.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.232	0	90.922	4.290	0.524
18.07.2023 06:00	19.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.219	0	90.928	4.278	0.540
19.07.2023 06:00	20.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.883	0.103	91.305	3.121	0.454
20.07.2023 06:00	21.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.862	0.100	91.326	3.122	0.458
21.07.2023 06:00	22.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.652	0.066	91.221	3.500	0.468
22.07.2023 06:00	23.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.226	0	91.101	4.193	0.456
23.07.2023 06:00	24.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.218	0	91.143	4.193	0.427
24.07.2023 06:00	25.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.194	0	91.064	4.265	0.456
25.07.2023 06:00	26.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.584	0	90.485	4.405	0.498
26.07.2023 06:00	27.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.142	0	90.918	4.388	0.523
27.07.2023 06:00	28.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.193	0	91.000	4.299	0.482
28.07.2023 06:00	29.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.203	0	91.073	4.274	0.431
29.07.2023 06:00	30.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.214	0	91.064	4.223	0.473
30.07.2023 06:00	31.07.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.202	0	91.067	4.248	0.460
31.07.2023 06:00	01.08.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.08.2023 11:37	4.235	0	91.169	4.184	0.395

C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0
0.396	0.004	0.010	0	0.001	0	-	0	-	-	-	9.404643	33.857	9.924278	35.727
0.351	0.003	0.008	0	0.001	0	-	0	-	-	-	9.397525	33.831	9.916776	35.700
0.355	0.003	0.008	0	0.001	0	-	0	-	-	-	9.408433	33.870	9.928277	35.742
0.394	0.004	0.009	0	0.001	0	-	0	-	-	-	9.419890	33.912	9.940375	35.785
0.375	0.004	0.009	0	0.001	0	-	0	-	-	-	9.419763	33.911	9.940375	35.785
0.609	0.051	0.056	0.001	0.003	0	-	0	-	-	-	9.493518	34.177	10.018488	36.067
1.552	0.240	0.272	0.007	0.031	0.002	-	0.017	-	-	-	9.560940	34.419	10.089493	36.322
1.626	0.251	0.286	0.008	0.033	0.003	-	0.021	-	-	-	9.558309	34.410	10.086532	36.312
1.652	0.255	0.292	0.008	0.034	0.003	-	0.021	-	-	-	9.560574	34.418	10.089127	36.321
1.727	0.272	0.313	0.009	0.038	0.003	-	0.026	-	-	-	9.543547	34.357	10.071170	36.256
1.308	0.182	0.223	0.009	0.033	0.002	-	0.025	-	-	-	9.426321	33.935	9.948519	35.815
0.830	0.088	0.128	0.008	0.026	0.001	-	0.022	-	-	-	9.322135	33.560	9.837229	35.414
0.678	0.058	0.091	0.006	0.021	0.001	-	0.020	-	-	-	9.302842	33.490	9.816836	35.341
0.602	0.046	0.075	0.006	0.018	0	-	0.017	-	-	-	9.312112	33.524	9.826607	35.376
0.595	0.044	0.074	0.005	0.017	0	-	0.017	-	-	-	9.316099	33.538	9.831570	35.394
0.706	0.041	0.045	0.011	0.014	0	-	0.024	-	-	-	9.479679	34.127	10.004032	36.015
0.555	0.009	0.020	0	0.001	0	-	0.001	-	-	-	9.449860	34.019	9.972034	35.899
0.575	0.010	0.023	0	0.001	0	-	0	-	-	-	9.453182	34.031	9.975608	35.912
0.588	0.036	0.065	0.005	0.015	0.001	-	0.014	-	-	-	9.307560	33.507	9.821449	35.357
0.590	0.034	0.063	0.005	0.015	0	-	0.015	-	-	-	9.310728	33.519	9.825152	35.371
0.561	0.024	0.046	0.003	0.010	0	-	0.010	-	-	-	9.353341	33.672	9.870136	35.532
0.480	0.007	0.015	0	0.001	0	-	0	-	-	-	9.430965	33.951	9.952507	35.829
0.446	0.005	0.012	0	0.001	0	-	0	-	-	-	9.426491	33.935	9.947735	35.812
0.477	0.006	0.014	0	0.001	0	-	0	-	-	-	9.439261	33.981	9.960250	35.857
0.526	0.008	0.018	0.001	0.001	0	-	0.001	-	-	-	9.420161	33.913	9.941116	35.788
0.553	0.009	0.020	0.001	0.001	0	-	0	-	-	-	9.464986	34.074	9.988304	35.958
0.508	0.007	0.017	0	0.001	0	-	0	-	-	-	9.446690	34.008	9.968681	35.887
0.449	0.005	0.012	0	0.001	0	-	0	-	-	-	9.434790	33.965	9.956112	35.842
0.499	0.007	0.017	0	0.001	0	-	0	-	-	-	9.437811	33.976	9.959304	35.853
0.483	0.007	0.015	0	0.001	0	-	0	-	-	-	9.438292	33.978	9.959811	35.855
0.412	0.005	0.011	0	0.001	0	-	0.001	-	-	-	9.419578	33.910	9.940046	35.784

GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0
10.431471	37.553	10.997729	39.592	43.829	46.245	12.175	12.846	13.504	48.615	14.235	51.247	0.731	0.7717
10.423855	37.526	10.989670	39.563	43.813	46.228	12.170	12.841	13.499	48.598	14.230	51.229	0.731	0.7711
10.435684	37.568	11.002170	39.608	43.854	46.271	12.182	12.853	13.512	48.642	14.243	51.276	0.731	0.7715
10.448138	37.613	11.015311	39.655	43.897	46.317	12.194	12.866	13.525	48.689	14.257	51.325	0.731	0.7718
10.448198	37.614	11.015368	39.655	43.917	46.339	12.199	12.872	13.531	48.713	14.264	51.350	0.731	0.7711
10.528628	37.903	11.100256	39.961	44.183	46.619	12.273	12.950	13.611	48.999	14.348	51.652	0.733	0.7738
10.596705	38.148	11.172318	40.220	43.909	46.329	12.197	12.869	13.518	48.665	14.250	51.301	0.753	0.7947
10.593165	38.135	11.168812	40.208	43.845	46.262	12.179	12.851	13.498	48.593	14.229	51.225	0.755	0.7965
10.595645	38.144	11.171252	40.217	43.835	46.252	12.176	12.848	13.496	48.584	14.226	51.212	0.755	0.7973
10.576443	38.075	11.150999	40.144	43.695	46.104	12.138	12.807	13.451	48.424	14.180	51.047	0.758	0.7996
10.452010	37.627	11.018303	39.666	43.432	45.827	12.065	12.730	13.378	48.160	14.100	50.761	0.748	0.7895
10.340277	37.225	10.901600	39.246	43.320	45.708	12.033	12.697	13.348	48.052	14.070	50.653	0.735	0.7762
10.319866	37.152	10.880034	39.168	43.308	45.694	12.030	12.693	13.345	48.042	14.068	50.643	0.733	0.7734
10.330580	37.190	10.891312	39.209	43.411	45.804	12.059	12.723	13.378	48.159	14.102	50.767	0.731	0.7712
10.335999	37.210	10.897020	39.229	43.457	45.855	12.071	12.738	13.392	48.211	14.118	50.825	0.730	0.7703
10.512777	37.846	11.083566	39.901	44.033	46.460	12.232	12.905	13.564	48.830	14.298	51.474	0.736	0.7769
10.480266	37.729	11.049229	39.777	43.965	46.388	12.212	12.886	13.544	48.759	14.277	51.399	0.734	0.7744
10.483944	37.742	11.053111	39.791	43.977	46.401	12.216	12.889	13.548	48.772	14.281	51.413	0.734	0.7745
10.325030	37.170	10.885473	39.188	43.336	45.725	12.038	12.701	13.354	48.074	14.077	50.677	0.733	0.7731
10.328523	37.183	10.889059	39.201	43.354	45.743	12.043	12.707	13.359	48.093	14.083	50.698	0.732	0.7730
10.375072	37.350	10.938257	39.378	43.550	45.950	12.097	12.764	13.419	48.307	14.145	50.923	0.733	0.7731
10.460477	37.658	11.027874	39.700	43.925	46.346	12.201	12.874	13.533	48.719	14.265	51.355	0.732	0.7727
10.455667	37.640	11.022838	39.682	43.918	46.338	12.199	12.872	13.531	48.711	14.264	51.350	0.732	0.7722
10.468434	37.686	11.036733	39.732	43.956	46.375	12.210	12.882	13.542	48.751	14.275	51.391	0.732	0.7729
10.447566	37.611	11.014753	39.653	43.767	46.179	12.157	12.827	13.483	48.538	14.213	51.166	0.736	0.7766
10.497115	37.790	11.066676	39.840	44.033	46.461	12.231	12.906	13.565	48.833	14.299	51.477	0.734	0.7744
10.477011	37.717	11.045650	39.764	43.972	46.396	12.215	12.888	13.547	48.768	14.280	51.409	0.733	0.7736
10.464220	37.671	11.032284	39.716	43.942	46.364	12.206	12.879	13.538	48.737	14.271	51.376	0.732	0.7727
10.467421	37.683	11.035666	39.728	43.945	46.367	12.207	12.880	13.539	48.739	14.272	51.378	0.733	0.7731
10.467980	37.685	11.036255	39.731	43.951	46.373	12.209	12.881	13.540	48.746	14.274	51.385	0.732	0.7730
10.447802	37.612	11.014957	39.654	43.898	46.316	12.194	12.865	13.525	48.689	14.257	51.324	0.731	0.7718

d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.5967	0.5969	17.253	481.911	85.249
0.5962	0.5964	17.240	482.280	85.465
0.5965	0.5967	17.248	482.067	85.275
0.5968	0.5969	17.255	481.852	85.062
0.5962	0.5964	17.239	482.303	85.222
0.5983	0.5985	17.296	480.759	84.113
0.6145	0.6147	17.763	468.141	79.573
0.6159	0.6161	17.806	466.964	79.283
0.6165	0.6166	17.816	466.747	79.107
0.6183	0.6184	17.874	465.191	78.900
0.6105	0.6106	17.646	471.257	81.798
0.6002	0.6003	17.353	479.140	85.441
0.5980	0.5982	17.292	480.840	86.224
0.5963	0.5965	17.243	482.195	86.545
0.5956	0.5958	17.222	482.797	86.732
0.6007	0.6009	17.368	478.759	83.308
0.5988	0.5989	17.312	480.275	84.179
0.5988	0.5990	17.314	480.208	84.121
0.5978	0.5980	17.286	481.004	86.228
0.5977	0.5979	17.281	481.144	86.170
0.5978	0.5980	17.285	481.014	85.582
0.5974	0.5976	17.275	481.299	84.732
0.5971	0.5972	17.264	481.612	84.888
0.5976	0.5978	17.278	481.229	84.601
0.6004	0.6006	17.358	479.009	84.038
0.5988	0.5990	17.314	480.227	84.008
0.5981	0.5983	17.294	480.770	84.387
0.5975	0.5976	17.272	481.404	84.696
0.5978	0.5979	17.284	481.066	84.580
0.5977	0.5978	17.281	481.143	84.602
0.5968	0.5969	17.253	481.932	85.058