

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.11.2023 06:00	02.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	3.415	0.003	91.741	4.146	0.619	0.695
02.11.2023 06:00	03.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	4.524	0	90.122	4.645	0.656	0.709
03.11.2023 06:00	04.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	3.153	0	92.830	3.467	0.496	0.550
04.11.2023 06:00	05.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	2.068	0	94.839	2.637	0.397	0.456
05.11.2023 06:00	06.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.016	0	98.336	1.272	0.299	0.375
06.11.2023 06:00	07.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	2.227	0.009	94.772	2.554	0.375	0.438
07.11.2023 06:00	08.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	2.340	0.025	94.657	2.516	0.384	0.462
08.11.2023 06:00	09.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.014	0	98.320	1.286	0.303	0.380
09.11.2023 06:00	10.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.057	0	97.538	1.794	0.485	0.610
10.11.2023 06:00	11.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.852	0.009	94.497	3.439	0.962	1.203
11.11.2023 06:00	12.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	5.011	0.036	90.372	4.039	0.479	0.541
12.11.2023 06:00	13.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	4.974	0.019	90.174	4.267	0.515	0.566
13.11.2023 06:00	14.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	3.926	0.047	91.829	3.634	0.456	0.563
14.11.2023 06:00	15.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	4.708	0.094	91.236	3.394	0.422	0.568
15.11.2023 06:00	16.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	4.467	0.126	91.946	2.905	0.367	0.555
16.11.2023 06:00	17.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	4.436	0.140	92.254	2.630	0.337	0.540
17.11.2023 06:00	18.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	3.283	0.079	92.686	3.282	0.487	0.670
18.11.2023 06:00	19.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	1.680	0.045	94.090	3.405	0.574	0.780
19.11.2023 06:00	20.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	5.002	0.016	89.791	4.356	0.618	0.836
20.11.2023 06:00	21.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	3.034	0.016	91.376	4.266	0.882	1.308
21.11.2023 06:00	22.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.464	0.051	95.240	3.310	0.644	0.935
22.11.2023 06:00	23.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.444	0.062	95.004	3.460	0.715	1.030
23.11.2023 06:00	24.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.220	0.076	95.606	3.218	0.579	0.879
24.11.2023 06:00	25.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.221	0.054	95.779	3.199	0.513	0.747
25.11.2023 06:00	26.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.213	0.047	95.522	3.532	0.511	0.686
26.11.2023 06:00	27.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.236	0.077	95.708	3.326	0.451	0.653
27.11.2023 06:00	28.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.379	0.092	95.412	3.357	0.517	0.760
28.11.2023 06:00	29.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.208	0.085	95.573	3.358	0.527	0.776
29.11.2023 06:00	30.11.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.202	0.079	95.595	3.334	0.534	0.790
30.11.2023 06:00	01.12.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.12.2023 08:48	0.229	0.096	95.395	3.372	0.609	0.908

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.033	0.035	0.003	0.004	0	-	0.001	-	-	-	9.539128	34.341	10.066272	36.239	10.578729	38.083	11.153084
0.018	0.033	0.001	0.001	0	-	0	-	-	-	9.472513	34.101	9.996013	35.986	10.503481	37.813	11.073776
0.019	0.030	0.002	0.003	0	-	0.001	-	-	-	9.492125	34.172	10.016595	36.060	10.529601	37.907	11.101157
0.021	0.031	0.002	0.004	0	-	0.001	-	-	-	9.520289	34.273	10.046258	36.167	10.563810	38.030	11.137151
0.028	0.037	0.003	0.006	0	-	0.002	-	-	-	9.603306	34.572	10.133788	36.482	10.660417	38.377	11.238876
0.021	0.032	0.003	0.005	0	-	0.002	-	-	-	9.496069	34.186	10.020691	36.074	10.537238	37.934	11.109123
0.026	0.039	0.003	0.007	0	-	0.004	-	-	-	9.486453	34.151	10.010547	36.038	10.526460	37.895	11.097765
0.028	0.038	0.003	0.006	0	-	0.002	-	-	-	9.605373	34.579	10.135971	36.489	10.662640	38.386	11.241223
0.059	0.051	0.005	0.008	0	-	0.002	-	-	-	9.676252	34.835	10.210847	36.759	10.738427	38.658	11.321239
0.134	0.083	0.008	0.013	0	-	0.003	-	-	-	9.818292	35.346	10.360963	37.299	10.887643	39.196	11.478886
0.017	0.032	0.002	0.005	0	-	0.005	-	-	-	9.355489	33.680	9.872424	35.541	10.376132	37.354	10.939409
0.015	0.028	0.001	0.003	0	-	0.002	-	-	-	9.379872	33.768	9.897895	35.632	10.402458	37.449	10.966888
0.044	0.047	0.003	0.008	0	-	0.006	-	-	-	9.433956	33.962	9.955227	35.839	10.464215	37.671	11.032265
0.058	0.059	0.004	0.013	0	-	0.013	-	-	-	9.343036	33.635	9.859264	35.493	10.363726	37.309	10.924715
0.079	0.071	0.005	0.016	0.001	-	0.016	-	-	-	9.329067	33.585	9.844501	35.440	10.349341	37.258	10.911092
0.088	0.072	0.005	0.019	0.001	-	0.019	-	-	-	9.309890	33.516	9.824246	35.367	10.329076	37.185	10.889701
0.091	0.065	0.005	0.012	0	-	0.011	-	-	-	9.486540	34.152	10.010739	36.039	10.522559	37.881	11.093800
0.116	0.072	0.004	0.009	0	-	0.005	-	-	-	9.668829	34.808	10.203148	36.731	10.724252	38.607	11.306500
0.075	0.065	0.021	0.027	0	-	0.030	-	-	-	9.444375	34.000	9.966336	35.879	10.471514	37.697	11.040126
0.168	0.115	0.033	0.040	0	-	0.069	-	-	-	9.718634	34.987	10.255908	36.921	10.772749	38.782	11.357916
0.157	0.116	0.005	0.010	0	-	0.003	-	-	-	9.805438	35.300	10.347360	37.250	10.875148	39.151	11.465653
0.162	0.133	0.005	0.011	0	-	0.004	-	-	-	9.833585	35.401	10.377095	37.358	10.905348	39.259	11.497539
0.151	0.132	0.004	0.010	0	-	0.003	-	-	-	9.811653	35.322	10.353907	37.274	10.882622	39.177	11.473518
0.131	0.090	0.004	0.008	0	-	0.002	-	-	-	9.786598	35.232	10.327432	37.179	10.855843	39.081	11.445234
0.095	0.066	0.004	0.007	0	-	0.002	-	-	-	9.800619	35.282	10.342235	37.232	10.870904	39.135	11.461126
0.097	0.091	0.003	0.008	0	-	0.003	-	-	-	9.777626	35.199	10.317958	37.145	10.846078	39.046	11.434940
0.115	0.111	0.004	0.009	0	-	0.004	-	-	-	9.783871	35.222	10.324573	37.168	10.852192	39.068	11.441410
0.119	0.114	0.004	0.009	0	-	0.003	-	-	-	9.803351	35.292	10.345296	37.243	10.873891	39.146	11.464123
0.123	0.118	0.003	0.009	0	-	0.003	-	-	-	9.805352	35.299	10.347248	37.250	10.875917	39.153	11.466433
0.145	0.138	0.004	0.010	0	-	0.003	-	-	-	9.824732	35.369	10.367728	37.324	10.896531	39.228	11.488207

GCV (MJ/m ³) @25/0	Wd(kWh/ m ³) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m ³) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m ³) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m ³) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
40.151	44.461	46.911	12.350	13.031	13.696	49.306	14.438	51.976	0.731	0.7719	0.5969	0.5970	17.241	482.457	84.017
39.866	43.904	46.324	12.196	12.868	13.523	48.682	14.255	51.319	0.739	0.7802	0.6033	0.6035	17.443	476.677	82.764
39.964	44.494	46.946	12.359	13.041	13.710	49.358	14.453	52.030	0.723	0.7635	0.5904	0.5905	17.069	487.526	86.258
40.094	44.989	47.469	12.497	13.186	13.867	49.921	14.618	52.624	0.712	0.7513	0.5810	0.5811	16.798	495.462	88.691
40.460	45.987	48.521	12.774	13.478	14.180	51.049	14.948	53.812	0.693	0.7309	0.5652	0.5653	16.342	508.795	92.405
39.993	44.855	47.327	12.460	13.146	13.826	49.773	14.574	52.468	0.712	0.7516	0.5812	0.5813	16.804	495.004	88.759
39.952	44.790	47.258	12.442	13.127	13.806	49.700	14.553	52.391	0.713	0.7526	0.5820	0.5821	16.827	494.514	88.726
40.468	45.992	48.527	12.776	13.480	14.182	51.055	14.950	53.818	0.693	0.7311	0.5653	0.5654	16.345	508.695	92.339
40.756	46.122	48.664	12.812	13.518	14.218	51.185	14.988	53.956	0.699	0.7377	0.5704	0.5706	16.493	504.183	89.903
41.324	46.089	48.629	12.802	13.508	14.197	51.109	14.966	53.876	0.721	0.7607	0.5882	0.5884	17.005	489.069	83.529
39.382	43.437	45.831	12.066	12.731	13.382	48.176	14.107	50.785	0.737	0.7775	0.6012	0.6013	17.383	478.317	84.553
39.481	43.517	45.915	12.088	12.754	13.405	48.260	14.131	50.873	0.738	0.7787	0.6021	0.6023	17.410	477.588	84.056
39.716	44.026	46.453	12.230	12.904	13.565	48.835	14.300	51.479	0.729	0.7699	0.5953	0.5955	17.213	483.157	85.388
39.329	43.489	45.886	12.080	12.746	13.400	48.240	14.126	50.852	0.733	0.7734	0.5982	0.5981	17.296	480.735	85.645
39.280	43.528	45.928	12.091	12.758	13.414	48.289	14.140	50.905	0.730	0.7698	0.5953	0.5955	17.210	483.142	86.736
39.203	43.490	45.887	12.081	12.746	13.403	48.251	14.129	50.863	0.728	0.7681	0.5939	0.5941	17.173	484.181	87.405
39.938	44.375	46.821	12.326	13.006	13.662	49.182	14.413	51.888	0.727	0.7675	0.5934	0.5936	17.139	485.215	85.589
40.703	45.421	47.924	12.617	13.312	13.994	50.379	14.752	53.107	0.720	0.7598	0.5875	0.5877	16.986	489.598	85.021
39.744	43.649	46.055	12.125	12.793	13.443	48.396	14.171	51.017	0.743	0.7846	0.6067	0.6068	17.540	474.197	82.377
40.888	45.013	47.495	12.504	13.193	13.860	49.896	14.611	52.598	0.741	0.7817	0.6044	0.6046	17.472	476.231	80.355
41.276	46.192	48.738	12.831	13.538	14.231	51.231	15.002	54.006	0.716	0.7553	0.5840	0.5842	16.884	492.492	84.615
41.391	46.253	48.803	12.848	13.556	14.249	51.295	15.020	54.073	0.718	0.7576	0.5858	0.5860	16.936	491.018	83.944
41.305	46.289	48.841	12.858	13.567	14.262	51.342	15.034	54.122	0.714	0.7531	0.5823	0.5824	16.834	493.919	85.038
41.203	46.252	48.801	12.848	13.556	14.251	51.305	15.023	54.083	0.711	0.7504	0.5802	0.5804	16.778	495.567	85.740
41.260	46.289	48.841	12.858	13.567	14.262	51.344	15.035	54.125	0.712	0.7514	0.5810	0.5811	16.796	495.032	85.362
41.166	46.212	48.759	12.837	13.544	14.240	51.262	15.011	54.038	0.711	0.7503	0.5802	0.5803	16.774	495.695	85.896
41.189	46.158	48.702	12.822	13.528	14.222	51.198	14.992	53.970	0.714	0.7531	0.5823	0.5825	16.835	493.879	85.299
41.271	46.272	48.823	12.853	13.562	14.257	51.325	15.029	54.104	0.713	0.7523	0.5817	0.5819	16.818	494.374	85.241
41.279	46.282	48.833	12.856	13.565	14.260	51.336	15.032	54.115	0.713	0.7523	0.5817	0.5819	16.817	494.403	85.222
41.358	46.301	48.853	12.861	13.570	14.264	51.352	15.037	54.133	0.715	0.7547	0.5835	0.5837	16.870	492.863	84.603