

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)
01.05.2023 06:00	02.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.299	0	91.308	4.117
02.05.2023 06:00	03.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.294	0	91.295	4.126
03.05.2023 06:00	04.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	2.004	0.022	94.298	3.214
04.05.2023 06:00	05.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	0.281	0	97.049	2.258
05.05.2023 06:00	06.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	2.191	0	94.334	3.135
06.05.2023 06:00	07.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.320	0	91.326	4.078
07.05.2023 06:00	08.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.296	0	91.313	4.119
08.05.2023 06:00	09.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.296	0	91.288	4.123
09.05.2023 06:00	10.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.270	0	91.328	4.104
10.05.2023 06:00	11.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.282	0	91.331	4.123
11.05.2023 06:00	12.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.256	0	91.336	4.128
12.05.2023 06:00	13.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.249	0	91.234	4.212
13.05.2023 06:00	14.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.230	0	91.366	4.121
14.05.2023 06:00	15.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	3.724	0.144	91.487	4.205
15.05.2023 06:00	16.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	3.505	0.201	91.474	4.298
16.05.2023 06:00	17.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.111	0.042	91.315	4.173
17.05.2023 06:00	18.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.199	0	91.432	4.099
18.05.2023 06:00	19.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.354	0	91.213	4.117
19.05.2023 06:00	20.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.322	0	91.162	4.188
20.05.2023 06:00	21.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.301	0	91.305	4.116
21.05.2023 06:00	22.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.299	0	91.228	4.181
22.05.2023 06:00	23.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.293	0	91.155	4.235
23.05.2023 06:00	24.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.284	0	91.299	4.138
24.05.2023 06:00	25.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.286	0	91.205	4.216
25.05.2023 06:00	26.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.275	0	91.179	4.189
26.05.2023 06:00	27.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.295	0	91.198	4.191
27.05.2023 06:00	28.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	3.457	0.254	91.330	4.358
28.05.2023 06:00	29.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	3.819	0.136	91.291	4.297
29.05.2023 06:00	30.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	4.189	0.030	91.251	4.193
30.05.2023 06:00	31.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	31.05.2023 13:27	3.868	0.128	91.316	4.237
31.05.2023 06:00	01.06.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.06.2023 07:55	3.998	0.080	91.288	4.236

C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0
0.267	0.275	0.002	0.005	0	0	0	-	0	-	-	-	9.387709	33.796	9.906388
0.275	0.285	0.003	0.006	0	0.001	0	-	0	-	-	-	9.390464	33.806	9.909298
0.331	0.462	0.093	0.035	0.001	0.002	0	-	0.001	-	-	-	9.390464	33.806	9.909298
0.224	0.411	0.153	0.032	0	0.001	0	-	0	-	-	-	9.663677	34.789	10.197581
0.239	0.341	0.082	0.019	0	0.001	0	-	0	-	-	-	9.531176	34.312	10.057769
0.266	0.275	0.003	0.005	0	0.001	0	-	0	-	-	-	9.382990	33.779	9.901406
0.264	0.272	0.003	0.005	0	0.001	0	-	0	-	-	-	9.387660	33.796	9.906337
0.284	0.294	0.003	0.006	0	0	0	-	0	-	-	-	9.391271	33.809	9.910151
0.288	0.298	0.003	0.006	0	0.001	0	-	0	-	-	-	9.393067	33.815	9.912045
0.256	0.264	0.002	0.005	0	0.001	0	-	0	-	-	-	9.388025	33.797	9.906721
0.272	0.280	0.003	0.005	0	0.001	0	-	0	-	-	-	9.393265	33.816	9.912253
0.294	0.304	0.003	0.006	0	0.001	0	-	0	-	-	-	9.403690	33.853	9.923265
0.275	0.284	0.003	0.006	0	0.001	0	-	0	-	-	-	9.395936	33.825	9.915073
0.376	0.440	0.024	0.026	0.004	0.005	0	-	0.005	-	-	-	9.464988	34.074	9.988125
0.435	0.523	0.034	0.035	0.005	0.007	0	-	0.007	-	-	-	9.501787	34.206	10.026862
0.332	0.359	0.010	0.012	0.001	0.002	0	-	0.001	-	-	-	9.419813	33.911	9.940293
0.262	0.271	0.003	0.005	0	0.001	0	-	0	-	-	-	9.400808	33.843	9.920220
0.305	0.316	0.003	0.007	0	0.001	0	-	0	-	-	-	9.389386	33.802	9.908164
0.317	0.328	0.003	0.007	0	0.001	0	-	0	-	-	-	9.398419	33.834	9.917703
0.269	0.278	0.003	0.005	0	0.001	0	-	0	-	-	-	9.387546	33.795	9.906216
0.283	0.292	0.003	0.006	0	0.001	0	-	0	-	-	-	9.395002	33.822	9.914092
0.307	0.317	0.003	0.007	0	0.001	0	-	0	-	-	-	9.403860	33.854	9.922975
0.270	0.279	0.003	0.005	0	0.001	0	-	0	-	-	-	9.391346	33.809	9.910064
0.284	0.293	0.003	0.006	0	0.001	0	-	0	-	-	-	9.399279	33.837	9.918608
0.344	0.356	0.004	0.008	0	0.001	0	-	0	-	-	-	9.407223	33.866	9.927262
0.306	0.317	0.003	0.007	0	0.001	0	-	0	-	-	-	9.400418	33.842	9.919268
0.496	0.601	0.040	0.042	0.006	0.008	0	-	0.008	-	-	-	9.519097	34.269	10.045033
0.395	0.456	0.022	0.026	0.003	0.005	0	-	0.005	-	-	-	9.466664	34.080	9.988733
0.315	0.337	0.007	0.011	0.001	0.001	0	-	0.001	-	-	-	9.411008	33.880	9.931222
0.394	0.451	0.020	0.025	0.003	0.004	0	-	0.004	-	-	-	9.456443	34.043	9.978981
0.359	0.398	0.014	0.017	0.002	0.003	0	-	0.003	-	-	-	9.438720	33.979	9.960261

NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15
35.663	10.413409	37.488	10.978657	39.523	43.801	46.215	12.167	12.837	13.496	48.587	14.227	51.217	0.730
35.673	10.416382	37.499	10.981795	39.534	43.809	46.224	12.169	12.840	13.499	48.595	14.230	51.226	0.730
35.673	10.416382	37.499	10.981795	39.534	43.809	46.224	12.169	12.840	13.499	48.595	14.230	51.226	0.730
36.711	10.724103	38.607	11.306146	40.702	46.003	48.538	12.779	13.483	14.181	51.051	14.949	53.815	0.701
36.208	10.575002	38.070	11.148983	40.136	44.954	47.431	12.487	13.175	13.855	49.877	14.605	52.577	0.714
35.645	10.408276	37.470	10.973242	39.504	43.782	46.195	12.162	12.832	13.491	48.566	14.221	51.196	0.729
35.663	10.413358	37.488	10.978604	39.523	43.802	46.215	12.167	12.837	13.497	48.588	14.227	51.217	0.730
35.677	10.417240	37.502	10.982701	39.538	43.810	46.225	12.169	12.840	13.499	48.596	14.230	51.227	0.730
35.683	10.419307	37.510	10.984832	39.545	43.824	46.239	12.173	12.844	13.503	48.612	14.234	51.244	0.730
35.664	10.413803	37.490	10.979363	39.526	43.807	46.223	12.169	12.840	13.498	48.594	14.229	51.225	0.729
35.684	10.419740	37.511	10.985335	39.547	43.830	46.245	12.175	12.846	13.505	48.619	14.236	51.250	0.729
35.724	10.430717	37.551	10.996922	39.589	43.856	46.273	12.182	12.853	13.513	48.645	14.244	51.279	0.730
35.694	10.422484	37.521	10.988229	39.558	43.846	46.262	12.179	12.851	13.510	48.636	14.242	51.270	0.729
35.957	10.497958	37.793	11.067875	39.844	44.108	46.539	12.252	12.928	13.589	48.921	14.325	51.570	0.731
36.097	10.537873	37.936	11.109998	39.996	44.240	46.679	12.289	12.966	13.629	49.063	14.367	51.721	0.733
35.785	10.448359	37.614	11.015539	39.656	43.920	46.340	12.200	12.872	13.532	48.715	14.265	51.353	0.731
35.713	10.428598	37.543	10.994684	39.581	43.853	46.270	12.181	12.853	13.513	48.646	14.244	51.280	0.730
35.669	10.415038	37.494	10.980383	39.529	43.787	46.200	12.163	12.833	13.492	48.570	14.222	51.200	0.730
35.704	10.424808	37.529	10.991081	39.568	43.817	46.232	12.171	12.842	13.501	48.602	14.232	51.233	0.731
35.662	10.413760	37.490	10.978467	39.522	43.800	46.215	12.167	12.838	13.496	48.587	14.227	51.217	0.730
35.691	10.421222	37.516	10.986905	39.553	43.817	46.232	12.171	12.842	13.501	48.603	14.232	51.235	0.730
35.723	10.430259	37.549	10.996957	39.589	43.838	46.256	12.177	12.849	13.508	48.627	14.239	51.260	0.731
35.676	10.417363	37.503	10.982829	39.538	43.815	46.230	12.171	12.842	13.500	48.602	14.231	51.233	0.730
35.707	10.425524	37.532	10.991445	39.569	43.831	46.248	12.175	12.847	13.505	48.619	14.236	51.251	0.730
35.738	10.434677	37.565	11.000823	39.603	43.853	46.271	12.181	12.853	13.512	48.642	14.243	51.275	0.731
35.709	10.427050	37.537	10.992468	39.573	43.832	46.247	12.175	12.846	13.505	48.617	14.236	51.251	0.730
36.162	10.556288	38.003	11.129446	40.066	44.266	46.705	12.296	12.974	13.636	49.089	14.374	51.748	0.734
35.959	10.499325	37.798	11.068190	39.845	44.078	46.512	12.244	12.920	13.580	48.886	14.316	51.538	0.732
35.752	10.438904	37.580	11.005565	39.620	43.877	46.295	12.188	12.860	13.519	48.668	14.251	51.303	0.731
35.924	10.488204	37.758	11.057592	39.807	44.042	46.471	12.234	12.909	13.569	48.848	14.304	51.494	0.732
35.857	10.470354	37.693	11.038753	39.740	43.983	46.411	12.217	12.892	13.552	48.787	14.286	51.429	0.731

ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
0.7699	0.5953	0.5955	17.211	483.093	85.871
0.7701	0.5955	0.5956	17.217	482.918	85.799
0.7701	0.5955	0.5956	16.889	492.534	87.062
0.7396	0.5719	0.5720	16.536	502.827	89.494
0.7539	0.5829	0.5831	16.855	493.490	87.820
0.7698	0.5952	0.5954	17.211	483.094	85.948
0.7699	0.5953	0.5955	17.213	483.042	85.883
0.7702	0.5955	0.5957	17.219	482.860	85.774
0.7700	0.5954	0.5955	17.215	482.979	85.782
0.7698	0.5952	0.5953	17.209	483.138	85.918
0.7698	0.5953	0.5954	17.212	483.078	85.825
0.7706	0.5959	0.5960	17.229	482.581	85.524
0.7697	0.5952	0.5953	17.208	483.167	85.826
0.7718	0.5968	0.5969	17.254	481.878	84.863
0.7732	0.5978	0.5980	17.282	481.110	84.266
0.7710	0.5962	0.5963	17.238	482.351	85.343
0.7703	0.5956	0.5958	17.198	483.460	85.943
0.7707	0.5959	0.5961	17.232	482.506	85.658
0.7712	0.5963	0.5964	17.242	482.237	85.448
0.7699	0.5954	0.5955	17.212	483.064	85.854
0.7706	0.5958	0.5960	17.228	482.628	85.644
0.7712	0.5963	0.5965	17.241	482.239	85.406
0.7700	0.5954	0.5956	17.216	482.955	85.807
0.7707	0.5959	0.5961	17.231	482.530	85.569
0.7713	0.5964	0.5965	17.244	482.163	85.313
0.7709	0.5961	0.5962	17.235	482.407	85.498
0.7751	0.5993	0.5995	17.328	479.836	83.831
0.7730	0.5977	0.5978	17.278	481.225	84.607
0.7711	0.5962	0.5964	17.234	482.480	85.378
0.7726	0.5974	0.5976	17.273	481.355	84.735
0.7719	0.5969	0.5971	17.257	481.804	85.008