

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.04.2023 06:00	02.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.806	0.113	91.551	4.116	0.357	0.414
02.04.2023 06:00	03.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.798	0.118	91.552	4.112	0.362	0.420
03.04.2023 06:00	04.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.670	0.012	94.860	3.139	0.989	1.319
04.04.2023 06:00	05.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.154	0.008	94.373	3.578	1.438	1.887
05.04.2023 06:00	06.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.306	0.034	93.377	4.563	1.377	1.720
06.04.2023 06:00	07.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.253	0.028	93.942	4.180	1.259	1.598
07.04.2023 06:00	08.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.162	0.006	94.310	3.658	1.423	1.863
08.04.2023 06:00	09.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.086	0.002	94.843	3.275	1.342	1.793
09.04.2023 06:00	10.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	1.966	0.001	93.426	3.539	0.821	1.067
10.04.2023 06:00	11.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.539	0	91.980	3.958	0.439	0.522
11.04.2023 06:00	12.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	0.988	0.003	94.245	3.351	1.070	1.412
12.04.2023 06:00	13.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.626	0.010	91.837	4.040	0.423	0.488
13.04.2023 06:00	14.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	4.175	0.001	91.420	4.088	0.298	0.315
14.04.2023 06:00	15.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	1.410	0.005	93.486	3.757	1.042	1.342
15.04.2023 06:00	16.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	2.601	0.002	92.766	3.779	0.677	0.851
16.04.2023 06:00	17.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.771	0.107	91.587	4.105	0.366	0.430
17.04.2023 06:00	18.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	2.185	0.029	93.235	3.617	0.724	0.935
18.04.2023 06:00	19.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	1.091	0.003	92.806	4.341	1.346	1.760
19.04.2023 06:00	20.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	1.456	0.001	91.347	5.174	1.561	2.022
20.04.2023 06:00	21.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.108	0.022	91.385	4.509	0.786	0.976
21.04.2023 06:00	22.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	1.371	0.017	91.466	5.124	1.558	2.023
22.04.2023 06:00	23.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.645	0.011	91.225	4.424	0.585	0.695
23.04.2023 06:00	24.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.863	0.032	91.306	4.256	0.472	0.543
24.04.2023 06:00	25.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.894	0.025	91.284	4.268	0.462	0.530
25.04.2023 06:00	26.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	4.142	0.009	91.257	4.206	0.356	0.386
26.04.2023 06:00	27.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	4.060	0.022	91.272	4.233	0.371	0.413
27.04.2023 06:00	28.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.733	0.059	91.335	4.292	0.492	0.581
28.04.2023 06:00	29.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	3.597	0.069	91.352	4.334	0.540	0.649
29.04.2023 06:00	30.04.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	4.200	0.024	91.331	4.132	0.293	0.313
30.04.2023 06:00	01.05.2023 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.05.2023 10:10	4.286	0	91.323	4.119	0.263	0.271

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15
0.021	0.023	0.004	0.005	0	-	0.005	-	-	-	9.448995	34.016	9.971107	35.896	10.480504	37.730
0.021	0.024	0.004	0.005	0	-	0.005	-	-	-	9.450115	34.020	9.972290	35.900	10.481717	37.734
0.162	0.162	0.001	0.003	0	-	0.002	-	-	-	9.835293	35.407	10.378849	37.364	10.906480	39.263
0.233	0.208	0.003	0.005	0	-	0.001	-	-	-	10.009136	36.033	10.562523	38.025	11.094783	39.941
0.188	0.135	0.008	0.011	0	-	0.002	-	-	-	10.031091	36.112	10.585723	38.109	11.120960	40.035
0.177	0.146	0.005	0.008	0	-	0.002	-	-	-	9.992684	35.974	10.545143	37.963	11.076673	39.876
0.227	0.204	0.003	0.005	0	-	0.001	-	-	-	10.010114	36.036	10.563555	38.029	11.095802	39.945
0.228	0.219	0.001	0.003	0	-	0	-	-	-	9.979631	35.927	10.531347	37.913	11.063446	39.828
0.123	0.121	0.001	0.001	0	-	0	-	-	-	9.699446	34.918	10.235513	36.848	10.756180	38.722
0.040	0.042	0	0.001	0	-	0	-	-	-	9.489637	34.163	10.013926	36.050	10.525472	37.892
0.173	0.168	0.001	0.002	0	-	0	-	-	-	9.812346	35.324	10.354713	37.277	10.880169	39.169
0.031	0.030	0.001	0.002	0	-	0.001	-	-	-	9.480356	34.129	10.004205	36.015	10.515165	37.855
0.006	0.009	0	0.001	0	-	0	-	-	-	9.401136	33.844	9.920564	35.714	10.428178	37.541
0.155	0.138	0.002	0.004	0	-	0	-	-	-	9.814767	35.333	10.357291	37.286	10.881863	39.175
0.087	0.084	0.001	0.002	0	-	0	-	-	-	9.619898	34.632	10.151530	36.546	10.668546	38.407
0.024	0.027	0.004	0.005	0	-	0.005	-	-	-	9.454320	34.036	9.976728	35.916	10.486357	37.751
0.102	0.103	0.001	0.002	0	-	0.002	-	-	-	9.660272	34.777	10.194151	36.699	10.713276	38.568
0.196	0.215	0.001	0.002	0	-	0.001	-	-	-	9.955917	35.841	10.506392	37.823	11.034274	39.723
0.213	0.246	0	0.001	0	-	0	-	-	-	10.024905	36.090	10.579316	38.086	11.106842	39.985
0.085	0.101	0.001	0.002	0	-	0.001	-	-	-	9.656186	34.762	10.176888	36.637	10.705672	38.540
0.214	0.248	0.001	0.002	0	-	0.001	-	-	-	10.028380	36.102	10.583268	38.100	11.111123	40.000
0.049	0.059	0.001	0.001	0	-	0.001	-	-	-	9.540738	34.347	10.068000	36.245	10.579797	38.087
0.029	0.038	0.001	0.002	0	-	0.001	-	-	-	9.480936	34.131	10.004838	36.017	10.514827	37.853
0.028	0.036	0.001	0.002	0	-	0.001	-	-	-	9.476939	34.117	10.000616	36.002	10.510448	37.838
0.012	0.017	0.001	0.001	0	-	0	-	-	-	9.426309	33.935	9.947152	35.810	10.455326	37.639
0.017	0.022	0.001	0.001	0	-	0.001	-	-	-	9.439800	33.983	9.961383	35.861	10.470024	37.692
0.038	0.045	0.002	0.003	0	-	0.002	-	-	-	9.497670	34.192	10.022509	36.081	10.533098	37.919
0.047	0.055	0.002	0.003	0	-	0.002	-	-	-	9.526866	34.297	10.053341	36.192	10.564898	38.034
0.007	0.010	0.001	0.001	0	-	0.001	-	-	-	9.402741	33.850	9.922263	35.720	10.429800	37.547
0.003	0.005	0	0.001	0	-	0	-	-	-	9.388586	33.799	9.907314	35.666	10.414397	37.492

GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m 3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m 3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m 3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m 3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0
11.049454	39.778	44.059	46.487	12.239	12.913	13.575	48.869	14.310	51.515	0.730	0.7709	0.5961	0.5962
11.050734	39.783	44.062	46.490	12.239	12.914	13.576	48.872	14.311	51.518	0.731	0.7710	0.5961	0.5963
11.498758	41.396	46.196	48.743	12.832	13.540	14.230	51.228	15.001	54.003	0.720	0.7598	0.5875	0.5877
11.697501	42.111	46.769	49.347	12.991	13.707	14.400	51.841	15.180	54.650	0.727	0.7677	0.5936	0.5938
11.721613	42.198	46.737	49.313	12.982	13.698	14.390	51.805	15.168	54.605	0.732	0.7724	0.5970	0.5972
11.678387	42.042	46.683	49.255	12.967	13.682	14.374	51.747	15.152	54.549	0.728	0.7680	0.5937	0.5940
11.698576	42.115	46.768	49.347	12.991	13.707	14.400	51.841	15.180	54.649	0.728	0.7679	0.5937	0.5939
11.664405	41.992	46.739	49.316	12.983	13.699	14.393	51.815	15.173	54.622	0.724	0.7642	0.5908	0.5910
11.340242	40.825	45.393	47.895	12.609	13.304	13.983	50.339	14.740	53.065	0.725	0.7654	0.5918	0.5920
11.096871	39.949	44.320	46.763	12.311	12.990	13.655	49.158	14.395	51.821	0.728	0.7685	0.5942	0.5944
11.471043	41.296	45.955	48.489	12.765	13.469	14.155	50.956	14.921	53.716	0.724	0.7642	0.5909	0.5911
11.086001	39.910	44.259	46.699	12.294	12.972	13.636	49.090	14.375	51.748	0.729	0.7690	0.5946	0.5948
10.997309	39.590	43.884	46.302	12.190	12.862	13.517	48.662	14.254	51.313	0.729	0.7697	0.5951	0.5953
11.472864	41.302	45.863	48.391	12.740	13.442	14.125	50.849	14.890	53.603	0.727	0.7677	0.5936	0.5937
11.247802	40.492	44.968	47.447	12.491	13.180	13.853	49.870	14.603	52.571	0.727	0.7671	0.5932	0.5933
11.056427	39.803	44.090	46.517	12.247	12.922	13.584	48.903	14.319	51.548	0.730	0.7708	0.5960	0.5962
11.294978	40.662	45.207	47.699	12.557	13.250	13.926	50.135	14.680	52.849	0.725	0.7655	0.5919	0.5921
11.633754	41.882	46.279	48.831	12.855	13.564	14.248	51.292	15.020	54.071	0.735	0.7756	0.5997	0.5999
11.710435	42.158	46.272	48.823	12.853	13.562	14.241	51.266	15.012	54.043	0.745	0.7864	0.6080	0.6082
11.272917	40.582	44.803	47.272	12.445	13.131	13.798	49.674	14.546	52.364	0.736	0.7767	0.6005	0.6007
11.714626	42.173	46.307	48.860	12.863	13.572	14.252	51.306	15.024	54.086	0.745	0.7859	0.6076	0.6078
11.154248	40.155	44.379	46.825	12.327	13.007	13.670	49.212	14.410	51.877	0.734	0.7745	0.5988	0.5990
11.085677	39.908	44.156	46.590	12.266	12.942	13.603	48.972	14.340	51.623	0.732	0.7727	0.5975	0.5976
11.081057	39.892	44.139	46.572	12.261	12.937	13.598	48.953	14.334	51.604	0.732	0.7726	0.5974	0.5976
11.022840	39.682	43.941	46.363	12.206	12.879	13.538	48.738	14.271	51.377	0.731	0.7713	0.5964	0.5966
11.038401	39.738	43.995	46.420	12.221	12.894	13.555	48.797	14.289	51.439	0.731	0.7716	0.5966	0.5968
11.104958	39.978	44.222	46.660	12.284	12.961	13.623	49.044	14.361	51.699	0.733	0.7731	0.5978	0.5980
11.138514	40.099	44.338	46.782	12.316	12.995	13.658	49.169	14.398	51.831	0.733	0.7738	0.5983	0.5985
10.995954	39.585	43.858	46.275	12.183	12.854	13.514	48.649	14.245	51.283	0.730	0.7704	0.5957	0.5958
10.979698	39.527	43.808	46.222	12.169	12.839	13.498	48.594	14.229	51.225	0.729	0.7698	0.5953	0.5954

<b>M kg/kmol</b>	<b>R J/kgK</b>	<b>MN (metanski broj)</b>
17.235	482.430	85.159
17.237	482.376	85.125
16.985	489.607	83.581
17.159	484.613	80.546
17.264	481.755	79.585
17.166	484.437	80.576
17.163	484.499	80.474
17.080	486.805	81.358
17.109	485.974	83.716
17.180	483.970	85.161
17.077	486.906	82.718
17.193	483.606	85.147
17.205	483.266	85.746
17.160	484.567	82.304
17.149	484.851	84.133
17.233	482.487	85.072
17.113	485.880	84.051
17.336	479.794	79.997
17.575	473.173	77.897
17.355	479.161	82.528
17.564	473.456	77.750
17.314	480.262	83.725
17.275	481.313	84.262
17.274	481.343	84.293
17.244	482.163	85.134
17.251	481.967	84.955
17.285	481.023	84.055
17.300	480.617	83.627
17.223	482.744	85.633
17.211	483.081	85.887