

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.06.2024 06:00	02.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.085	0.209	89.166	5.044	0.296	0.496
02.06.2024 06:00	03.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.800	0.179	89.522	5.058	0.275	0.442
03.06.2024 06:00	04.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.850	0.199	89.395	5.152	0.228	0.404
04.06.2024 06:00	05.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.846	0.160	89.463	5.093	0.290	0.437
05.06.2024 06:00	06.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.115	0.125	89.472	4.811	0.361	0.478
06.06.2024 06:00	07.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.528	0.147	89.154	4.672	0.361	0.499
07.06.2024 06:00	08.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.689	0.162	89.050	4.602	0.351	0.497
08.06.2024 06:00	09.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.592	0.151	89.203	4.554	0.361	0.500
09.06.2024 06:00	10.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.880	0.215	88.993	4.451	0.282	0.462
10.06.2024 06:00	11.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.815	0.204	89.561	5.031	0.213	0.389
11.06.2024 06:00	12.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.564	0.192	88.946	4.589	0.491	0.709
12.06.2024 06:00	13.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.725	0.203	90.529	3.966	0.355	0.577
13.06.2024 06:00	14.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.829	0.200	91.170	3.163	0.407	0.639
14.06.2024 06:00	15.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.048	0.230	91.047	3.032	0.388	0.643
15.06.2024 06:00	16.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.529	0.202	91.803	2.845	0.382	0.621
16.06.2024 06:00	17.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.529	0.100	91.218	3.587	0.430	0.567
17.06.2024 06:00	18.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.856	0.015	90.211	4.351	0.518	0.567
18.06.2024 06:00	19.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.919	0.007	90.048	4.449	0.535	0.577
19.06.2024 06:00	20.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.626	0.074	90.916	3.812	0.459	0.572
20.06.2024 06:00	21.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.867	0.031	90.281	4.222	0.530	0.600
21.06.2024 06:00	22.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.298	0.063	89.841	4.152	0.549	0.646
22.06.2024 06:00	23.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.681	0.212	91.794	2.728	0.346	0.585
23.06.2024 06:00	24.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.063	0.214	91.296	2.804	0.378	0.622
24.06.2024 06:00	25.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.031	0.229	91.528	2.639	0.325	0.573
25.06.2024 06:00	26.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.171	0.233	91.320	2.712	0.320	0.563
26.06.2024 06:00	27.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	5.032	0.226	91.457	2.746	0.307	0.539
27.06.2024 06:00	28.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.982	0.223	91.483	2.767	0.312	0.545
28.06.2024 06:00	29.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.737	0.211	91.664	2.838	0.323	0.550
29.06.2024 06:00	30.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.894	0.217	91.381	2.888	0.377	0.620
30.06.2024 06:00	01.07.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.07.2024 10:26	4.906	0.199	91.262	3.018	0.391	0.614

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.047	0.084	0.009	0.028	0.001	-	0.031	-	-	-	9.407867	33.902	9.917634	35.772	10.441584	37.586	11.007362
0.037	0.072	0.007	0.024	0.001	-	0.026	-	-	-	9.428269	33.971	9.939140	35.849	10.464227	37.667	11.031232
0.036	0.076	0.008	0.026	0.001	-	0.029	-	-	-	9.424499	33.958	9.935166	35.835	10.460043	37.652	11.026821
0.030	0.065	0.006	0.021	0.001	-	0.024	-	-	-	9.425650	33.961	9.936380	35.839	10.461321	37.657	11.028169
0.024	0.056	0.005	0.016	0.001	-	0.016	-	-	-	9.384913	33.813	9.893436	35.681	10.416108	37.495	10.980506
0.028	0.065	0.006	0.019	0.001	-	0.020	-	-	-	9.339070	33.648	9.845108	35.507	10.365227	37.311	10.926868
0.028	0.068	0.006	0.021	0.001	-	0.023	-	-	-	9.318427	33.573	9.823347	35.428	10.342317	37.229	10.902716
0.027	0.064	0.006	0.019	0.001	-	0.022	-	-	-	9.324820	33.595	9.830086	35.452	10.349412	37.254	10.910196
0.034	0.081	0.008	0.027	0.001	-	0.029	-	-	-	9.283618	33.446	9.786652	35.294	10.303682	37.089	10.861988
0.036	0.075	0.008	0.026	0.001	-	0.030	-	-	-	9.416582	33.928	9.926820	35.803	10.451256	37.620	11.017559
0.063	0.090	0.009	0.027	0.001	-	0.027	-	-	-	9.363506	33.738	9.870869	35.604	10.392349	37.408	10.955459
0.055	0.093	0.010	0.030	0.001	-	0.032	-	-	-	9.379771	33.790	9.888015	35.657	10.410401	37.474	10.974489
0.060	0.098	0.010	0.031	0.001	-	0.031	-	-	-	9.322035	33.576	9.827150	35.431	10.346321	37.243	10.906937
0.064	0.108	0.011	0.034	0.002	-	0.037	-	-	-	9.292193	33.470	9.795692	35.317	10.313200	37.124	10.872022
0.061	0.101	0.011	0.031	0.002	-	0.034	-	-	-	9.326071	33.587	9.831405	35.443	10.350800	37.260	10.911660
0.034	0.060	0.006	0.016	0.001	-	0.020	-	-	-	9.369795	33.749	9.877499	35.614	10.399329	37.434	10.962818
0.013	0.027	0.001	0.003	0	-	0.004	-	-	-	9.391180	33.832	9.900042	35.701	10.423063	37.519	10.987838
0.012	0.024	0.001	0.002	0	-	0.002	-	-	-	9.393538	33.841	9.902528	35.711	10.425680	37.529	10.990597
0.028	0.050	0.005	0.013	0.001	-	0.017	-	-	-	9.377364	33.778	9.885477	35.645	10.407729	37.464	10.971673
0.019	0.036	0.002	0.006	0	-	0.007	-	-	-	9.386326	33.814	9.894926	35.682	10.417676	37.500	10.982159
0.026	0.049	0.003	0.010	0.001	-	0.008	-	-	-	9.346475	33.671	9.852915	35.532	10.373446	37.341	10.935533
0.058	0.103	0.010	0.032	0.002	-	0.035	-	-	-	9.297611	33.483	9.801403	35.333	10.319213	37.146	10.878361
0.058	0.104	0.011	0.033	0.002	-	0.036	-	-	-	9.272242	33.393	9.774659	35.238	10.291056	37.044	10.848678
0.056	0.107	0.011	0.034	0.002	-	0.038	-	-	-	9.256091	33.333	9.757633	35.175	10.273131	36.980	10.829782
0.054	0.104	0.011	0.034	0.002	-	0.038	-	-	-	9.245786	33.296	9.746770	35.136	10.261694	36.939	10.817725
0.051	0.101	0.010	0.033	0.002	-	0.036	-	-	-	9.257474	33.338	9.759091	35.180	10.274666	36.986	10.831400
0.052	0.100	0.010	0.033	0.002	-	0.036	-	-	-	9.279501	33.418	9.782312	35.264	10.299113	37.073	10.857171
0.053	0.097	0.010	0.032	0.002	-	0.034	-	-	-	9.294270	33.471	9.797881	35.321	10.315505	37.132	10.874452
0.061	0.102	0.011	0.033	0.002	-	0.035	-	-	-	9.293674	33.471	9.797253	35.321	10.314844	37.130	10.873755
0.055	0.095	0.010	0.030	0.001	-	0.031	-	-	-	9.300267	33.496	9.804203	35.346	10.322161	37.156	10.881468

GCV (MJ/m3) @25/0	Wd (kWh/m3) @15/15	Wd (Mj/m3) @15/15	Wd (kWh/m3) @25/0	Wd (Mj/m3) @25/0	Wg (kWh/m3) @15/15	Wg (Mj/m3) @15/15	Wg (kWh/m3) @25/0	Wg (Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
39.627	43.450	45.845	12.069	12.735	13.381	48.170	14.107	50.784	0.746	0.7874	0.6088	0.6090	17.602	472.366	82.189
39.712	43.617	46.021	12.116	12.784	13.434	48.362	14.161	50.981	0.743	0.7845	0.6066	0.6068	17.539	474.065	82.517
39.697	43.579	45.981	12.105	12.772	13.422	48.320	14.149	50.936	0.744	0.7853	0.6072	0.6074	17.556	473.609	82.453
39.701	43.605	46.008	12.113	12.780	13.430	48.349	14.158	50.968	0.743	0.7845	0.6066	0.6068	17.539	474.075	82.537
39.530	43.432	45.828	12.064	12.730	13.378	48.161	14.102	50.769	0.743	0.7838	0.6061	0.6063	17.525	474.453	83.000
39.337	43.162	45.541	11.989	12.650	13.295	47.861	14.015	50.453	0.745	0.7860	0.6077	0.6079	17.572	473.171	83.052
39.250	43.047	45.419	11.957	12.616	13.260	47.734	13.978	50.319	0.745	0.7867	0.6083	0.6084	17.580	472.990	83.119
39.277	43.104	45.479	11.973	12.633	13.277	47.798	13.996	50.386	0.744	0.7857	0.6075	0.6077	17.565	473.364	83.269
39.103	42.867	45.230	11.907	12.564	13.205	47.537	13.920	50.111	0.746	0.7873	0.6088	0.6089	17.599	472.470	83.456
39.663	43.570	45.972	12.103	12.770	13.420	48.312	14.147	50.928	0.743	0.7842	0.6064	0.6065	17.532	474.256	82.769
39.440	43.180	45.561	11.994	12.656	13.299	47.877	14.019	50.470	0.748	0.7896	0.6105	0.6107	17.651	471.044	82.191
39.508	43.517	45.915	12.088	12.754	13.406	48.261	14.132	50.874	0.739	0.7798	0.6029	0.6031	17.433	476.973	84.059
39.265	43.345	45.734	12.040	12.704	13.355	48.080	14.079	50.683	0.735	0.7760	0.6000	0.6002	17.350	479.230	85.449
39.139	43.179	45.559	11.994	12.655	13.303	47.892	14.025	50.489	0.736	0.7771	0.6009	0.6010	17.374	478.579	85.608
39.282	43.464	45.859	12.073	12.739	13.393	48.216	14.118	50.826	0.732	0.7723	0.5972	0.5973	17.267	481.521	86.241
39.466	43.625	46.029	12.118	12.786	13.441	48.388	14.169	51.008	0.733	0.7740	0.5985	0.5987	17.305	480.488	85.217
39.556	43.603	46.006	12.112	12.780	13.432	48.356	14.159	50.974	0.738	0.7786	0.6021	0.6022	17.407	477.658	83.843
39.566	43.590	45.993	12.108	12.776	13.428	48.340	14.155	50.957	0.739	0.7795	0.6027	0.6029	17.427	477.107	83.630
39.498	43.622	46.026	12.117	12.785	13.439	48.382	14.167	51.002	0.735	0.7755	0.5996	0.5998	17.337	479.592	84.761
39.536	43.579	45.981	12.105	12.772	13.425	48.329	14.152	50.946	0.738	0.7786	0.6021	0.6022	17.408	477.640	83.942
39.368	43.311	45.698	12.031	12.694	13.342	48.031	14.064	50.632	0.741	0.7817	0.6044	0.6046	17.477	475.761	83.750
39.162	43.335	45.723	12.038	12.701	13.354	48.075	14.077	50.678	0.732	0.7721	0.5970	0.5972	17.262	481.662	86.667
39.055	43.134	45.511	11.982	12.642	13.292	47.850	14.011	50.440	0.734	0.7752	0.5994	0.5995	17.331	479.757	86.254
38.987	43.099	45.474	11.972	12.632	13.282	47.814	14.001	50.403	0.733	0.7736	0.5982	0.5983	17.296	480.714	86.833
38.944	43.021	45.392	11.950	12.609	13.258	47.727	13.975	50.311	0.734	0.7747	0.5990	0.5992	17.321	480.038	86.707
38.993	43.104	45.479	11.973	12.633	13.283	47.819	14.002	50.409	0.733	0.7736	0.5982	0.5984	17.297	480.684	86.790
39.086	43.238	45.621	12.010	12.672	13.324	47.968	14.046	50.565	0.732	0.7725	0.5974	0.5975	17.272	480.743	86.714
39.148	43.308	45.695	12.030	12.693	13.346	48.045	14.068	50.646	0.732	0.7725	0.5973	0.5975	17.272	481.377	86.571
39.146	43.245	45.628	12.012	12.674	13.325	47.972	14.047	50.569	0.734	0.7748	0.5991	0.5992	17.322	479.993	86.096
39.173	43.266	45.650	12.018	12.681	13.332	47.994	14.054	50.593	0.734	0.7751	0.5994	0.5995	17.331	479.762	85.898