

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.10.2024 06:00	02.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.318	0.003	91.599	7.314	0.612	0.765
02.10.2024 06:00	03.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.438	0.002	91.962	6.978	0.498	0.620
03.10.2024 06:00	04.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.474	0.003	92.079	6.372	0.860	1.072
04.10.2024 06:00	05.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.472	0.003	91.985	6.746	0.638	0.794
05.10.2024 06:00	06.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.480	0.001	91.960	7.105	0.368	0.453
06.10.2024 06:00	07.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.458	0.001	91.971	7.072	0.404	0.498
07.10.2024 06:00	08.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.441	0.002	91.991	7.045	0.424	0.521
08.10.2024 06:00	09.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.425	0.004	92.041	6.616	0.739	0.914
09.10.2024 06:00	10.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.405	0.003	91.987	6.972	0.514	0.633
10.10.2024 06:00	11.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.395	0.005	92.107	6.478	0.823	1.016
11.10.2024 06:00	12.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.354	0.002	92.135	6.883	0.510	0.625
12.10.2024 06:00	13.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.304	0.001	92.130	7.251	0.257	0.314
13.10.2024 06:00	14.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.256	0	92.145	7.540	0.053	0.060
14.10.2024 06:00	15.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.255	0.002	92.085	7.225	0.357	0.434
15.10.2024 06:00	16.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.312	0.005	92.057	6.481	0.926	1.144
16.10.2024 06:00	17.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.272	0.003	92.030	6.795	0.727	0.899
17.10.2024 06:00	18.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.606	0.002	92.057	6.931	0.326	0.404
18.10.2024 06:00	19.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.687	0.003	91.985	6.437	0.719	0.888
19.10.2024 06:00	20.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.698	0.003	91.983	6.481	0.678	0.835
20.10.2024 06:00	21.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.783	0	92.017	7.127	0.059	0.073
21.10.2024 06:00	22.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.749	0	92.059	7.176	0.013	0.016
22.10.2024 06:00	23.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.681	0	92.063	7.116	0.115	0.139
23.10.2024 06:00	24.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.614	0.002	92.056	6.732	0.479	0.596
24.10.2024 06:00	25.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.623	0	92.095	7.257	0.021	0.025
25.10.2024 06:00	26.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.603	0	92.081	7.300	0.013	0.015
26.10.2024 06:00	27.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.555	0	92.097	7.333	0.013	0.015
27.10.2024 06:00	28.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.539	0	92.102	7.345	0.013	0.015
28.10.2024 06:00	29.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.446	0.001	92.047	7.028	0.386	0.478
29.10.2024 06:00	30.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.376	0	92.104	7.457	0.052	0.064
30.10.2024 06:00	31.10.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.342	0.001	92.070	7.021	0.450	0.565
31.10.2024 06:00	01.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.11.2024 12:31	0.227	0.001	93.569	5.663	0.414	0.540

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.088	0.049	0.007	0.009	0	-	0.001	-	-	-	10.070906	36.308	10.616599	38.316	11.177476	40.233	11.783129
0.070	0.039	0.006	0.007	0	-	0.001	-	-	-	10.012457	36.092	10.554983	38.087	11.112605	40.000	11.714742
0.122	0.066	0.010	0.013	0	-	0.001	-	-	-	10.036886	36.176	10.580736	38.184	11.139718	40.089	11.743325
0.089	0.049	0.007	0.009	0	-	0.001	-	-	-	10.019852	36.120	10.562779	38.117	11.120812	40.029	11.723395
0.048	0.027	0.004	0.005	0	-	0	-	-	-	9.991098	36.013	10.532467	38.004	11.088899	39.915	11.689753
0.053	0.029	0.005	0.006	0	-	0.001	-	-	-	9.997861	36.038	10.539596	38.030	11.096405	39.942	11.697665
0.055	0.031	0.005	0.006	0	-	0.001	-	-	-	10.001095	36.050	10.543005	38.043	11.099994	39.955	11.701449
0.100	0.056	0.008	0.010	0	-	0.002	-	-	-	10.033665	36.170	10.577340	38.170	11.136143	40.084	11.739556
0.068	0.038	0.005	0.007	0	-	0.001	-	-	-	10.016695	36.107	10.559450	38.104	11.117308	40.017	11.719701
0.111	0.062	0.008	0.010	0	-	0.002	-	-	-	10.042258	36.202	10.586399	38.204	11.145680	40.119	11.749610
0.066	0.037	0.005	0.006	0	-	0.001	-	-	-	10.014002	36.097	10.556612	38.091	11.114320	40.005	11.716551
0.032	0.018	0.002	0.003	0	-	0	-	-	-	9.996083	36.029	10.537722	38.021	11.094432	39.935	11.695585
0.003	0.003	0	0.001	0	-	0	-	-	-	9.981468	35.974	10.522315	37.963	11.078211	39.877	11.678485
0.043	0.025	0.003	0.005	0	-	0	-	-	-	10.017704	36.109	10.560515	38.106	11.118429	40.021	11.720882
0.126	0.069	0.009	0.012	0	-	0.002	-	-	-	10.070537	36.306	10.616211	38.314	11.177067	40.232	11.782698
0.099	0.054	0.007	0.010	0	-	0.001	-	-	-	10.058511	36.261	10.603533	38.266	11.163720	40.184	11.768627
0.044	0.025	0.003	0.005	0	-	0	-	-	-	9.959624	35.894	10.499287	37.882	11.053966	39.786	11.652927
0.097	0.054	0.007	0.009	0	-	0.001	-	-	-	9.991589	36.017	10.532984	38.008	11.089444	39.917	11.690327
0.090	0.051	0.007	0.009	0	-	0.001	-	-	-	9.985298	35.994	10.526353	37.984	11.082462	39.892	11.682967
0.008	0.004	0.001	0.001	0	-	0	-	-	-	9.904261	35.693	10.440925	37.666	10.992521	39.568	11.588151
0.001	0.001	0	0	0	-	0	-	-	-	9.902026	35.685	10.438568	37.657	10.990039	39.559	11.585536
0.014	0.008	0.001	0.001	0	-	0	-	-	-	9.923311	35.763	10.461007	37.740	11.013664	39.644	11.610441
0.068	0.037	0.005	0.006	0	-	0.001	-	-	-	9.974713	35.951	10.515194	37.941	11.070714	39.849	11.670582
0.002	0.001	0	0	0	-	0	-	-	-	9.921282	35.754	10.458867	37.731	11.011411	39.636	11.608066
0.001	0.001	0	0	0	-	0	-	-	-	9.924552	35.767	10.462315	37.744	11.015041	39.649	11.611892
0.001	0.001	0	0	0	-	0	-	-	-	9.931475	35.792	10.469613	37.770	11.022725	39.677	11.619993
0.001	0.001	0	0	0	-	0	-	-	-	9.933879	35.801	10.472147	37.780	11.025392	39.687	11.622805
0.053	0.029	0.004	0.005	0	-	0.001	-	-	-	9.991263	36.018	10.532641	38.009	11.089082	39.921	11.689945
0.006	0.004	0.001	0.001	0	-	0	-	-	-	9.965010	35.915	10.504965	37.900	11.059945	39.811	11.659229
0.066	0.038	0.005	0.006	0	-	0.001	-	-	-	10.016129	36.104	10.558854	38.100	11.116681	40.015	11.719039
0.066	0.044	0.005	0.008	0	-	0.003	-	-	-	9.926938	35.771	10.464830	37.751	11.017689	39.662	11.614683

GCV (MJ/m ³) @25/0	Wd(kWh/ m ³) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m ³) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m ³) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m ³) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
42.419	46.869	49.453	13.019	13.737	14.427	51.936	15.208	54.749	0.735	0.7761	0.6001	0.6003	17.347	479.313	78.367
42.173	46.697	49.271	12.971	13.686	14.376	51.753	15.155	54.557	0.732	0.7726	0.5974	0.5975	17.268	481.510	79.439
42.276	46.733	49.304	12.981	13.696	14.384	51.783	15.165	54.594	0.735	0.7751	0.5993	0.5997	17.329	479.822	78.722
42.204	46.698	49.272	12.972	13.687	14.376	51.753	15.154	54.556	0.733	0.7737	0.5983	0.5984	17.294	480.788	79.120
42.083	46.635	49.206	12.954	13.668	14.358	51.688	15.136	54.488	0.731	0.7712	0.5963	0.5965	17.238	482.338	79.908
42.112	46.659	49.231	12.961	13.675	14.365	51.713	15.143	54.514	0.731	0.7715	0.5966	0.5967	17.245	482.153	79.738
42.125	46.672	49.245	12.964	13.679	14.369	51.728	15.147	54.530	0.731	0.7716	0.5966	0.5968	17.246	482.119	80.494
42.262	46.745	49.322	12.985	13.701	14.390	51.804	15.169	54.610	0.734	0.7744	0.5987	0.5989	17.307	480.417	78.927
42.191	46.719	49.294	12.977	13.693	14.383	51.777	15.162	54.582	0.732	0.7725	0.5973	0.5975	17.267	481.541	79.530
42.299	46.775	49.354	12.993	13.709	14.399	51.835	15.179	54.643	0.734	0.7747	0.5990	0.5992	17.316	480.198	78.929
42.180	46.734	49.310	12.982	13.697	14.388	51.795	15.167	54.601	0.731	0.7715	0.5966	0.5968	17.245	482.150	79.572
42.104	46.717	49.292	12.977	13.692	14.384	51.781	15.163	54.586	0.729	0.7693	0.5948	0.5950	17.194	483.593	81.181
42.043	46.707	49.282	12.974	13.689	14.381	51.773	15.160	54.577	0.727	0.7672	0.5932	0.5934	17.149	484.838	82.131
42.195	46.782	49.362	12.995	13.712	14.403	51.850	15.183	54.659	0.730	0.7705	0.5957	0.5959	17.221	482.808	80.041
42.418	46.868	49.452	13.019	13.737	14.426	51.935	15.208	54.749	0.735	0.7761	0.6001	0.6003	17.346	479.339	78.319
42.367	46.860	49.444	13.017	13.734	14.425	51.929	15.206	54.742	0.734	0.7744	0.5988	0.5990	17.309	480.371	78.761
41.951	46.517	49.079	12.921	13.633	14.322	51.558	15.098	54.353	0.730	0.7702	0.5955	0.5957	17.214	483.019	80.675
42.085	46.552	49.117	12.931	13.644	14.331	51.592	15.107	54.386	0.734	0.7742	0.5986	0.5988	17.304	480.486	79.224
42.059	46.533	49.099	12.926	13.638	14.326	51.572	15.102	54.366	0.733	0.7738	0.5983	0.5985	17.295	480.740	79.358
41.717	46.329	48.883	12.869	13.578	14.266	51.358	15.039	54.140	0.727	0.7677	0.5936	0.5937	17.159	484.555	82.931
41.708	46.338	48.892	12.872	13.581	14.269	51.370	15.042	54.152	0.727	0.7670	0.5930	0.5932	17.144	484.982	83.252
41.798	46.410	48.968	12.892	13.602	14.291	51.447	15.065	54.233	0.728	0.7680	0.5938	0.5940	17.166	484.377	82.714
42.014	46.545	49.111	12.929	13.642	14.330	51.589	15.106	54.383	0.731	0.7717	0.5966	0.5968	17.247	482.112	80.721
41.789	46.429	48.989	12.897	13.608	14.297	51.470	15.072	54.258	0.727	0.7670	0.5930	0.5932	17.143	485.003	83.262
41.803	46.445	49.005	12.901	13.613	14.302	51.486	15.076	54.275	0.727	0.7670	0.5930	0.5932	17.144	484.988	83.293
41.832	46.479	49.041	12.911	13.623	14.312	51.524	15.087	54.315	0.727	0.7669	0.5930	0.5932	17.143	485.023	83.311
41.842	46.491	49.054	12.914	13.626	14.316	51.537	15.091	54.328	0.727	0.7669	0.5930	0.5932	17.142	485.034	83.328
42.084	46.652	49.223	12.959	13.673	14.362	51.704	15.140	54.504	0.730	0.7708	0.5961	0.5963	17.231	482.562	81.250
41.973	46.623	49.193	12.951	13.665	14.356	51.681	15.133	54.480	0.727	0.7674	0.5934	0.5936	17.154	484.713	82.797
42.189	46.744	49.320	12.984	13.700	14.391	51.806	15.170	54.612	0.731	0.7716	0.5966	0.5968	17.246	482.156	81.101
41.813	46.599	49.166	12.944	13.657	14.351	51.664	15.128	54.462	0.722	0.7622	0.5893	0.5895	17.037	488.116	82.007