

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.03.2024 06:00	02.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.590	0.040	96.330	2.799	0.178	0.241
02.03.2024 06:00	03.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.974	0.207	93.398	2.819	0.386	0.602
03.03.2024 06:00	04.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.381	0.185	93.252	2.681	0.310	0.501
04.03.2024 06:00	05.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.148	0.173	93.588	2.595	0.312	0.496
05.03.2024 06:00	06.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	1.825	0.101	95.574	2.053	0.305	0.447
06.03.2024 06:00	07.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.307	0.146	94.950	2.053	0.367	0.545
07.03.2024 06:00	08.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.912	0.054	96.876	1.754	0.297	0.404
08.03.2024 06:00	09.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.024	0	97.964	1.672	0.272	0.340
09.03.2024 06:00	10.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.030	0.001	97.830	1.760	0.303	0.378
10.03.2024 06:00	11.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.603	0.037	97.216	1.757	0.293	0.387
11.03.2024 06:00	12.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.729	0.045	97.074	1.755	0.297	0.397
12.03.2024 06:00	13.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.016	0	98.002	1.651	0.264	0.331
13.03.2024 06:00	14.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.011	0	97.980	1.672	0.269	0.336
14.03.2024 06:00	15.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.248	0.016	97.649	1.723	0.283	0.364
15.03.2024 06:00	16.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.152	0.208	93.750	2.243	0.425	0.647
16.03.2024 06:00	17.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	1.822	0.124	95.490	2.037	0.365	0.527
17.03.2024 06:00	18.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.239	0.103	93.756	3.449	0.304	0.453
18.03.2024 06:00	19.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.425	0.158	92.410	3.477	0.339	0.530
19.03.2024 06:00	20.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.083	0.094	93.699	3.690	0.287	0.434
20.03.2024 06:00	21.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.030	0.137	93.783	3.540	0.340	0.511
21.03.2024 06:00	22.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.638	0.219	93.195	3.312	0.408	0.636
22.03.2024 06:00	23.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.541	0.244	92.213	3.235	0.499	0.767
23.03.2024 06:00	24.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.722	0.190	92.333	3.171	0.367	0.584
24.03.2024 06:00	25.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.767	0.179	92.314	3.179	0.353	0.561
25.03.2024 06:00	26.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.748	0.174	92.341	3.186	0.345	0.551
26.03.2024 06:00	27.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	1.524	0.100	94.293	3.607	0.320	0.476
27.03.2024 06:00	28.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	3.259	0.232	92.571	3.227	0.455	0.711
28.03.2024 06:00	29.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	2.827	0.187	92.979	3.384	0.402	0.623
29.03.2024 06:00	30.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.146	0	95.883	3.692	0.210	0.278
30.03.2024 06:00	31.03.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.237	0.001	96.072	3.436	0.193	0.255
31.03.2024 06:00	01.04.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.04.2024 10:38	0.256	0.003	95.422	3.753	0.445	0.565

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0
0.020	0.029	0.002	0.007	0	-	0.005	-	-	-	9.637446	34.698	10.159652	36.614
0.069	0.093	0.008	0.022	0.001	-	0.022	-	-	-	9.463861	34.114	9.976661	35.999
0.051	0.083	0.008	0.023	0.001	-	0.025	-	-	-	9.401769	33.855	9.911205	35.726
0.051	0.079	0.007	0.022	0.001	-	0.023	-	-	-	9.417478	33.911	9.927765	35.784
0.044	0.060	0.006	0.015	0	-	0.016	-	-	-	9.498671	34.196	10.013357	36.085
0.058	0.075	0.007	0.018	0.001	-	0.018	-	-	-	9.465951	34.081	9.978865	35.964
0.039	0.046	0.004	0.009	0	-	0.008	-	-	-	9.557864	34.405	10.075758	36.306
0.031	0.030	0.002	0.004	0	-	0.001	-	-	-	9.627558	34.653	10.149228	36.568
0.035	0.032	0.003	0.005	0	-	0.001	-	-	-	9.639209	34.697	10.161511	36.614
0.037	0.041	0.003	0.008	0	-	0.005	-	-	-	9.584358	34.500	10.103687	36.406
0.038	0.043	0.004	0.008	0	-	0.006	-	-	-	9.574557	34.465	10.093355	36.369
0.030	0.030	0.002	0.004	0	-	0.001	-	-	-	9.625373	34.645	10.146925	36.559
0.030	0.030	0.002	0.004	0	-	0.001	-	-	-	9.628177	34.655	10.149881	36.570
0.034	0.036	0.003	0.006	0	-	0.002	-	-	-	9.613094	34.602	10.133981	36.514
0.072	0.095	0.009	0.023	0.001	-	0.023	-	-	-	9.412812	33.894	9.922846	35.766
0.056	0.069	0.006	0.016	0	-	0.014	-	-	-	9.508393	34.233	10.023606	36.124
0.050	0.066	0.004	0.015	0.001	-	0.014	-	-	-	9.560518	34.431	10.078556	36.333
0.058	0.084	0.006	0.021	0.001	-	0.021	-	-	-	9.460628	34.075	9.973254	35.957
0.048	0.063	0.004	0.014	0.001	-	0.015	-	-	-	9.592077	34.547	10.111825	36.456
0.061	0.074	0.005	0.015	0.001	-	0.014	-	-	-	9.593254	34.551	10.113065	36.461
0.080	0.099	0.008	0.020	0.001	-	0.021	-	-	-	9.535076	34.343	10.051735	36.241
0.092	0.113	0.010	0.026	0.001	-	0.027	-	-	-	9.464751	34.092	9.977600	35.976
0.065	0.094	0.008	0.024	0.001	-	0.025	-	-	-	9.417948	33.920	9.928260	35.794
0.060	0.091	0.007	0.024	0.001	-	0.024	-	-	-	9.411269	33.895	9.921219	35.768
0.059	0.090	0.007	0.024	0.001	-	0.025	-	-	-	9.412244	33.899	9.922248	35.772
0.056	0.066	0.004	0.013	0.001	-	0.016	-	-	-	9.643584	34.732	10.166123	36.652
0.087	0.110	0.009	0.024	0.001	-	0.025	-	-	-	9.482318	34.154	9.996119	36.042
0.075	0.095	0.007	0.020	0.001	-	0.022	-	-	-	9.524015	34.304	10.040075	36.199
0.027	0.030	0.002	0.005	0.001	-	0.004	-	-	-	9.752160	35.120	10.280582	37.059
0.021	0.027	0.003	0.006	0.001	-	0.004	-	-	-	9.752237	35.119	10.280664	37.060
0.058	0.045	0.005	0.009	0	-	0.004	-	-	-	9.791065	35.265	10.321594	37.214

GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15	Wg(kWh/m3) @25/0
10.696388	38.504	11.275973	40.594	45.803	48.327	12.723	13.424	14.119	50.828	14.883
10.503730	37.810	11.072876	39.862	44.444	46.894	12.346	13.026	13.696	49.307	14.438
10.434816	37.562	11.000228	39.601	44.080	46.509	12.244	12.919	13.585	48.906	14.321
10.452251	37.625	11.018607	39.667	44.217	46.654	12.283	12.959	13.628	49.060	14.366
10.542365	37.949	11.113604	40.009	44.965	47.443	12.490	13.179	13.861	49.900	14.611
10.506050	37.819	11.075322	39.871	44.674	47.136	12.409	13.093	13.770	49.573	14.516
10.608062	38.186	11.182861	40.258	45.490	47.997	12.636	13.332	14.025	50.489	14.784
10.685414	38.465	11.264404	40.552	46.031	48.568	12.786	13.491	14.193	51.094	14.961
10.698346	38.511	11.278037	40.601	46.054	48.592	12.793	13.498	14.199	51.116	14.968
10.637467	38.292	11.213859	40.370	45.679	48.196	12.689	13.388	14.083	50.700	14.846
10.626589	38.253	11.202392	40.329	45.609	48.122	12.669	13.367	14.061	50.621	14.823
10.682989	38.456	11.261848	40.543	46.030	48.567	12.786	13.491	14.193	51.093	14.961
10.686101	38.467	11.265129	40.554	46.038	48.575	12.788	13.493	14.195	51.102	14.963
10.669361	38.407	11.247481	40.491	45.900	48.430	12.750	13.453	14.152	50.947	14.918
10.447072	37.606	11.013148	39.647	44.181	46.616	12.273	12.949	13.617	49.021	14.354
10.553155	37.988	11.124979	40.050	44.975	47.454	12.493	13.182	13.864	49.910	14.614
10.611008	38.195	11.185967	40.269	44.937	47.415	12.482	13.171	13.847	49.850	14.597
10.500142	37.797	11.069094	39.849	44.214	46.651	12.282	12.959	13.623	49.044	14.361
10.646034	38.322	11.222891	40.402	45.082	47.567	12.523	13.213	13.891	50.008	14.643
10.647341	38.327	11.224268	40.407	45.073	47.557	12.520	13.210	13.888	49.998	14.640
10.582770	38.094	11.156198	40.162	44.655	47.116	12.404	13.088	13.759	49.533	14.504
10.504718	37.813	11.073917	39.866	44.129	46.561	12.258	12.934	13.596	48.945	14.332
10.452772	37.626	11.019157	39.669	43.985	46.409	12.218	12.891	13.553	48.792	14.287
10.445359	37.600	11.011342	39.641	43.959	46.382	12.211	12.884	13.545	48.764	14.279
10.446442	37.604	11.012484	39.645	43.971	46.396	12.214	12.888	13.549	48.777	14.283
10.703201	38.528	11.283155	40.619	45.408	47.910	12.613	13.308	13.992	50.370	14.749
10.524216	37.883	11.094471	39.940	44.283	46.724	12.301	12.979	13.644	49.119	14.383
10.570494	38.050	11.143258	40.116	44.577	47.034	12.383	13.065	13.735	49.446	14.479
10.823707	38.962	11.410191	41.077	46.254	48.803	12.848	13.556	14.254	51.314	15.026
10.823793	38.962	11.410281	41.077	46.253	48.802	12.848	13.556	14.254	51.314	15.026
10.866886	39.117	11.455710	41.241	46.289	48.841	12.858	13.567	14.263	51.345	15.035

Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
53.579	0.703	0.7424	0.5740	0.5742	16.597	501.067	89.319
51.976	0.723	0.7633	0.5902	0.5903	17.064	487.342	86.814
51.554	0.723	0.7629	0.5899	0.5900	17.057	487.468	87.498
51.716	0.721	0.7608	0.5882	0.5884	17.009	488.846	87.779
52.601	0.709	0.7484	0.5787	0.5788	16.732	497.097	89.639
52.257	0.714	0.7530	0.5823	0.5824	16.836	494.031	89.071
53.222	0.701	0.7401	0.5723	0.5724	16.547	502.636	90.838
53.860	0.694	0.7329	0.5667	0.5669	16.387	507.397	91.568
53.884	0.696	0.7341	0.5676	0.5678	16.412	506.630	91.150
53.444	0.699	0.7379	0.5706	0.5707	16.497	504.115	90.994
53.362	0.700	0.7388	0.5712	0.5714	16.518	503.485	90.921
53.859	0.694	0.7326	0.5665	0.5666	16.380	507.605	91.667
53.868	0.694	0.7328	0.5666	0.5668	16.384	507.481	91.585
53.705	0.697	0.7351	0.5684	0.5685	16.434	505.981	91.265
51.675	0.721	0.7612	0.5886	0.5888	17.019	488.592	87.911
52.612	0.710	0.7497	0.5797	0.5798	16.761	496.291	89.309
52.549	0.720	0.7595	0.5873	0.5874	16.980	489.777	86.271
51.700	0.728	0.7681	0.5939	0.5941	17.173	484.174	85.555
52.716	0.720	0.7597	0.5874	0.5876	16.985	489.550	85.811
52.705	0.720	0.7603	0.5879	0.5880	16.996	489.299	85.826
52.215	0.725	0.7652	0.5917	0.5918	17.107	486.118	85.594
51.595	0.731	0.7719	0.5969	0.5970	17.257	481.810	84.950
51.434	0.729	0.7691	0.5947	0.5949	17.195	483.547	85.904
51.404	0.729	0.7689	0.5945	0.5947	17.190	483.672	85.994
51.418	0.728	0.7686	0.5943	0.5945	17.185	483.837	86.028
53.097	0.717	0.7570	0.5853	0.5855	16.923	491.428	85.887
51.778	0.729	0.7694	0.5949	0.5951	17.201	483.418	85.266
52.123	0.726	0.7660	0.5923	0.5925	17.126	485.536	85.424
54.092	0.706	0.7456	0.5765	0.5767	16.669	498.815	86.963
54.092	0.706	0.7456	0.5765	0.5767	16.668	499.784	87.641
54.126	0.711	0.7506	0.5804	0.5806	16.780	495.556	85.541