

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)
01.11.2024 06:00	02.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	0.103	0	95.326	4.040	0.390	0.531	0.066
02.11.2024 06:00	03.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	0.060	0	95.724	3.793	0.301	0.423	0.052
03.11.2024 06:00	04.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	0.083	0	95.426	3.920	0.424	0.572	0.068
04.11.2024 06:00	05.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	2.079	0.001	92.250	4.567	0.905	1.103	0.106
05.11.2024 06:00	06.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.815	0.030	90.258	4.275	0.544	0.622	0.025
06.11.2024 06:00	07.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.529	0.039	90.605	4.244	0.499	0.583	0.026
07.11.2024 06:00	08.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.917	0.072	90.406	4.040	0.461	0.566	0.028
08.11.2024 06:00	09.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.996	0.055	90.240	4.143	0.478	0.566	0.024
09.11.2024 06:00	10.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.945	0.042	90.181	4.219	0.528	0.613	0.025
10.11.2024 06:00	11.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.949	0.052	90.160	4.234	0.515	0.605	0.025
11.11.2024 06:00	12.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.980	0.025	89.972	4.390	0.564	0.634	0.021
12.11.2024 06:00	13.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.009	0.002	89.916	4.473	0.559	0.600	0.013
13.11.2024 06:00	14.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.899	0.056	90.285	4.171	0.499	0.589	0.025
14.11.2024 06:00	15.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.947	0.052	90.285	4.156	0.475	0.559	0.023
15.11.2024 06:00	16.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.044	0.025	90.065	4.301	0.505	0.564	0.017
16.11.2024 06:00	17.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.005	0.022	90.018	4.344	0.549	0.611	0.019
17.11.2024 06:00	18.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.037	0	89.931	4.418	0.564	0.613	0.017
18.11.2024 06:00	19.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.052	0.008	89.975	4.384	0.536	0.582	0.014
19.11.2024 06:00	20.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	2.184	0.020	93.049	4.313	0.373	0.436	0.023
20.11.2024 06:00	21.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.295	0.005	90.655	4.459	0.533	0.586	0.019
21.11.2024 06:00	22.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	2.339	0.021	92.892	4.320	0.370	0.428	0.021
22.11.2024 06:00	23.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	1.751	0.032	93.590	4.232	0.334	0.396	0.024
23.11.2024 06:00	24.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	2.318	0.023	92.887	4.338	0.377	0.434	0.021
24.11.2024 06:00	25.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.618	0.003	90.344	4.460	0.531	0.575	0.015
25.11.2024 06:00	26.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.991	0	89.929	4.497	0.544	0.583	0.013
26.11.2024 06:00	27.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.836	0.056	90.315	4.196	0.510	0.597	0.023
27.11.2024 06:00	28.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.969	0.017	89.966	4.427	0.560	0.620	0.019
28.11.2024 06:00	29.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.018	0	89.914	4.466	0.560	0.602	0.014
29.11.2024 06:00	30.11.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	5.035	0	89.868	4.484	0.570	0.613	0.015
30.11.2024 06:00	01.12.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	02.12.2024 15:02	4.997	0	89.874	4.495	0.587	0.634	0.016

i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0
0.053	0.006	0.010	0	-	0.007	-	-	-	9.823814	35.385	10.356119	37.341	10.903234	39.247	11.494027	41.378
0.047	0.005	0.009	0	-	0.008	-	-	-	9.793523	35.272	10.324186	37.221	10.869615	39.127	11.458586	41.251
0.055	0.006	0.011	0	-	0.008	-	-	-	9.823571	35.384	10.355862	37.339	10.902964	39.247	11.493743	41.377
0.068	0.008	0.012	0	-	0.004	-	-	-	9.759015	35.168	10.287808	37.112	10.831315	38.988	11.418211	41.106
0.040	0.002	0.006	0	-	0.005	-	-	-	9.398373	33.858	9.907625	35.729	10.431047	37.549	10.996254	39.587
0.041	0.003	0.007	0	-	0.006	-	-	-	9.417931	33.928	9.928243	35.802	10.452753	37.626	11.019137	39.669
0.049	0.004	0.011	0	-	0.012	-	-	-	9.363919	33.732	9.871304	35.596	10.392807	37.410	10.955942	39.441
0.042	0.003	0.009	0	-	0.009	-	-	-	9.362884	33.730	9.870213	35.593	10.391659	37.406	10.954732	39.437
0.043	0.003	0.007	0	-	0.007	-	-	-	9.381018	33.795	9.889329	35.663	10.411784	37.479	10.975948	39.513
0.044	0.003	0.009	0	-	0.009	-	-	-	9.380156	33.792	9.888421	35.660	10.410828	37.475	10.974940	39.510
0.038	0.002	0.005	0	-	0.004	-	-	-	9.392797	33.839	9.901747	35.708	10.424858	37.524	10.989730	39.563
0.026	0.001	0.001	0	-	0	-	-	-	9.389319	33.827	9.898080	35.696	10.420998	37.512	10.985661	39.548
0.045	0.003	0.009	0	-	0.008	-	-	-	9.377530	33.782	9.885652	35.649	10.407913	37.465	10.971867	39.499
0.041	0.003	0.008	0	-	0.008	-	-	-	9.367633	33.746	9.875219	35.610	10.396929	37.425	10.960288	39.457
0.031	0.002	0.005	0	-	0.004	-	-	-	9.369405	33.754	9.877087	35.619	10.398896	37.432	10.962361	39.464
0.034	0.002	0.004	0	-	0.003	-	-	-	9.382431	33.803	9.890819	35.669	10.413353	37.484	10.977602	39.519
0.029	0.001	0.002	0	-	0	-	-	-	9.385898	33.814	9.894474	35.685	10.417201	37.500	10.981658	39.534
0.027	0.001	0.002	0	-	0.001	-	-	-	9.376982	33.781	9.885075	35.648	10.407306	37.463	10.971227	39.496
0.030	0.003	0.005	0	-	0.003	-	-	-	9.623753	34.648	10.145217	36.581	10.681191	38.448	11.259952	40.536
0.030	0.001	0.002	0	-	0.001	-	-	-	9.457401	34.071	9.969852	35.949	10.496561	37.779	11.065318	39.835
0.027	0.002	0.004	0	-	0.002	-	-	-	9.609437	34.608	10.130125	36.520	10.665302	38.385	11.243202	40.476
0.028	0.003	0.005	0	-	0.002	-	-	-	9.652101	34.766	10.175101	36.687	10.712653	38.562	11.293119	40.655
0.028	0.002	0.004	0	-	0.002	-	-	-	9.611557	34.622	10.132360	36.535	10.667654	38.400	11.245682	40.484
0.026	0.001	0.002	0	-	0	-	-	-	9.422807	33.947	9.933383	35.822	10.458165	37.646	11.024842	39.689
0.024	0.001	0.001	0	-	0	-	-	-	9.390892	33.832	9.899738	35.702	10.422743	37.646	10.987501	39.555
0.045	0.003	0.008	0	-	0.007	-	-	-	9.385724	33.812	9.894290	35.680	10.417008	37.498	10.981454	39.533
0.034	0.002	0.004	0	-	0.002	-	-	-	9.393946	33.843	9.902958	35.713	10.426133	37.530	10.991074	39.568
0.026	0.001	0.001	0	-	0	-	-	-	9.389009	33.826	9.897754	35.695	10.420654	37.511	10.985298	39.547
0.027	0.001	0.001	0	-	0	-	-	-	9.390705	33.831	9.899542	35.700	10.422537	37.516	10.987283	39.554
0.029	0.001	0.001	0	-	0	-	-	-	9.397960	33.858	9.907190	35.730	10.430588	37.546	10.995771	39.585

Wd(kWh/m ³) @15/15	Wd(Mj/m ³) @15/15	Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
46.425	48.984	12.896	13.607	14.303	51.492	15.078	54.280	0.712	0.7513	0.5810	0.5811	16.796	495.051	84.890
46.377	48.933	12.883	13.593	14.290	51.446	15.064	54.231	0.709	0.7481	0.5784	0.5786	16.723	497.193	85.865
46.432	48.992	12.898	13.609	14.306	51.501	15.081	54.290	0.712	0.7510	0.5807	0.5809	16.789	495.253	84.965
45.496	48.004	12.638	13.334	14.011	50.439	14.770	53.170	0.732	0.7728	0.5975	0.5977	17.274	481.363	81.596
43.627	46.032	12.119	12.787	13.439	48.382	14.167	51.001	0.738	0.7790	0.6023	0.6025	17.414	477.479	83.697
43.773	46.186	12.159	12.829	13.485	48.545	14.215	51.174	0.736	0.7770	0.6008	0.6009	17.371	478.670	83.927
43.484	45.881	12.079	12.745	13.396	48.227	14.122	50.838	0.737	0.7782	0.6017	0.6019	17.399	477.885	84.281
43.463	45.858	12.073	12.738	13.390	48.202	14.115	50.812	0.738	0.7789	0.6022	0.6024	17.411	477.565	84.126
43.532	45.931	12.092	12.759	13.410	48.276	14.136	50.890	0.739	0.7795	0.6027	0.6029	17.426	477.122	83.806
43.522	45.920	12.089	12.756	13.407	48.265	14.133	50.878	0.739	0.7797	0.6029	0.6030	17.431	476.989	83.773
43.555	45.955	12.099	12.765	13.416	48.299	14.143	50.916	0.740	0.7806	0.6036	0.6038	17.452	476.424	83.432
43.550	45.951	12.097	12.764	13.415	48.295	14.142	50.910	0.739	0.7802	0.6033	0.6035	17.445	476.610	83.500
43.532	45.931	12.092	12.759	13.410	48.277	14.137	50.891	0.738	0.7788	0.6022	0.6024	17.413	477.504	84.015
43.493	45.890	12.081	12.747	13.399	48.236	14.124	50.848	0.738	0.7785	0.6020	0.6022	17.406	477.681	84.153
43.477	45.874	12.077	12.743	13.393	48.217	14.119	50.827	0.739	0.7795	0.6027	0.6029	17.426	477.123	83.908
43.523	45.921	12.090	12.756	13.407	48.265	14.133	50.879	0.739	0.7801	0.6032	0.6033	17.440	476.760	83.637
43.534	45.932	12.093	12.759	13.410	48.276	14.136	50.890	0.739	0.7804	0.6033	0.6035	17.442	476.703	83.534
43.502	45.900	12.084	12.750	13.401	48.243	14.126	50.855	0.739	0.7799	0.6030	0.6032	17.435	476.874	83.727
45.125	47.612	12.535	13.226	13.913	50.086	14.655	52.759	0.723	0.7629	0.5899	0.5901	17.048	487.884	84.753
43.988	46.412	12.219	12.892	13.550	48.781	14.284	51.422	0.736	0.7762	0.6002	0.6004	17.354	479.227	83.637
45.073	47.558	12.520	13.210	13.887	49.992	14.635	52.686	0.723	0.7632	0.5901	0.5903	17.065	487.407	84.770
45.383	47.884	12.606	13.301	13.983	50.337	14.740	53.063	0.720	0.7594	0.5872	0.5874	16.977	489.907	85.142
45.077	47.562	12.521	13.212	13.888	49.996	14.640	52.703	0.723	0.7634	0.5903	0.5905	17.067	487.351	84.723
43.775	46.187	12.160	12.830	13.485	48.545	14.215	51.173	0.737	0.7778	0.6014	0.6016	17.390	478.143	83.670
43.561	46.187	12.100	12.830	13.419	48.307	14.145	50.923	0.739	0.7778	0.6032	0.6034	17.441	476.732	83.532
43.575	45.975	12.104	12.771	13.424	48.325	14.150	50.941	0.738	0.7787	0.6021	0.6023	17.410	477.573	83.935
43.566	45.968	12.102	12.769	13.420	48.312	14.147	50.928	0.739	0.7804	0.6035	0.6036	17.448	476.534	83.440
43.547	45.947	12.096	12.763	13.414	48.291	14.141	50.906	0.739	0.7803	0.6034	0.6035	17.445	476.608	83.505
43.544	45.944	12.096	12.762	13.413	48.287	14.140	50.902	0.740	0.7807	0.6036	0.6038	17.453	476.395	83.421
43.575	45.975	12.104	12.771	13.422	48.319	14.149	50.938	0.740	0.7809	0.6037	0.6039	17.456	476.302	83.311