

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.05.2024 06:00	02.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	5.728	0.335	90.004	2.897	0.670	1.037
02.05.2024 06:00	03.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.456	0.311	91.510	2.958	0.472	0.765
03.05.2024 06:00	04.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.412	0.344	91.651	2.812	0.466	0.782
04.05.2024 06:00	05.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.432	0.333	91.600	2.860	0.469	0.775
05.05.2024 06:00	06.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.509	0.292	91.089	3.172	0.623	0.939
06.05.2024 06:00	07.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.767	0.232	90.386	3.457	0.824	1.159
07.05.2024 06:00	08.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.870	0.236	91.450	2.669	0.499	0.775
08.05.2024 06:00	09.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.457	0.212	91.935	2.620	0.506	0.776
09.05.2024 06:00	10.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.259	0.197	91.914	2.772	0.580	0.859
10.05.2024 06:00	11.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.328	0.201	92.030	2.653	0.521	0.788
11.05.2024 06:00	12.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.616	0.192	92.171	2.445	0.359	0.576
12.05.2024 06:00	13.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.218	0.169	93.009	2.216	0.221	0.389
13.05.2024 06:00	14.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.118	0.183	93.460	1.925	0.146	0.315
14.05.2024 06:00	15.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.113	0.184	93.478	1.911	0.144	0.314
15.05.2024 06:00	16.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.109	0.185	93.490	1.904	0.143	0.313
16.05.2024 06:00	17.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.170	0.188	93.214	2.028	0.214	0.400
17.05.2024 06:00	18.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.224	0.190	92.866	2.200	0.308	0.520
18.05.2024 06:00	19.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.357	0.185	92.701	2.263	0.291	0.495
19.05.2024 06:00	20.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.776	0.204	92.161	2.306	0.337	0.553
20.05.2024 06:00	21.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.778	0.210	92.222	2.241	0.327	0.549
21.05.2024 06:00	22.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.861	0.215	92.155	2.225	0.319	0.545
22.05.2024 06:00	23.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.382	0.198	92.721	2.204	0.287	0.495
23.05.2024 06:00	24.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.381	0.198	92.700	2.218	0.292	0.502
24.05.2024 06:00	25.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.674	0.207	91.533	3.097	0.279	0.488
25.05.2024 06:00	26.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.856	0.186	89.534	4.994	0.258	0.430
26.05.2024 06:00	27.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.834	0.166	89.437	5.164	0.252	0.400
27.05.2024 06:00	28.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.863	0.194	89.229	5.363	0.187	0.351
28.05.2024 06:00	29.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.943	0.197	89.202	5.293	0.198	0.365
29.05.2024 06:00	30.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.871	0.200	89.214	5.297	0.236	0.417
30.05.2024 06:00	31.05.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.749	0.187	89.343	5.313	0.237	0.408
31.05.2024 06:00	01.06.2024 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	04.06.2024 08:32	4.985	0.203	89.179	5.166	0.277	0.468

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.119	0.150	0.014	0.040	0.002	-	0.042	-	-	-	9.273964	33.409	9.776475	35.255	10.292968	37.051	10.850694
0.091	0.127	0.011	0.029	0.001	-	0.033	-	-	-	9.354713	33.694	9.861599	35.556	10.382590	37.374	10.945171
0.099	0.137	0.011	0.032	0.002	-	0.036	-	-	-	9.350019	33.677	9.856651	35.538	10.377379	37.355	10.939679
0.096	0.133	0.011	0.030	0.002	-	0.034	-	-	-	9.350701	33.679	9.857370	35.540	10.378136	37.358	10.940477
0.110	0.132	0.011	0.030	0.001	-	0.032	-	-	-	9.393729	33.837	9.902729	35.707	10.425892	37.527	10.990820
0.126	0.129	0.014	0.033	0.001	-	0.031	-	-	-	9.427365	33.968	9.938188	35.845	10.463225	37.664	11.030176
0.082	0.113	0.012	0.033	0.002	-	0.035	-	-	-	9.302626	33.504	9.806690	35.356	10.324779	37.166	10.884229
0.081	0.108	0.012	0.033	0.002	-	0.034	-	-	-	9.340248	33.641	9.846350	35.498	10.366535	37.318	10.928247
0.089	0.109	0.012	0.032	0.001	-	0.034	-	-	-	9.383852	33.800	9.892317	35.668	10.414930	37.492	10.979264
0.082	0.106	0.012	0.032	0.001	-	0.034	-	-	-	9.357345	33.701	9.864374	35.563	10.385511	37.384	10.948251
0.053	0.089	0.010	0.031	0.001	-	0.032	-	-	-	9.281532	33.422	9.784453	35.269	10.301368	37.082	10.859549
0.031	0.070	0.008	0.029	0.001	-	0.029	-	-	-	9.274289	33.390	9.776817	35.235	10.293328	37.053	10.851074
0.027	0.070	0.008	0.032	0.001	-	0.031	-	-	-	9.251634	33.305	9.752935	35.145	10.268184	36.963	10.824567
0.027	0.071	0.008	0.032	0.001	-	0.031	-	-	-	9.251028	33.303	9.752296	35.142	10.267512	36.960	10.823858
0.027	0.071	0.008	0.032	0.001	-	0.030	-	-	-	9.250670	33.301	9.751919	35.141	10.267115	36.959	10.823440
0.037	0.076	0.009	0.033	0.001	-	0.031	-	-	-	9.267935	33.366	9.770119	35.209	10.286277	37.028	10.843640
0.051	0.084	0.010	0.034	0.001	-	0.032	-	-	-	9.293380	33.462	9.796942	35.310	10.314517	37.129	10.873410
0.046	0.081	0.010	0.033	0.001	-	0.034	-	-	-	9.281895	33.421	9.784836	35.267	10.301770	37.084	10.859973
0.051	0.088	0.010	0.034	0.001	-	0.032	-	-	-	9.251893	33.314	9.753207	35.155	10.268471	36.963	10.824869
0.053	0.090	0.010	0.035	0.001	-	0.032	-	-	-	9.246837	33.295	9.747878	35.135	10.262861	36.943	10.818955
0.052	0.091	0.010	0.036	0.001	-	0.034	-	-	-	9.237620	33.262	9.738161	35.100	10.252630	36.906	10.808170
0.047	0.084	0.009	0.034	0.001	-	0.032	-	-	-	9.274281	33.392	9.776809	35.237	10.293320	37.052	10.851064
0.048	0.085	0.010	0.034	0.001	-	0.033	-	-	-	9.274523	33.393	9.777064	35.238	10.293588	37.054	10.851348
0.047	0.085	0.009	0.033	0.001	-	0.033	-	-	-	9.308779	33.523	9.813176	35.376	10.331608	37.190	10.891427
0.038	0.073	0.007	0.025	0.001	-	0.028	-	-	-	9.416911	33.930	9.927167	35.805	10.451621	37.621	11.017944
0.030	0.065	0.006	0.022	0.001	-	0.024	-	-	-	9.426124	33.964	9.936880	35.840	10.461847	37.659	11.028723
0.031	0.071	0.007	0.025	0.001	-	0.028	-	-	-	9.430006	33.979	9.940972	35.856	10.466155	37.674	11.033265
0.033	0.073	0.007	0.025	0.001	-	0.029	-	-	-	9.419544	33.941	9.929943	35.816	10.454543	37.632	11.021024
0.040	0.077	0.008	0.026	0.001	-	0.029	-	-	-	9.435790	34.000	9.947070	35.876	10.472575	37.694	11.040033
0.037	0.073	0.007	0.025	0.001	-	0.028	-	-	-	9.446506	34.039	9.958366	35.920	10.484468	37.740	11.052570
0.044	0.081	0.008	0.027	0.001	-	0.030	-	-	-	9.422478	33.952	9.933036	35.829	10.457800	37.644	11.024458

GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m3) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m3) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m3) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
39.062	42.830	45.191	11.897	12.553	13.194	47.499	13.909	50.071	0.746	0.7870	0.6085	0.6087	17.595	472.595	84.026
39.403	43.494	45.891	12.082	12.748	13.401	48.244	14.127	50.856	0.735	0.7761	0.6001	0.6003	17.352	479.158	85.403
39.383	43.481	45.877	12.078	12.744	13.397	48.230	14.123	50.841	0.735	0.7758	0.5999	0.6000	17.345	479.362	85.614
39.386	43.481	45.878	12.078	12.744	13.397	48.230	14.123	50.842	0.735	0.7759	0.5999	0.6001	17.347	479.300	85.559
39.567	43.575	45.977	12.104	12.771	13.424	48.326	14.151	50.945	0.739	0.7799	0.6030	0.6032	17.435	476.903	84.183
39.709	43.593	45.996	12.109	12.777	13.427	48.337	14.154	50.954	0.744	0.7852	0.6071	0.6073	17.554	473.671	82.581
39.183	43.265	45.649	12.018	12.680	13.331	47.993	14.053	50.591	0.735	0.7757	0.5998	0.5999	17.342	479.517	85.982
39.342	43.518	45.916	12.088	12.755	13.410	48.274	14.135	50.886	0.732	0.7728	0.5976	0.5977	17.278	481.212	86.053
39.525	43.700	46.109	12.139	12.808	13.465	48.472	14.194	51.099	0.733	0.7736	0.5982	0.5984	17.296	480.714	85.336
39.414	43.611	46.014	12.114	12.782	13.438	48.377	14.166	50.996	0.732	0.7723	0.5972	0.5973	17.267	481.526	85.943
39.094	43.333	45.726	12.037	12.702	13.356	48.082	14.078	50.680	0.729	0.7693	0.5949	0.5950	17.202	483.359	87.468
39.064	43.478	45.874	12.077	12.743	13.402	48.247	14.128	50.859	0.723	0.7628	0.5898	0.5900	17.055	487.530	89.057
38.968	43.454	45.849	12.071	12.736	13.396	48.226	14.121	50.837	0.720	0.7597	0.5874	0.5876	16.986	489.482	90.136
38.966	43.454	45.849	12.071	12.736	13.396	48.226	14.121	50.837	0.720	0.7596	0.5874	0.5875	16.984	489.544	90.170
38.964	43.454	45.849	12.071	12.736	13.396	48.227	14.122	50.838	0.720	0.7595	0.5873	0.5874	16.982	489.597	90.199
39.037	43.469	45.868	12.075	12.741	13.401	48.243	14.125	50.850	0.722	0.7619	0.5891	0.5893	17.033	488.168	89.415
39.144	43.507	45.905	12.085	12.751	13.410	48.276	14.136	50.889	0.725	0.7650	0.5915	0.5917	17.101	486.208	88.327
39.096	43.434	45.828	12.065	12.730	13.387	48.195	14.112	50.804	0.726	0.7657	0.5921	0.5922	17.120	485.670	88.274
38.970	43.195	45.576	11.999	12.660	13.313	47.927	14.034	50.522	0.729	0.7693	0.5948	0.5950	17.200	483.437	87.863
38.948	43.182	45.561	11.995	12.656	13.309	47.913	14.030	50.507	0.729	0.7689	0.5945	0.5947	17.192	483.637	88.022
38.909	43.126	45.503	11.980	12.640	13.292	47.851	14.012	50.442	0.729	0.7694	0.5949	0.5950	17.201	483.374	88.046
39.064	43.400	45.792	12.055	12.720	13.377	48.156	14.101	50.763	0.725	0.7656	0.5920	0.5922	17.119	485.707	88.429
39.065	43.402	45.794	12.056	12.720	13.378	48.159	14.102	50.766	0.725	0.7656	0.5920	0.5921	17.118	485.579	88.352
39.209	43.367	45.757	12.046	12.710	13.364	48.109	14.087	50.714	0.732	0.7729	0.5976	0.5977	17.280	481.211	86.398
39.665	43.566	45.967	12.102	12.769	13.418	48.306	14.145	50.923	0.743	0.7844	0.6065	0.6067	17.537	474.119	82.668
39.703	43.607	46.011	12.113	12.781	13.431	48.352	14.158	50.970	0.743	0.7845	0.6066	0.6068	17.538	474.073	82.539
39.720	43.590	45.992	12.108	12.776	13.425	48.330	14.152	50.948	0.745	0.7859	0.6076	0.6078	17.568	473.268	82.316
39.676	43.535	45.934	12.093	12.760	13.408	48.270	14.134	50.884	0.745	0.7861	0.6078	0.6080	17.573	473.129	82.365
39.744	43.599	45.998	12.111	12.777	13.426	48.335	14.155	50.958	0.745	0.7865	0.6081	0.6083	17.584	472.855	82.115
39.789	43.674	46.081	12.132	12.800	13.451	48.423	14.179	51.045	0.744	0.7856	0.6074	0.6076	17.562	473.425	82.167
39.688	43.523	45.922	12.090	12.756	13.404	48.255	14.130	50.868	0.746	0.7871	0.6086	0.6087	17.595	472.545	82.114