

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.03.2025 06:00	02.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.926	0.021	89.932	4.485	0.576	0.636
02.03.2025 06:00	03.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	5.004	0.019	89.972	4.430	0.525	0.574
03.03.2025 06:00	04.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.876	0.040	90.142	4.356	0.525	0.586
04.03.2025 06:00	05.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.776	0.055	90.226	4.300	0.562	0.642
05.03.2025 06:00	06.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	5.071	0.022	89.795	4.459	0.588	0.653
06.03.2025 06:00	07.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.938	0.035	90.080	4.363	0.526	0.583
07.03.2025 06:00	08.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.440	0.084	90.792	4.111	0.488	0.573
08.03.2025 06:00	09.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.205	0.043	90.525	4.412	0.698	0.815
09.03.2025 06:00	10.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	5.069	0.006	89.725	4.533	0.609	0.667
10.03.2025 06:00	11.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.964	0.001	89.778	4.570	0.624	0.687
11.03.2025 06:00	12.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.511	0.002	90.475	4.788	1.043	1.223
12.03.2025 06:00	13.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.567	0.031	90.696	4.624	0.914	1.082
13.03.2025 06:00	14.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	2.125	0.160	93.314	3.838	0.450	0.563
14.03.2025 06:00	15.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.665	0.081	91.494	4.194	0.493	0.567
15.03.2025 06:00	16.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	1.912	0.102	92.616	4.322	0.856	1.049
16.03.2025 06:00	17.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	0.449	0.160	94.127	4.084	0.924	1.179
17.03.2025 06:00	18.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	0.460	0.207	94.671	3.770	0.679	0.893
18.03.2025 06:00	19.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	1.687	0.161	93.416	3.904	0.603	0.832
19.03.2025 06:00	20.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	2.525	0.112	92.507	4.052	0.572	0.805
20.03.2025 06:00	21.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	1.935	0.104	93.425	3.930	0.481	0.606
21.03.2025 06:00	22.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.888	0	89.827	4.634	0.604	0.651
22.03.2025 06:00	23.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.560	0.023	90.294	4.455	0.595	0.666
23.03.2025 06:00	24.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.690	0.118	91.809	3.788	0.456	0.595
24.03.2025 06:00	25.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.231	0.069	91.115	3.999	0.476	0.586
25.03.2025 06:00	26.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.853	0.078	92.119	3.361	0.472	0.590
26.03.2025 06:00	27.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.023	0.070	91.683	3.621	0.482	0.603
27.03.2025 06:00	28.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.676	0.060	92.725	2.992	0.441	0.547
28.03.2025 06:00	29.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	3.853	0.051	92.373	3.170	0.457	0.552
29.03.2025 06:00	30.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.543	0.021	90.859	3.984	0.528	0.593
30.03.2025 06:00	31.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.067	0.039	91.879	3.443	0.486	0.572
31.03.2025 06:00	01.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	01.04.2025 10:29	4.023	0.079	91.564	3.744	0.495	0.591

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.020	0.033	0.001	0.003	0	-	0.002	-	-	-	9.403655	33.879	9.913193	35.751	10.436909	37.569	11.002434
0.016	0.027	0.002	0.003	0	-	0.002	-	-	-	9.382873	33.803	9.891285	35.671	10.413844	37.487	10.978119
0.019	0.032	0.002	0.004	0	-	0.003	-	-	-	9.390902	33.831	9.899749	35.701	10.422754	37.518	10.987512
0.026	0.041	0.003	0.006	0	-	0.005	-	-	-	9.405901	33.886	9.915561	35.758	10.439402	37.578	11.005062
0.022	0.035	0.002	0.004	0	-	0.002	-	-	-	9.390881	33.833	9.899727	35.703	10.422732	37.516	10.987489
0.018	0.030	0.002	0.004	0	-	0.003	-	-	-	9.385173	33.811	9.893710	35.679	10.416397	37.496	10.980810
0.027	0.040	0.003	0.008	0	-	0.007	-	-	-	9.411469	33.900	9.921431	35.776	10.445582	37.597	11.011577
0.053	0.048	0.004	0.007	0	-	0.004	-	-	-	9.490098	34.211	10.004320	36.083	10.532850	37.914	11.103574
0.021	0.032	0.001	0.002	0	-	0.001	-	-	-	9.399296	33.864	9.908598	35.735	10.432071	37.552	10.997334
0.026	0.030	0.002	0.003	0	-	0.001	-	-	-	9.415329	33.923	9.925499	35.797	10.449865	37.616	11.016092
0.098	0.067	0.006	0.009	0	-	0.002	-	-	-	9.654057	34.794	10.177163	36.717	10.714824	38.569	11.295408
0.087	0.064	0.006	0.009	0	-	0.002	-	-	-	9.613325	34.646	10.134224	36.558	10.669617	38.406	11.247751
0.046	0.045	0.006	0.009	0	-	0.006	-	-	-	9.604760	34.596	10.125195	36.508	10.660111	38.373	11.237730
0.028	0.033	0.003	0.005	0	-	0.004	-	-	-	9.488646	34.181	10.002789	36.070	10.531238	37.909	11.101875
0.098	0.068	0.008	0.011	0	-	0.007	-	-	-	9.740167	35.097	10.267939	37.037	10.810397	38.913	11.396159
0.132	0.086	0.012	0.016	0	-	0.010	-	-	-	9.881791	35.607	10.417237	37.575	10.967581	39.473	11.561861
0.103	0.073	0.011	0.015	0	-	0.012	-	-	-	9.809228	35.337	10.340742	37.291	10.887046	39.189	11.476961
0.093	0.074	0.016	0.022	0	-	0.023	-	-	-	9.702408	34.954	10.228134	36.886	10.768488	38.762	11.351980
0.085	0.072	0.020	0.026	0	-	0.030	-	-	-	9.636027	34.716	10.158157	36.635	10.694814	38.497	11.274314
0.050	0.047	0.007	0.010	0	-	0.011	-	-	-	9.642966	34.733	10.165471	36.655	10.702515	38.525	11.282431
0.016	0.029	0.001	0.002	0	-	0	-	-	-	9.420859	33.943	9.931329	35.818	10.456003	37.638	11.022563
0.025	0.038	0.002	0.004	0	-	0.003	-	-	-	9.441409	34.015	9.952993	35.895	10.478812	37.720	11.046607
0.043	0.060	0.006	0.015	0	-	0.014	-	-	-	9.465188	34.094	9.978060	35.978	10.505203	37.815	11.074429
0.033	0.050	0.005	0.012	0	-	0.011	-	-	-	9.429351	33.967	9.940281	35.844	10.465428	37.672	11.032499
0.034	0.055	0.005	0.013	0.001	-	0.011	-	-	-	9.419683	33.926	9.930089	35.801	10.454698	37.633	11.021186
0.041	0.053	0.005	0.012	0	-	0.010	-	-	-	9.425157	33.949	9.935860	35.825	10.460773	37.655	11.027591
0.030	0.050	0.004	0.012	0.001	-	0.009	-	-	-	9.404558	33.868	9.914145	35.739	10.437911	37.573	11.003491
0.027	0.046	0.004	0.010	0.001	-	0.007	-	-	-	9.400826	33.856	9.910211	35.726	10.433769	37.558	10.999124
0.020	0.035	0.002	0.005	0	-	0.003	-	-	-	9.399076	33.857	9.908366	35.728	10.431827	37.550	10.997077
0.025	0.043	0.003	0.008	0	-	0.006	-	-	-	9.402871	33.866	9.912366	35.737	10.436039	37.566	11.001516
0.029	0.046	0.004	0.009	0	-	0.008	-	-	-	9.428857	33.963	9.939760	35.839	10.464880	37.670	11.031921

GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m3) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m3) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m3) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
39.609	43.603	46.006	12.112	12.779	13.431	48.351	14.158	50.970	0.740	0.7808	0.6037	0.6039	17.456	476.317	83.286
39.521	43.527	45.925	12.091	12.757	13.408	48.269	14.134	50.883	0.739	0.7800	0.6031	0.6033	17.438	476.804	83.658
39.555	43.581	45.983	12.106	12.773	13.425	48.330	14.152	50.947	0.738	0.7794	0.6026	0.6028	17.424	477.187	83.738
39.618	43.648	46.054	12.124	12.793	13.446	48.404	14.171	51.016	0.739	0.7795	0.6028	0.6029	17.428	477.091	83.588
39.555	43.518	45.917	12.088	12.755	13.405	48.258	14.131	50.872	0.741	0.7817	0.6044	0.6045	17.475	475.787	83.234
39.531	43.549	45.948	12.097	12.763	13.415	48.295	14.142	50.910	0.739	0.7796	0.6028	0.6030	17.429	477.045	83.749
39.642	43.757	46.178	12.155	12.827	13.483	48.538	14.210	51.157	0.735	0.7761	0.6002	0.6004	17.352	479.197	84.279
39.973	44.067	46.469	12.241	12.908	13.573	48.863	14.300	51.479	0.739	0.7795	0.6027	0.6029	17.426	477.155	82.818
39.590	43.548	45.949	12.097	12.764	13.414	48.290	14.140	50.905	0.741	0.7820	0.6047	0.6048	17.483	475.571	83.069
39.658	43.627	46.032	12.119	12.787	13.438	48.377	14.166	50.996	0.741	0.7819	0.6046	0.6048	17.481	475.638	82.941
40.663	44.712	47.177	12.420	13.105	13.767	49.563	14.513	52.247	0.742	0.7832	0.6056	0.6057	17.507	474.930	80.603
40.492	44.585	47.042	12.385	13.067	13.730	49.427	14.473	52.104	0.740	0.7820	0.6046	0.6040	17.457	476.316	81.399
40.456	45.051	47.535	12.514	13.204	13.881	49.970	14.632	52.676	0.723	0.7631	0.5900	0.5902	17.059	487.573	85.158
39.967	44.243	46.681	12.290	12.967	13.630	49.068	14.368	51.725	0.732	0.7722	0.5971	0.5973	17.265	481.711	84.298
41.026	45.464	47.970	12.629	13.325	14.002	50.408	14.760	53.138	0.730	0.7709	0.5961	0.5963	17.233	482.594	82.310
41.623	46.305	48.857	12.862	13.571	14.262	51.343	15.034	54.121	0.724	0.7645	0.5911	0.5913	17.088	486.653	82.347
41.317	46.118	48.660	12.810	13.517	14.207	51.145	14.976	53.914	0.719	0.7593	0.5871	0.5873	16.970	490.026	84.044
40.867	45.435	47.940	12.621	13.317	13.996	50.386	14.754	53.115	0.726	0.7657	0.5921	0.5922	17.117	485.933	83.618
40.588	44.992	47.471	12.498	13.187	13.859	49.891	14.609	52.593	0.730	0.7704	0.5957	0.5958	17.221	483.040	83.200
40.617	45.245	47.738	12.568	13.261	13.938	50.178	14.693	52.895	0.723	0.7626	0.5897	0.5899	17.049	487.840	84.714
39.681	43.669	46.076	12.130	12.799	13.451	48.423	14.179	51.045	0.740	0.7813	0.6041	0.6043	17.468	475.987	82.972
39.768	43.824	46.239	12.173	12.844	13.499	48.597	14.230	51.228	0.738	0.7792	0.6025	0.6026	17.419	477.325	83.236
39.868	44.152	46.586	12.265	12.941	13.603	48.971	14.338	51.617	0.731	0.7713	0.5964	0.5966	17.244	482.187	84.752
39.717	43.892	46.311	12.192	12.864	13.522	48.680	14.254	51.315	0.734	0.7745	0.5989	0.5990	17.316	480.169	84.345
39.676	44.005	46.431	12.224	12.897	13.559	48.814	14.293	51.457	0.728	0.7687	0.5944	0.5945	17.179	484.030	85.729
39.699	43.957	46.379	12.210	12.883	13.543	48.755	14.276	51.395	0.731	0.7714	0.5965	0.5966	17.245	482.168	85.099
39.613	44.048	46.475	12.235	12.910	13.574	48.867	14.309	51.512	0.724	0.7646	0.5912	0.5913	17.094	486.415	86.814
39.597	43.978	46.402	12.216	12.889	13.552	48.787	14.286	51.429	0.726	0.7665	0.5927	0.5928	17.136	485.207	86.408
39.589	43.735	46.145	12.149	12.818	13.474	48.506	14.203	51.132	0.734	0.7752	0.5994	0.5995	17.329	479.861	84.570
39.605	43.910	46.330	12.197	12.869	13.530	48.708	14.262	51.345	0.729	0.7693	0.5949	0.5950	17.200	483.426	85.752
39.715	43.963	46.386	12.212	12.885	13.545	48.762	14.278	51.402	0.731	0.7718	0.5968	0.5970	17.256	481.843	84.980