

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.01.2025 06:00	02.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.360	0.117	94.219	3.859	0.357	0.445
02.01.2025 06:00	03.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.278	0.090	93.129	4.023	0.403	0.481
03.01.2025 06:00	04.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.871	0.073	92.368	4.167	0.451	0.521
04.01.2025 06:00	05.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.304	0.088	93.024	4.091	0.413	0.493
05.01.2025 06:00	06.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.100	0.105	93.327	3.968	0.413	0.499
06.01.2025 06:00	07.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	5.207	0	89.365	4.727	0.646	0.701
07.01.2025 06:00	08.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.719	0.061	90.344	4.234	0.549	0.642
08.01.2025 06:00	09.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.448	0.089	90.912	3.960	0.478	0.591
09.01.2025 06:00	10.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.771	0.063	90.385	4.190	0.508	0.591
10.01.2025 06:00	11.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.949	0.053	90.170	4.233	0.517	0.594
11.01.2025 06:00	12.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.565	0.086	92.885	3.955	0.425	0.509
12.01.2025 06:00	13.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.319	0.130	94.247	3.790	0.388	0.515
13.01.2025 06:00	14.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.328	0.134	93.799	3.887	0.523	0.853
14.01.2025 06:00	15.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.093	0.144	94.461	3.797	0.375	0.505
15.01.2025 06:00	16.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.196	0.143	94.410	3.789	0.361	0.462
16.01.2025 06:00	17.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.119	0.145	94.520	3.753	0.361	0.463
17.01.2025 06:00	18.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.355	0.140	94.241	3.794	0.370	0.470
18.01.2025 06:00	19.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.679	0.130	93.860	3.856	0.380	0.474
19.01.2025 06:00	20.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.835	0.126	93.435	3.936	0.471	0.668
20.01.2025 06:00	21.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.642	0.137	93.753	3.869	0.433	0.600
21.01.2025 06:00	22.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	1.328	0.150	94.236	3.787	0.383	0.500
22.01.2025 06:00	23.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	2.434	0.112	92.966	3.972	0.424	0.516
23.01.2025 06:00	24.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	3.716	0.164	91.941	3.635	0.407	0.544
24.01.2025 06:00	25.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	3.971	0.134	91.625	3.718	0.434	0.553
25.01.2025 06:00	26.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.060	0.153	91.495	3.718	0.439	0.574
26.01.2025 06:00	27.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	3.937	0.181	91.699	3.617	0.418	0.566
27.01.2025 06:00	28.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	3.732	0.188	91.877	3.622	0.429	0.581
28.01.2025 06:00	29.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.077	0.182	91.481	3.665	0.448	0.595
29.01.2025 06:00	30.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	3.835	0.192	91.895	3.509	0.420	0.570
30.01.2025 06:00	31.01.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.704	0.065	90.334	4.262	0.545	0.636
31.01.2025 06:00	01.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.02.2025 09:55	4.756	0.056	90.266	4.321	0.526	0.602

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0
0.036	0.038	0.003	0.007	0	-	0.004	-	-	-	9.663824	34.808	10.187460	36.731	10.725665	38.611	11.306837
0.031	0.035	0.003	0.006	0	-	0.003	-	-	-	9.594977	34.560	10.114882	36.470	10.649253	38.334	11.226284
0.027	0.034	0.002	0.005	0	-	0.003	-	-	-	9.555863	34.422	10.073649	36.324	10.605842	38.177	11.180520
0.033	0.036	0.003	0.005	0	-	0.003	-	-	-	9.597495	34.570	10.117536	36.488	10.652047	38.351	11.229230
0.034	0.039	0.003	0.006	0	-	0.004	-	-	-	9.609935	34.614	10.130650	36.527	10.665854	38.393	11.243785
0.019	0.033	0.001	0.002	0	-	0	-	-	-	9.404815	33.885	9.914416	35.758	10.438196	37.572	11.003791
0.028	0.047	0.003	0.008	0	-	0.006	-	-	-	9.406061	33.886	9.915729	35.759	10.439579	37.579	11.005249
0.032	0.054	0.004	0.012	0	-	0.010	-	-	-	9.404907	33.878	9.914513	35.751	10.438299	37.574	11.003899
0.024	0.042	0.003	0.008	0	-	0.006	-	-	-	9.389983	33.826	9.898781	35.696	10.421735	37.515	10.986438
0.022	0.040	0.003	0.007	0	-	0.006	-	-	-	9.376865	33.780	9.884952	35.647	10.407176	37.462	10.971090
0.031	0.038	0.003	0.006	0	-	0.005	-	-	-	9.568165	34.464	10.086617	36.368	10.619495	38.226	11.194914
0.048	0.047	0.009	0.013	0	-	0.010	-	-	-	9.676184	34.852	10.200489	36.778	10.739383	38.658	11.321298
0.116	0.093	0.035	0.043	0	-	0.042	-	-	-	9.754058	35.141	10.282582	37.084	10.825813	38.968	11.412411
0.050	0.049	0.008	0.012	0	-	0.012	-	-	-	9.695628	34.921	10.220986	36.851	10.760963	38.736	11.344047
0.040	0.042	0.004	0.008	0	-	0.007	-	-	-	9.675822	34.849	10.200107	36.775	10.738981	38.657	11.320874
0.041	0.043	0.004	0.008	0	-	0.006	-	-	-	9.680401	34.865	10.204935	36.792	10.744064	38.675	11.326232
0.040	0.042	0.004	0.008	0	-	0.005	-	-	-	9.662113	34.800	10.185656	36.723	10.723766	38.602	11.304834
0.038	0.040	0.004	0.007	0	-	0.005	-	-	-	9.636931	34.710	10.159109	36.628	10.695817	38.501	11.275371
0.074	0.065	0.016	0.022	0	-	0.019	-	-	-	9.667534	34.826	10.191371	36.750	10.729783	38.623	11.311177
0.062	0.057	0.012	0.017	0	-	0.018	-	-	-	9.667578	34.823	10.191417	36.748	10.729831	38.623	11.311228
0.046	0.046	0.006	0.010	0	-	0.010	-	-	-	9.669890	34.829	10.193854	36.753	10.732397	38.633	11.313933
0.035	0.039	0.004	0.007	0	-	0.007	-	-	-	9.581243	34.511	10.100404	36.418	10.634010	38.279	11.210215
0.040	0.061	0.006	0.016	0.001	-	0.014	-	-	-	9.439768	34.001	9.951263	35.880	10.476990	37.714	11.044687
0.035	0.055	0.005	0.013	0	-	0.011	-	-	-	9.423486	33.943	9.934098	35.819	10.458919	37.648	11.025636
0.040	0.060	0.006	0.015	0	-	0.013	-	-	-	9.418293	33.925	9.928624	35.799	10.453155	37.628	11.019561
0.043	0.065	0.006	0.017	0.001	-	0.016	-	-	-	9.420457	33.932	9.930906	35.806	10.455557	37.636	11.022093
0.046	0.066	0.007	0.017	0.001	-	0.016	-	-	-	9.442718	34.012	9.954373	35.891	10.480264	37.725	11.048139
0.043	0.063	0.006	0.016	0.001	-	0.017	-	-	-	9.414684	33.912	9.924819	35.785	10.449149	37.613	11.015338
0.044	0.065	0.006	0.017	0.001	-	0.018	-	-	-	9.422526	33.938	9.933087	35.814	10.457854	37.645	11.024514
0.030	0.042	0.003	0.008	0	-	0.007	-	-	-	9.408292	33.894	9.918081	35.767	10.442056	37.588	11.007859
0.024	0.038	0.003	0.006	0	-	0.004	-	-	-	9.401880	33.868	9.911322	35.740	10.434939	37.559	11.000357

GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m3) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m3) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m3) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
40.705	45.508	48.018	12.641	13.338	14.022	50.480	14.781	53.213	0.717	0.7569	0.5852	0.5854	16.920	491.539	85.734
40.415	45.015	47.496	12.504	13.193	13.869	49.930	14.620	52.634	0.723	0.7628	0.5898	0.5900	17.053	487.761	85.166
40.250	44.709	47.173	12.419	13.104	13.774	49.587	14.520	52.272	0.727	0.7671	0.5932	0.5933	17.150	485.026	84.649
40.425	45.010	47.491	12.503	13.192	13.869	49.929	14.618	52.626	0.723	0.7634	0.5904	0.5905	17.069	487.312	84.966
40.478	45.108	47.595	12.530	13.221	13.898	50.033	14.651	52.743	0.722	0.7620	0.5892	0.5894	17.035	488.274	85.207
39.614	43.515	45.913	12.087	12.754	13.402	48.247	14.128	50.862	0.743	0.7843	0.6064	0.6066	17.534	474.192	82.539
39.619	43.662	46.068	12.128	12.797	13.450	48.420	14.178	51.041	0.738	0.7790	0.6024	0.6025	17.416	477.413	83.683
39.614	43.743	46.154	12.151	12.821	13.476	48.514	14.206	51.141	0.735	0.7758	0.5998	0.6000	17.344	479.402	84.402
39.551	43.604	46.008	12.112	12.780	13.433	48.358	14.160	50.976	0.737	0.7783	0.6018	0.6020	17.398	477.912	84.007
39.496	43.514	45.912	12.087	12.753	13.405	48.256	14.131	50.870	0.739	0.7794	0.6027	0.6028	17.425	477.168	83.911
40.302	44.847	47.319	12.458	13.144	13.818	49.743	14.566	52.437	0.724	0.7643	0.5910	0.5911	17.087	486.826	85.127
40.757	45.544	48.054	12.651	13.348	14.033	50.518	14.793	53.254	0.718	0.7577	0.5859	0.5860	16.938	491.082	85.475
41.085	45.713	48.233	12.698	13.398	14.081	50.692	14.844	53.438	0.725	0.7648	0.5914	0.5915	17.097	486.906	83.390
40.839	45.666	48.183	12.685	13.384	14.070	50.653	14.832	53.396	0.717	0.7566	0.5850	0.5852	16.913	491.773	85.538
40.755	45.582	48.094	12.662	13.360	14.045	50.562	14.806	53.300	0.717	0.7562	0.5847	0.5849	16.906	491.937	85.785
40.774	45.621	48.135	12.672	13.371	14.057	50.606	14.818	53.346	0.716	0.7556	0.5843	0.5844	16.892	492.322	85.873
40.697	45.492	47.999	12.637	13.333	14.017	50.462	14.776	53.194	0.717	0.7571	0.5854	0.5856	16.926	491.362	85.738
40.591	45.316	47.814	12.588	13.282	13.963	50.266	14.719	52.988	0.719	0.7591	0.5870	0.5871	16.971	490.081	85.564
40.720	45.327	47.826	12.591	13.285	13.964	50.271	14.720	52.993	0.724	0.7639	0.5907	0.5909	17.078	487.216	84.324
40.720	45.395	47.898	12.610	13.305	13.986	50.349	14.743	53.076	0.722	0.7615	0.5888	0.5890	17.023	488.717	84.821
40.730	45.513	48.022	12.643	13.339	14.024	50.485	14.783	53.218	0.718	0.7577	0.5858	0.5860	16.938	491.034	85.561
40.357	44.909	47.384	12.475	13.162	13.837	49.812	14.586	52.509	0.724	0.7642	0.5909	0.5911	17.085	486.851	85.052
39.761	44.054	46.482	12.237	12.912	13.573	48.864	14.308	51.510	0.730	0.7704	0.5957	0.5959	17.224	482.746	85.330
39.692	43.939	46.359	12.205	12.878	13.538	48.736	14.271	51.375	0.731	0.7718	0.5968	0.5970	17.256	481.852	85.142
39.670	43.881	46.300	12.189	12.861	13.520	48.672	14.252	51.307	0.732	0.7730	0.5977	0.5979	17.281	481.133	84.987
39.680	43.916	46.336	12.199	12.871	13.531	48.711	14.263	51.348	0.732	0.7721	0.5970	0.5972	17.261	481.690	85.213
39.773	44.043	46.470	12.234	12.908	13.570	48.851	14.305	51.497	0.731	0.7713	0.5964	0.5965	17.244	482.177	85.165
39.655	43.850	46.266	12.181	12.852	13.510	48.636	14.242	51.270	0.733	0.7735	0.5981	0.5982	17.293	480.807	84.981
39.688	43.954	46.376	12.209	12.882	13.543	48.754	14.276	51.395	0.731	0.7711	0.5962	0.5964	17.239	482.331	85.451
39.628	43.671	46.078	12.131	12.799	13.453	48.429	14.181	51.052	0.738	0.7791	0.6024	0.6026	17.417	477.377	83.668
39.601	43.639	46.044	12.122	12.790	13.444	48.398	14.172	51.018	0.738	0.7790	0.6023	0.6025	17.413	477.502	83.724