

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.04.2025 06:00	02.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.429	0.052	90.810	4.088	0.540	0.621
02.04.2025 06:00	03.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.426	0.056	90.733	4.118	0.575	0.667
03.04.2025 06:00	04.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.271	0.071	91.093	3.935	0.534	0.630
04.04.2025 06:00	05.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.172	0.062	91.375	3.749	0.542	0.642
05.04.2025 06:00	06.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.176	0.053	91.447	3.701	0.529	0.623
06.04.2025 06:00	07.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.358	0.030	91.300	3.734	0.502	0.578
07.04.2025 06:00	08.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.762	0.015	90.504	4.142	0.522	0.577
08.04.2025 06:00	09.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.336	0.036	91.026	3.902	0.600	0.701
09.04.2025 06:00	10.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.097	0.058	89.848	4.764	1.007	1.234
10.04.2025 06:00	11.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.004	0.073	90.102	4.642	0.956	1.179
11.04.2025 06:00	12.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.699	0.091	90.233	4.652	1.056	1.325
12.04.2025 06:00	13.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.708	0.065	89.350	5.085	1.423	1.791
13.04.2025 06:00	14.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.584	0.061	89.378	5.144	1.454	1.833
14.04.2025 06:00	15.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.576	0.059	89.243	5.230	1.503	1.892
15.04.2025 06:00	16.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.738	0.051	89.297	5.166	1.398	1.748
16.04.2025 06:00	17.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.495	0.072	89.171	5.243	1.586	2.019
17.04.2025 06:00	18.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	4.142	0.040	89.369	5.012	1.167	1.436
18.04.2025 06:00	19.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.964	0.051	89.507	4.950	1.228	1.529
19.04.2025 06:00	20.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.633	0.061	90.183	4.599	1.210	1.523
20.04.2025 06:00	21.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.412	0.074	90.180	4.892	1.112	1.442
21.04.2025 06:00	22.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.429	0.079	89.915	5.950	0.417	0.627
22.04.2025 06:00	23.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.433	0.092	89.832	5.991	0.421	0.652
23.04.2025 06:00	24.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.250	0.099	89.849	6.305	0.275	0.497
24.04.2025 06:00	25.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.543	0.082	89.868	5.964	0.348	0.542
25.04.2025 06:00	26.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.293	0.075	89.998	6.173	0.278	0.461
26.04.2025 06:00	27.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.572	0.062	89.961	5.864	0.376	0.542
27.04.2025 06:00	28.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.089	0.082	90.012	6.326	0.287	0.491
28.04.2025 06:00	29.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.098	0.078	90.018	6.304	0.303	0.502
29.04.2025 06:00	30.04.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	3.143	0.076	89.931	6.328	0.326	0.522
30.04.2025 06:00	01.05.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	05.05.2025 09:37	2.954	0.076	89.929	6.549	0.291	0.492

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15
0.026	0.041	0.003	0.006	0	-	0.005	-	-	-	9.420004	33.934	9.930428	35.809	10.455055	37.634
0.030	0.046	0.003	0.007	0	-	0.006	-	-	-	9.429237	33.969	9.940161	35.846	10.465302	37.671
0.030	0.046	0.004	0.008	0	-	0.007	-	-	-	9.424942	33.951	9.935634	35.827	10.460535	37.654
0.031	0.049	0.004	0.009	0	-	0.008	-	-	-	9.424036	33.946	9.934678	35.822	10.459529	37.651
0.029	0.047	0.003	0.008	0	-	0.007	-	-	-	9.417676	33.923	9.927973	35.797	10.452470	37.625
0.023	0.038	0.003	0.007	0	-	0.005	-	-	-	9.396874	33.847	9.906045	35.717	10.429383	37.542
0.017	0.030	0.002	0.004	0	-	0.002	-	-	-	9.386647	33.814	9.895263	35.682	10.418032	37.501
0.033	0.053	0.003	0.007	0	-	0.005	-	-	-	9.429556	33.969	9.940497	35.847	10.465656	37.673
0.087	0.122	0.003	0.008	0	-	0.006	-	-	-	9.596773	34.565	10.116775	36.500	10.651247	38.314
0.085	0.119	0.003	0.008	0	-	0.007	-	-	-	9.587087	34.552	10.106564	36.461	10.640496	38.301
0.103	0.143	0.004	0.010	0	-	0.009	-	-	-	9.639848	34.744	10.162184	36.665	10.699054	38.512
0.147	0.198	0.004	0.011	0	-	0.009	-	-	-	9.745909	35.139	10.273992	37.082	10.816769	38.935
0.151	0.207	0.003	0.010	0	-	0.008	-	-	-	9.768502	35.221	10.297810	37.169	10.841845	39.025
0.155	0.212	0.003	0.010	0	-	0.009	-	-	-	9.783656	35.278	10.313784	37.166	10.858663	39.022
0.139	0.191	0.003	0.009	0	-	0.007	-	-	-	9.742293	35.126	10.270180	37.065	10.812755	38.917
0.171	0.236	0.004	0.012	0	-	0.010	-	-	-	9.814063	35.390	10.345839	37.347	10.892411	39.207
0.105	0.148	0.003	0.007	0	-	0.006	-	-	-	9.643866	34.764	10.166420	36.686	10.703514	38.527
0.117	0.164	0.003	0.009	0	-	0.007	-	-	-	9.670961	34.862	10.194983	36.790	10.733586	38.636
0.121	0.169	0.004	0.011	0	-	0.009	-	-	-	9.677084	34.882	10.201437	36.809	10.740381	38.660
0.135	0.166	0.004	0.014	0	-	0.011	-	-	-	9.707681	34.993	10.233692	36.928	10.774340	38.783
0.112	0.069	0.004	0.013	0	-	0.012	-	-	-	9.657243	34.806	10.180521	36.730	10.718360	38.581
0.121	0.075	0.005	0.015	0	-	0.014	-	-	-	9.664129	34.832	10.187781	36.760	10.726003	38.609
0.125	0.061	0.005	0.016	0	-	0.014	-	-	-	9.680687	34.891	10.205236	36.821	10.744380	38.675
0.107	0.057	0.004	0.014	0	-	0.012	-	-	-	9.634211	34.722	10.156241	36.641	10.692797	38.489
0.107	0.049	0.003	0.012	0	-	0.011	-	-	-	9.661298	34.820	10.184797	36.744	10.722861	38.598
0.093	0.050	0.003	0.011	0	-	0.009	-	-	-	9.623131	34.682	10.144561	36.598	10.680500	38.445
0.119	0.055	0.004	0.014	0	-	0.012	-	-	-	9.696381	34.948	10.221780	36.880	10.761799	38.738
0.117	0.054	0.004	0.013	0	-	0.012	-	-	-	9.695660	34.945	10.221021	36.877	10.760999	38.735
0.115	0.054	0.004	0.013	0	-	0.011	-	-	-	9.693757	34.946	10.219014	36.877	10.758886	38.735
0.121	0.054	0.004	0.013	0	-	0.011	-	-	-	9.725914	35.056	10.252913	36.994	10.794577	38.856

GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/ m3) @15/15	Wd(Mj/m 3) @15/15	Wd(kWh/ m3) @25/0	Wd(Mj/m 3) @25/0	Wg(kWh/ m3) @15/15	Wg(Mj/m 3) @15/15	Wg(kWh/ m3) @25/0	Wg(Mj/m 3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
11.021563	39.678	43.807	46.221	12.169	12.839	13.495	48.584	14.226	51.214	0.735	0.7761	0.6001	0.6002	17.350	479.232	84.141
11.032365	39.717	43.826	46.242	12.174	12.845	13.501	48.603	14.232	51.235	0.736	0.7769	0.6008	0.6009	17.370	478.687	83.857
11.027340	39.698	43.866	46.284	12.185	12.857	13.514	48.651	14.246	51.285	0.734	0.7747	0.5991	0.5992	17.321	480.047	84.392
11.026280	39.695	43.906	46.332	12.196	12.870	13.529	48.704	14.260	51.334	0.733	0.7729	0.5976	0.5980	17.284	481.071	84.747
11.018838	39.668	43.895	46.314	12.193	12.865	13.524	48.686	14.256	51.322	0.732	0.7724	0.5973	0.5974	17.269	481.486	84.930
10.994500	39.580	43.793	46.207	12.165	12.835	13.493	48.574	14.223	51.204	0.732	0.7726	0.5974	0.5975	17.273	481.393	85.094
10.982534	39.537	43.629	46.034	12.119	12.787	13.440	48.385	14.168	51.005	0.736	0.7769	0.6007	0.6009	17.369	478.699	84.249
11.032738	39.718	43.875	46.294	12.188	12.859	13.517	48.660	14.249	51.295	0.735	0.7752	0.5994	0.5996	17.333	479.715	84.215
11.228386	40.422	44.331	46.745	12.314	12.985	13.650	49.139	14.380	51.768	0.746	0.7873	0.6088	0.6089	17.600	472.428	80.357
11.217052	40.381	44.334	46.778	12.315	12.994	13.651	49.145	14.391	51.807	0.744	0.7855	0.6074	0.6076	17.560	473.489	80.760
11.278784	40.604	44.558	47.021	12.377	13.061	13.721	49.395	14.464	52.071	0.745	0.7864	0.6080	0.6082	17.578	472.997	80.203
11.402877	41.050	44.808	47.278	12.447	13.133	13.791	49.649	14.538	52.338	0.754	0.7954	0.6150	0.6152	17.778	467.686	77.799
11.429311	41.146	44.907	47.383	12.474	13.162	13.821	49.756	14.570	52.452	0.754	0.7956	0.6151	0.6153	17.783	467.565	77.606
11.447041	41.209	44.943	47.380	12.484	13.161	13.832	49.794	14.569	52.449	0.754	0.7956	0.6161	0.6163	17.812	466.816	77.311
11.398646	41.035	44.796	47.266	12.443	13.129	13.788	49.635	14.535	52.324	0.753	0.7951	0.6148	0.6150	17.773	467.825	77.905
11.482618	41.337	45.039	47.519	12.511	13.200	13.860	49.896	14.610	52.596	0.757	0.7987	0.6175	0.6177	17.850	465.801	76.807
11.283485	40.621	44.430	46.879	12.342	13.022	13.678	49.240	14.418	51.906	0.750	0.7917	0.6122	0.6123	17.697	469.840	79.248
11.315187	40.735	44.553	47.009	12.376	13.058	13.715	49.374	14.458	52.049	0.750	0.7919	0.6123	0.6125	17.702	469.708	78.927
11.322350	40.760	44.682	47.147	12.412	13.096	13.757	49.524	14.502	52.207	0.747	0.7881	0.6094	0.6096	17.617	471.963	79.545
11.358149	40.889	44.828	47.299	12.452	13.139	13.801	49.682	14.548	52.373	0.747	0.7881	0.6094	0.6095	17.616	471.991	79.297
11.299136	40.677	44.707	47.171	12.419	13.103	13.766	49.556	14.511	52.240	0.743	0.7839	0.6061	0.6063	17.520	474.577	80.445
11.307193	40.706	44.714	47.184	12.421	13.107	13.769	49.568	14.515	52.253	0.744	0.7848	0.6068	0.6070	17.543	473.943	80.241
11.326566	40.776	44.817	47.288	12.449	13.136	13.799	49.677	14.546	52.367	0.743	0.7839	0.6061	0.6063	17.520	474.566	80.311
11.272188	40.580	44.612	47.071	12.392	13.075	13.737	49.453	14.481	52.131	0.742	0.7834	0.6058	0.6059	17.513	474.759	80.733
11.303881	40.694	44.772	47.240	12.437	13.122	13.786	49.630	14.533	52.318	0.741	0.7822	0.6048	0.6050	17.486	475.505	80.735
11.259224	40.533	44.587	47.045	12.385	13.068	13.730	49.427	14.473	52.104	0.741	0.7824	0.6050	0.6052	17.491	475.362	80.958
11.344928	40.842	44.922	47.399	12.478	13.166	13.832	49.794	14.581	52.491	0.742	0.7827	0.6052	0.6054	17.497	475.208	80.344
11.344085	40.839	44.920	47.397	12.478	13.166	13.831	49.792	14.580	52.489	0.742	0.7827	0.6052	0.6054	17.496	475.232	80.357
11.341858	40.831	44.905	47.370	12.473	13.158	13.826	49.774	14.572	52.458	0.742	0.7833	0.6056	0.6058	17.509	474.884	80.252
11.379482	40.966	45.046	47.530	12.513	13.203	13.869	49.929	14.620	52.633	0.742	0.7833	0.6057	0.6058	17.509	474.861	80.010