

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)
01.02.2025 06:00	02.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	4.347	0.091	90.859	4.097	0.508	0.605
02.02.2025 06:00	03.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	4.218	0.109	91.146	3.967	0.457	0.560
03.02.2025 06:00	04.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	3.503	0.125	91.930	3.893	0.441	0.548
04.02.2025 06:00	05.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.952	0.189	94.778	3.599	0.358	0.482
05.02.2025 06:00	06.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	3.482	0.097	91.797	4.067	0.468	0.557
06.02.2025 06:00	07.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	1.690	0.172	93.949	3.684	0.386	0.505
07.02.2025 06:00	08.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	2.041	0.178	93.614	3.655	0.387	0.513
08.02.2025 06:00	09.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	1.638	0.158	93.934	3.764	0.396	0.505
09.02.2025 06:00	10.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	5.082	0	89.826	4.534	0.521	0.557
10.02.2025 06:00	11.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	4.400	0.034	90.653	4.368	0.494	0.544
11.02.2025 06:00	12.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	1.367	0.173	94.240	3.723	0.384	0.496
12.02.2025 06:00	13.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.558	0.209	95.191	3.539	0.370	0.503
13.02.2025 06:00	14.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	3.321	0.081	91.834	4.182	0.502	0.582
14.02.2025 06:00	15.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	1.749	0.159	93.789	3.783	0.411	0.520
15.02.2025 06:00	16.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.436	0.221	95.383	3.474	0.351	0.486
16.02.2025 06:00	17.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	2.218	0.138	93.212	3.902	0.431	0.530
17.02.2025 06:00	18.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	4.384	0.089	90.849	4.117	0.472	0.560
18.02.2025 06:00	19.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.796	0.182	94.372	4.208	0.298	0.442
19.02.2025 06:00	20.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	2.519	0.167	92.442	4.393	0.316	0.479
20.02.2025 06:00	21.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.857	0.155	93.937	4.640	0.269	0.411
21.02.2025 06:00	22.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.428	0.143	94.194	4.843	0.256	0.392
22.02.2025 06:00	23.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	0.415	0.141	94.153	4.901	0.252	0.390
23.02.2025 06:00	24.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	2.812	0.074	91.921	4.692	0.411	0.501
24.02.2025 06:00	25.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	5.194	0	89.675	4.564	0.533	0.567
25.02.2025 06:00	26.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	5.167	0	89.713	4.555	0.531	0.565
26.02.2025 06:00	27.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	5.170	0	89.731	4.554	0.514	0.546
27.02.2025 06:00	28.02.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	5.134	0	89.780	4.538	0.515	0.548
28.02.2025 06:00	01.03.2025 06:00	004-1	MRČ Bjelovar	Kromatografski uzorak	03.03.2025 10:47	4.738	0.048	90.201	4.441	0.502	0.572

n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15	GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0
0.030	0.048	0.004	0.009	0	-	0.007	-	-	-	9.424083	33.949	9.934728	35.825	10.459582	37.651	11.026335	39.695
0.031	0.048	0.004	0.011	0	-	0.008	-	-	-	9.419538	33.930	9.929936	35.805	10.454537	37.633	11.021017	39.676
0.035	0.049	0.005	0.010	0	-	0.008	-	-	-	9.479377	34.145	9.993018	36.032	10.520951	37.872	11.091030	39.928
0.049	0.050	0.006	0.010	0	-	0.009	-	-	-	9.686347	34.886	10.211203	36.813	10.750663	38.698	11.333189	40.799
0.031	0.041	0.004	0.007	0	-	0.005	-	-	-	9.495281	34.204	10.009784	36.094	10.538603	37.936	11.109638	39.995
0.045	0.049	0.005	0.010	0	-	0.009	-	-	-	9.626714	34.672	10.148338	36.588	10.684477	38.460	11.263416	40.548
0.045	0.052	0.006	0.012	0	-	0.010	-	-	-	9.592854	34.551	10.112644	36.460	10.646897	38.325	11.223800	40.406
0.043	0.045	0.005	0.009	0	-	0.008	-	-	-	9.637507	34.712	10.159717	36.630	10.696457	38.503	11.276045	40.594
0.012	0.022	0.001	0.001	0	-	0	-	-	-	9.381127	33.797	9.889445	35.665	10.411906	37.479	10.976076	39.514
0.017	0.026	0.002	0.003	0	-	0.002	-	-	-	9.430202	33.972	9.941178	35.849	10.466373	37.675	11.033494	39.721
0.046	0.045	0.005	0.009	0	-	0.008	-	-	-	9.658090	34.785	10.181415	36.708	10.719301	38.586	11.300128	40.680
0.055	0.051	0.007	0.011	0	-	0.010	-	-	-	9.721253	35.011	10.248000	36.946	10.789404	38.838	11.374029	40.947
0.032	0.036	0.003	0.005	0	-	0.004	-	-	-	9.523079	34.305	10.039088	36.201	10.569455	38.046	11.142162	40.112
0.044	0.044	0.005	0.008	0	-	0.007	-	-	-	9.630588	34.687	10.152423	36.604	10.688777	38.476	11.267950	40.565
0.055	0.052	0.007	0.011	0	-	0.011	-	-	-	9.724840	35.023	10.251781	36.959	10.793385	38.852	11.378225	40.962
0.039	0.041	0.005	0.007	0	-	0.007	-	-	-	9.596971	34.578	10.116984	36.489	10.651466	38.341	11.228617	40.423
0.027	0.041	0.004	0.009	0	-	0.007	-	-	-	9.415149	33.907	9.925310	35.790	10.449666	37.615	11.015883	39.657
0.071	0.046	0.006	0.011	0	-	0.010	-	-	-	9.741429	35.089	10.269270	37.028	10.811797	38.918	11.397636	41.031
0.072	0.055	0.006	0.015	0	-	0.014	-	-	-	9.600178	34.584	10.120365	36.495	10.655025	38.354	11.232369	40.437
0.078	0.040	0.005	0.010	0	-	0.009	-	-	-	9.764092	35.174	10.293160	37.118	10.836950	39.009	11.424151	41.127
0.081	0.035	0.005	0.008	0	-	0.007	-	-	-	9.816562	35.364	10.348473	37.318	10.895185	39.218	11.485542	41.348
0.085	0.035	0.005	0.008	0	-	0.007	-	-	-	9.822153	35.384	10.354368	37.340	10.901391	39.241	11.492084	41.372
0.048	0.030	0.003	0.005	0	-	0.004	-	-	-	9.599760	34.576	10.119924	36.495	10.654561	38.343	11.231880	40.435
0.011	0.021	0.001	0.001	0	-	0	-	-	-	9.373791	33.771	9.881711	35.637	10.403764	37.450	10.967493	39.483
0.011	0.021	0.001	0.001	0	-	0	-	-	-	9.375434	33.777	9.883443	35.643	10.405587	37.456	10.969415	39.490
0.011	0.020	0.001	0.001	0	-	0	-	-	-	9.372229	33.765	9.880064	35.630	10.402030	37.444	10.965665	39.476
0.011	0.020	0.001	0.001	0	-	0	-	-	-	9.374826	33.774	9.882802	35.640	10.404912	37.454	10.968704	39.487
0.025	0.033	0.002	0.005	0	-	0.004	-	-	-	9.410706	33.903	9.920626	35.767	10.444735	37.597	11.010684	39.638

Wd(kWh/m ³) @15/15	Wd(Mj/m ³) @15/15	Wd(kWh/m ³) @25/0	Wd(Mj/m ³) @25/0	Wg(kWh/m ³) @15/15	Wg(Mj/m ³) @15/15	Wg(kWh/m ³) @25/0	Wg(Mj/m ³) @25/0	ρ (kg/m ³) @15	ρ (kg/m ³) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
43.824	46.240	12.173	12.844	13.501	48.603	14.232	51.234	0.735	0.7761	0.6001	0.6003	17.352	479.186	84.150
43.851	46.268	12.181	12.852	13.510	48.636	14.241	51.269	0.734	0.7743	0.5987	0.5989	17.311	480.299	84.612
44.255	46.694	12.293	12.971	13.635	49.085	14.373	51.742	0.730	0.7701	0.5955	0.5957	17.218	482.993	84.889
45.670	48.188	12.686	13.385	14.073	50.662	14.835	53.405	0.715	0.7548	0.5836	0.5838	16.873	492.831	86.070
44.319	46.762	12.311	12.989	13.654	49.154	14.393	51.816	0.730	0.7707	0.5959	0.5961	17.230	482.715	84.591
45.261	47.755	12.572	13.265	13.946	50.205	14.701	52.924	0.719	0.7593	0.5871	0.5872	16.974	489.963	85.729
45.043	47.526	12.512	13.202	13.879	49.964	14.630	52.670	0.721	0.7612	0.5886	0.5888	17.018	488.684	85.679
45.314	47.811	12.587	13.281	13.962	50.264	14.718	52.985	0.719	0.7592	0.5871	0.5872	16.973	489.993	85.595
43.505	45.903	12.085	12.751	13.401	48.245	14.127	50.858	0.740	0.7805	0.6035	0.6037	17.449	476.499	83.556
43.857	46.275	12.183	12.854	13.511	48.638	14.242	51.272	0.735	0.7762	0.6002	0.6003	17.353	479.220	84.001
45.456	47.962	12.627	13.323	14.006	50.423	14.765	53.153	0.718	0.7576	0.5858	0.5860	16.937	491.010	85.747
45.888	48.418	12.747	13.449	14.140	50.904	14.906	53.661	0.713	0.7529	0.5821	0.5823	16.831	494.027	86.143
44.455	46.905	12.349	13.029	13.695	49.303	14.437	51.972	0.730	0.7706	0.5958	0.5960	17.224	482.890	84.285
45.256	47.751	12.571	13.264	13.944	50.199	14.699	52.917	0.720	0.7601	0.5878	0.5879	16.993	489.425	85.485
45.937	48.469	12.760	13.463	14.155	50.959	14.922	53.718	0.712	0.7518	0.5813	0.5814	16.806	494.737	86.366
45.034	47.493	12.509	13.193	13.868	49.926	14.627	52.656	0.723	0.7632	0.5901	0.5901	17.061	487.504	85.170
43.793	46.206	12.165	12.835	13.484	48.543	14.214	51.171	0.735	0.7758	0.6002	0.6003	17.344	479.420	84.355
45.855	48.382	12.737	13.440	14.128	50.859	14.893	53.613	0.718	0.7573	0.5856	0.5858	16.930	491.123	84.932
44.877	47.350	12.466	13.153	13.825	49.769	14.573	52.464	0.728	0.7682	0.5940	0.5942	17.171	484.274	84.123
45.898	48.428	12.749	13.452	14.139	50.902	14.905	53.659	0.720	0.7596	0.5873	0.5875	16.981	489.677	84.193
46.189	48.735	12.830	13.537	14.229	51.223	14.999	53.997	0.718	0.7581	0.5862	0.5864	16.947	490.621	83.930
46.208	48.755	12.836	13.543	14.234	51.244	15.005	54.019	0.719	0.7584	0.5864	0.5866	16.953	490.451	83.817
44.821	47.292	12.450	13.137	13.807	49.705	14.559	52.413	0.729	0.7700	0.5954	0.5956	17.214	483.119	83.609
43.447	45.842	12.069	12.734	13.383	48.180	14.108	50.789	0.740	0.7814	0.6042	0.6043	17.469	475.956	83.451
43.461	45.856	12.072	12.738	13.388	48.195	14.113	50.805	0.740	0.7812	0.6040	0.6042	17.464	476.092	83.479
43.452	45.847	12.070	12.735	13.385	48.187	14.110	50.796	0.740	0.7809	0.6038	0.6039	17.458	476.247	83.567
43.471	45.867	12.075	12.741	13.391	48.208	14.116	50.818	0.740	0.7806	0.6036	0.6038	17.453	476.401	83.593
43.675	46.075	12.132	12.799	13.454	48.433	14.180	51.048	0.738	0.7792	0.6025	0.6026	17.419	477.324	83.629